A1

# PARTS **PRICE LIST** BY EQUIPMENT

MARCH 2026

HT2603PARTS

# COMMERCIAL REFRIGERATION

## ORDERS

All orders are subject to a $30.00 net minimum billing and subject to HTPG's Terms & Conditions of Sale. Warranty on all purchased parts is 1 year from date of invoice. If an exact part number is not available; model number, serial number, and voltage must be provided to determine the exact vintage of the unit.

All parts are shipped FOB point of shipping:

- Parts are typically shipped in cardboard cartons unless size or weight will not permit
- Any parts order requiring crating cannot be shipped by FedEx *e.g. metal components such as venturi panels, drain pans, long defrost heaters*
- Defrost heaters are coiled for shipment; heater hooks are sold separately
- PSC motors are shipped less their capacitors, unless specifically ordered

To inquire or order replacement parts, please provide the following:

- Complete model number and serial number of the unit
- Detailed description of the part with any model, diameter, HP, or other markings
- Quantity you are ordering
- Advise of special shipping methods, routes, procedures, or instructions with ship to address.
  Please provide complete and accurate data to insure prompt and accurate delivery.

## CONTACT

256-259-7400
Customer Service

1-800-288-9488
Equipment Orders

1-855-HTPARTS
(1-855-487-2787)
Parts Orders

equipment@htpg.com

parts@htpg.com

HTPG.com

**VIEW TERMS & WARRANTY**

# TABLE OF **CONTENTS**


**4** Step-In Unit Coolers

**6** Walk-In Unit Coolers

**17** Air-Cooled Condensing Units

**22** Water-Cooled Condensing Units

**24** Air-Cooled Condensers

**26** Packaged Refrigeration System

**28** EcoNet® Replacement Parts

**30** Legacy Models

# STEP-IN
## UNIT COOLERS

### ASLA/ASLE

# ASLA/E

## COMMON PARTS

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Controls | Defrost Termination & Fan Delay • Open at 35°F, Close at 55°F + Open at 55°F, Close at 35°F • Single Pole Double Throw | 08219328 | 247 |
| | Defrost Termination & Fan Delay | 103079002 | 247 |
| | Heater Safety Switch | 103079003 | 231 |
| Motors | ECM • 16 Watt • 115/230 Volt • Variable Speed • 2 Speed | 082161211 | 1,475 |
| | Shaded Pole • 115 Volt • 16 Watt • 1550 RPM | 103104007 | 357 |
| | Shaded Pole • 230 Volt • 16 Watt • 1550 RPM | 103104008 | 357 |
| | PSC • 115 Volt • 16 Watt • 1550 RPM | 107933001 | 725 |
| Motor Mount | 16 Watt Motors • ECM & Shaded Pole | 10243000 | 178 |
| Fan Blades | 10" Diameter • 28° Pitch • 1/4" Bore • Counterclockwise | 08533917 | 85 |
| | 10" Diameter • 28° Pitch • 1/4" Bore • Counterclockwise • Reversible | 08533916 | 96 |
| Fan Guards | 10" • Wire • White | 08397053 | 178 |

## DRAIN PANS

| Model(s) | Description | Part # | List Price ($US) |
|---|---|---|---|
| ASL 25-46E, ASL 25-58E | 46" Long | 20248901 | 839 |
| ASL 35-70E | 69" Long | 20248902 | 1,006 |
| ASL 45-94E | 92" Long | 20248903 | 1,113 |
| ASL 55-117E | 115" Long | 20248904 | 1,222 |

For units with insulated drain pans, please contact the factory with the model and serial number

## DEFROST HEATERS

| Model(s) | Description | Part # | List Price ($US) |
|---|---|---|---|
| ASL 25-46E | Defrost Heater • Core • 230 Volt • 1300 Watts • 39" Long | 205221013 | 559 |
| ASL 25-58E | Defrost Heater • Core • 230 Volt • 1970 Watts • 48" Long | 200172026 | 599 |
| ASL 35-70E | Defrost Heater • Core • 230 Volt • 1850 Watts • 62" Long | 205221016 | 879 |
| ASL 45-94E | Defrost Heater • Core • 230 Volt • 1250 Watts • 42" Long | 205221007 | 725 |
| ASL 55-117E | Defrost Heater • Core • 230 Volt • 1600 Watts • 54" Long | 205221010 | 829 |

Nomenclature on page 52.
All ASL models require **2 defrost heaters** for each unit.

# WALK-IN
## UNIT COOLERS

- Next-Gen All Temp
- Center Mount: Low Height & Low Velocity
- Medium Profile
- Heavy Duty & Warehouse

# NEXT-GEN ALL TEMP • LOW PROFILE

## COMMON PARTS

⊘ Part will not be restocked once depleted

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Controls | Defrost Termination / Fan Delay • Open at 35°F, Close at 55°F + Open at 55°F, Close at 35°F • Single Pole Double Throw | 08219328 | 247 |
| | Thermostat • 120/240 Volt • Single Pole Single Throw • Open -30° / Close 100° | 08219008 | 560 |
| | Electronic Thermostat • 120/240 Volt | 08219588 | 465 |
| | Electronic Thermostat with timer | 08219608 | 503 |
| Motor Relays | Single Pole Single Throw • Normally Closed • 120 Volt Coil • Sealed | 08218183 | 58 |
| | Single Pole Single Throw • Normally Closed • 240 Volt Coil • Sealed | 08218377 | 58 |
| Motors | ECM • 115/230 Volt • 35 Watt • 2-Speed | 08216211 | 1,416 |
| | ECM • 115/230 Volt • 35 Watt • 2-Speed | 08216216 | 1,416 |
| | ECM • 115 Volt • 50 Watt • 1550 RPM • Counterclockwise | 08216124 ⊘ | 1,180 |
| | PSC • 115 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted | 08216074 | 531 |
| | PSC • 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted | 08216073 | 602 |
| | PSC • 460 Volt • 1/15 HP • 1550 RPM • Capacitor is pre-mounted | 08216135 | 787 |
| Motor Mounts | 4-Leg • Dual Speed Dual Voltage • Tall • ECM Motors | 08321627 | 147 |
| | 4-Leg • Short • PSC Motors | 08321628 | 139 |
| Fan Blades | 12" Diameter • 24° Pitch • 1/4" Bore • Clockwise • ECM Motors | 08221175 | 138 |
| | 12" Diameter • 24° Pitch • 5/16" Bore • Clockwise • for use with Shaded Pole & PSC motors | 08221153 | 145 |
| Fan Guard | 12" • Black | 08321626 | 253 |

## SHEET METALS

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Venturi | 1-Fan Venturi Panel | 08528313 | 603 |
| | 2-Fan Venturi Panel | 08528314 | 650 |
| | 3-Fan Venturi Panel | 08528315 | 679 |
| | 4-Fan Venturi Panel | 08528316 | 720 |
| | 5-Fan Venturi Panel | 08528317 | 756 |
| | 6-Fan Venturi Panel | 08528318 | 786 |
| Other Sheet Metals | End Cover Door | 08528319 | 277 |
| | EcoNet® End Cover Door | 08542346 | 480 |
| | EcoNet® Door Window | 08532818 | 7 |

# NEXT-GEN ALL TEMP • LOW PROFILE

## DRAIN PANS

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Air Defrost | 1-Fan | 0852833601 | 720 |
| | 2-Fan | 0852833701 | 805 |
| | 3-Fan | 0852833801 | 892 |
| | 4-Fan | 0852833901 | 1,240 |
| | 5-Fan | 0852834001 | 1,364 |
| | 6-Fan | 0852834101 | 1,468 |
| Electric Defrost | 1-Fan | 0852833602 | 720 |
| | 2-Fan | 0852833702 | 805 |
| | 3-Fan | 0852833802 | 892 |
| | 4-Fan | 0852833902 | 1,240 |
| | 5-Fan | 0852834002 | 1,364 |
| | 6-Fan | 0852834102 | 1,468 |

For units with insulated drain pans, please contact the factory with the model and serial number

## COIL DEFROST HEATERS ∞ ELECTRIC DEFROST

| Model(s) | Description | Part # | List Price ($US) |
|---|---|---|---|
| *L6E035, *L6E042, *L6E049, *L4E027, *L4E032, *L4E038 | 1-Fan Coil Heater<br>230 Volt • 375 Watts • 20" Long^ | 08215200 | 132 |
| *L6E066, *L6E077, *L6E090, *L6E105, *L4E051, *L4E064, *L4E080 | 2-Fan Coil Heater<br>230 Volt • 750 Watts • 36-1/2" Long^ | 08215201 | 158 |
| *L6E121, *L4E094, *L6E142, *L4E110 | 3-Fan Coil Heater<br>230 Volt • 1100 Watts • 53" Long^ | 08215202 | 202 |
| *L6E162, *L4E125, *L6E182, *L4E141 | 4-Fan Coil Heater<br>230 Volt • 1475 Watts • 69-1/2" Long^ | 08215203 | 211 |
| *L6E200, *L4E155 | 5-Fan Coil Heater<br>230 Volt • 1850 Watts • 86" Long^ | 08215204 | 233 |
| *L6E244, *L4E195, *L6E281, *L4E230 | 6-Fan Coil Heater<br>230 Volt • 2225 Watts • 102-1/2" Long^ | 08215205 | 255 |

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt
^ The heater voltage will line up with the voltage code in the model number. Each unit will get 3 heaters (2 on the face of the coil & 1 in the drain pan). 460 V units include (2) 230 V face heaters wired in series. The drain pan contains a single 460 V heater.

# NEXT-GEN ALL TEMP • LOW PROFILE

## DRAIN PAN DEFROST HEATERS ∞ ELECTRIC DEFROST

| Model(s) | Description | Part # | List Price ($US) |
|---|---|---|---|
| *L6E035, *L6E042, *L6E049, *L4E027, *L4E032, *L4E038 | 1-Fan • 230 Volt • 375 Watts • 22-1/2" Long | 08215206 | 132 |
| | 1-Fan • 460 Volt • 375 Watts • 22-1/2" Long | 08215212 | 123 |
| *L6E066, *L6E077, *L6E090, *L6E105, *L4E051, *L4E064, *L4E080 | 2-Fan • 230 Volt • 750 Watts • 39" Long | 08215207 | 150 |
| *L6E121, *L4E094, *L6E142, *L4E110 | 3-Fan • 230 Volt • 1100 Watts • 55-1/2" Long | 08215208 | 210 |
| | 3-Fan • 460 Volt • 1100 Watts • 55-1/2" Long | 08215214 | 233 |
| *L6E162, *L4E125, *L6E182, *L4E141 | 4-Fan • 230 Volt • 1475 Watts • 72" Long | 08215209 | 212 |
| | 4-Fan • 460 Volt • 1475 Watts • 72" Long | 08215215 | 294 |
| *L6E200, *L4E155 | 5-Fan • 230 Volt • 1850 Watts • 88-1/2" Long | 08215210 | 218 |
| | 5-Fan • 460 Volt • 1850 Watts • 88-1/2" Long | 08215216 | 338 |
| *L6E244, *L4E195, *L6E281, *L4E230 | 6-Fan • 230 Volt • 2225 Watts • 105" Long | 08215211 | 237 |
| | 6-Fan • 460 Volt • 2225 Watts • 105" Long | 08215217 | 384 |

## DRAIN PAN DEFROST HEATERS ∞ HOT GAS DEFROST

| Model(s) | Description | Part # | List Price ($US) |
|---|---|---|---|
| *L6G035, *L6G042, *LG049, *L4G027, *L4G032, *L4G038, *L6H035, *L6H042, *LH049, *L4H027, *L4H032, *L4H038 | 1-Fan • 115 Volt • 375 Watts • 22-1/2" Long | 08530726 | 138 |
| | 1-Fan • 230 Volt • 375 Watts • 22-1/2" Long | 08215206 | 132 |
| | 1-Fan • 460 Volt • 375 Watts • 22-1/2" Long | 08215212 | 123 |
| *L6G066, *L6G077, *L6G090, *L6G105, *L4G051, *L4G064, *L4G080, *L6H066, *L6H077, *L6H090, *L6H105, *L4H051, *L4H064, *L4H080 | 2-Fan • 115 Volt • 750 Watts • 39" Long | 08530727 | 197 |
| | 2-Fan • 230 Volt • 750 Watts • 39" Long | 08215207 | 150 |
| *L6G121, *L4G094, *L6G142, *L4G110, *L6H121, *L4H094, *L6H142, *L4H110 | 3-Fan • 115 Volt • 1100 Watts • 55-1/2" Long | 08530728 | 271 |
| | 3-Fan • 230 Volt • 1100 Watts • 55-1/2" Long | 08215208 | 210 |
| | 3-Fan • 460 Volt • 1100 Watts • 55-1/2" Long | 08215214 | 233 |
| *L6G162, *L4G125, *L6G182, *L4G141, *L6H162, *L4H125, *L6H182, *L4H141 | 4-Fan • 115 Volt • 1475 Watts • 72" Long | 08530729 | 313 |
| | 4-Fan • 230 Volt • 1475 Watts • 72" Long | 08215209 | 212 |
| | 4-Fan • 460 Volt • 1475 Watts • 72" Long | 08215215 | 294 |

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt
^ The heater voltage will line up with the voltage code in the model number. Each unit will get 3 heaters (2 on the face of the coil & 1 in the drain pan). 460 V units include (2) 230 V face heaters wired in series. The drain pan contains a single 460 V heater.

Continued on next page.

# NEXT-GEN ALL TEMP • LOW PROFILE

## DRAIN PAN DEFROST HEATERS ∞ HOT GAS DEFROST

| Model(s) | Description | Part # | List Price ($US) |
|---|---|---|---|
| *L6G200, *L4G155, *L6H200, *L4H155 | 5-Fan • 115 Volt • 1850 Watts • 88-1/2" Long | 08530730 | 365 |
| | 5-Fan • 230 Volt • 1850 Watts • 88-1/2" Long | 08215210 | 218 |
| | 5-Fan • 460 Volt • 1850 Watts • 88-1/2" Long | 08215216 | 338 |
| *L6G244, *L4G195, *L6G281, *L4G230, *L6H244, *L4H195, *L6H281, *L4H230 | 6-Fan • 115 Volt • 2225 Watts • 105" Long | 08530731 | 425 |
| | 6-Fan • 230 Volt • 2225 Watts • 105" Long | 08215211 | 237 |
| | 6-Fan • 460 Volt • 2225 Watts • 105" Long | 08215217 | 384 |

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt
^ The heater voltage will line up with the voltage code in the model number. Each unit will get 3 heaters (2 on the face of the coil & 1 in the drain pan).
460 V units include (2) 230 V face heaters wired in series. The drain pan contains a single 460 V heater.
For units with insulated drain pans, please contact the factory with the model and serial number

# CENTER MOUNT: LOW HEIGHT & LOW VELOCITY

## COMMON PARTS

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Controls | Defrost Termination & Fan Delay • Open at 35°F, Close at 55°F + Open at 55°F, Close at 35°F • Single Pole Double Throw | 08219328 | 247 |
| | Fan Delay • Open at 45°F, Close at 35°F | 103079009 | 247 |
| | Heater Clip for Coil • Stainless Steel | 08321625 | 2 |
| | Heater Safety Switch | 103079003 | 231 |
| | Terminal Board • TB27 | 207757027 | 88 |
| | Terminal Board • TB28 | 207757028 | 78 |
| | Relay • 240 Volt Coil • Single Pole Double Throw • Sealed | 08218514 | 26 |
| Motor Harness | 1-Fan • 3 Wire | 08532212 | 37 |
| | 2-Fan • 3 Wire | 08532213 | 59 |
| | 3-Fan • 3 Wire | 08532214 | 76 |
| | 4-Fan • 3 Wire | 08532215 | 96 |
| | 5-Fan • 3 Wire | 08532216 | 111 |
| Motors | ECM • 115/230 Volt • 35 Watt • 2-Speed | 08216211 | 1,416 |
| | ECM • 115/230 Volt • 35 Watt • 2-Speed | 08216216 | 1,416 |
| Fan Blades | 12" Diameter • 20° Pitch • 1/4" Bore • Counterclockwise • Aluminum • for use with ECM Motors | 08221247 | 138 |
| Fan Guards | 12" • Black | 08321626 | 253 |

## SHEET METALS

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Drain Trough | 1-Fan Drain Trough | 08532555 | 160 |
| | 2-Fan Drain Trough | 08532556 | 187 |
| | 3-Fan Drain Trough | 08532111 | 220 |
| | 4-Fan Drain Trough | 08532557 | 259 |
| | 5-Fan Drain Trough | 08532558 | 305 |

# CENTER MOUNT: LOW HEIGHT & LOW VELOCITY

## DRAIN PANS ∞ AIR DEFROST

| Model(s) | Description | Part # | List Price ($US) |
|---|---|---|---|
| *E6A041, *V6A043, *V6A053 | 1-Fan Venturi • Embossed • Aluminum | 08532332 | 263 |
| *E6A070, *E6A084, *V6A085, *V6A106 | 2-Fan Venturi • Embossed • Aluminum | 08532333 | 392 |
| *E6A104, *E6A128, *V6A129, *V6A158 | 3-Fan Venturi • Embossed • Aluminum | 08532334 | 605 |
| *E6A141, *E6A169, *V6A176, *V6A218 | 4-Fan Venturi • Embossed • Aluminum | 08532335 | 795 |
| *E6A204, *E6A258, *V6A271 | 5-Fan Venturi • Embossed • Aluminum | 08532336 | 1,455 |

## DRAIN PANS ∞ ELECTRIC DEFROST

| Model(s) | Description | Part # | List Price ($US) |
|---|---|---|---|
| *E6E037, *E6E045, *E4E037, *V6E043, *V6E055 | 1-Fan Venturi • Embossed • Aluminum | 08532332 | 263 |
| *E6E075, *E6E089, *E4E075, *V6E085, *V6E106 | 2-Fan Venturi • Embossed • Aluminum | 08532333 | 392 |
| *E6E108, *E6E125, *E4E107, *V6E129, *V6E158 | 3-Fan Venturi • Embossed • Aluminum | 08532334 | 605 |
| *E6E137, *E6E183, *E4E149, *V6E176 | 4-Fan Venturi • Embossed • Aluminum | 08532335 | 795 |
| *E6E221, *E6E278, *E4E186, *E4E234, *V6E271 | 5-Fan Venturi • Embossed • Aluminum | 08532336 | 1,455 |

For units with insulated drain pans, please contact the factory with the model and serial number

## HEATERS

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Heaters | 1-Fan • 230 Volt • 300 Watts • 23-3/8" Long | 08532114 | 79 |
| | 2-Fan • 230 Volt • 600 Watts • 43-3/8" Long | 08532115 | 102 |
| | 3-Fan • 230 Volt • 900 Watts • 63-3/8" Long | 08532116 | 125 |
| | 4-Fan • 230 Volt • 1200 Watts • 83-3/8" Long | 08532117 | 139 |
| | 5-Fan • 230 Volt • 1500 Watts • 103-3/8" Long | 08532118 | 163 |
| | 5-Fan Tall • 230 Volt • 2250 Watts • 103-3/8" Long | 08532119 | 160 |
| Drain Pan Defrost Heaters | 1-Fan • 230 Volt • 75 Watts • 25-1/8" Long | 08532326 | 101 |
| | 2-Fan • 230 Volt • 150 Watts • 45-1/8" Long | 08532327 | 131 |
| | 3-Fan • 230 Volt • 225 Watts • 65-1/8" Long | 08532328 | 140 |
| | 4-Fan • 230 Volt • 300 Watts • 85-1/8" Long | 08532329 | 149 |
| | 5-Fan • 230 Volt • 375 Watts • 105-1/8" Long | 08532330 | 174 |
| | 5-Fan Tall • 230 Volt • 560 Watts • 105-1/8" Long | 08532331 | 170 |

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

# MEDIUM PROFILE

## COMMON PARTS

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Controls | Defrost Termination & Fan Delay • Open at 35°F, Close at 55°F + Open at 55°F, Close at 35°F • Single Pole Double Throw | 08219328 | 247 |
| | Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw | 08219273 | 247 |
| | Adjustable Defrost Control | 204464037 | 662 |
| | Fan Delay • Open at 45°F, Close at 35°F | 103079009 | 247 |
| | Heater Clip for Coil • Stainless Steel | 08321625 | 2 |
| | Heater Safety Switch | 103079003 | 231 |
| | Terminal Board • TB7 | 207757007 | 197 |
| | Terminal Board • TB34 • Air Defrost | 207757034 | 65 |
| | Terminal Board • TB35 • Electric & Hot Gas Defrost | 207757035 | 108 |
| | Terminal Board • TB26 EcoNet® | 207757026 | 66 |
| | 3-Pole Terminal • Black • 2-Speed | 08218563 | 11 |
| | 3-Pole Terminal • Black • Heaters | 08218564 | 11 |
| Motor Harness | 1-Fan • 230 Volt | 08532761 | 54 |
| | 2-Fan • 230 Volt | 08532762 | 102 |
| | 3-Fan • 230 Volt | 08532763 | 150 |
| | 4-Fan • 230 Volt | 08538680 | 226 |
| | 1-Fan • 460 Volt | 08532764 | 75 |
| | 2-Fan • 460 Volt | 08532765 | 152 |
| | 3-Fan • 460 Volt | 08532766 | 229 |
| | 4-Fan • 460 Volt | 08539952 | 405 |
| Motors | ECM • 120 Volt • 1/3 HP • 825/425 RPM • Rigid Base Mount | 08216214 | 1,587 |
| | ECM • 230 Volt • 1/3 HP • 825/425 RPM • Rigid Base Mount | 08216212 | 1,924 |
| | ECM • 460 Volt • 1/3 HP • 825/425 RPM • Rigid Base Mount | 08216213 | 2,730 |
| Fan Blades | 24" • 25° Pitch • 1/2" Bore • Clockwise • 3 Blade • Medium Temp | 08221244 | 94 |
| | 24" • 18° Pitch • 1/2" Bore • Clockwise • 2 Blade • Low Temp | 08221245 | 83 |
| Fan Guard | 24" • Wire • Black | 202136005 | 879 |

# MEDIUM PROFILE

## DRAIN PANS ∞ AIR DEFROST

| Model(s) | Description | Part # | List Price ($US) |
|---|---|---|---|
| *M6A182, *M6A220 | 1-Fan • Air Defrost | 08533301 | 1,313 |
| *M6A276, *M6A370, *M6A442 | 2-Fan • Air Defrost | 08533302 | 1,537 |
| *M6A549, *M6A658 | 3-Fan • Air Defrost | 08533303 | 1,723 |
| *M6A730, *M6A875 | 4-Fan • Air Defrost | 08540041 | 1,952 |

## DRAIN PANS ∞ ELECTRIC DEFROST

| Model(s) | Description | Part # | List Price ($US) |
|---|---|---|---|
| *M6E153, *M6E184, *M4E110, *M4E143, *M6D181, * M6D219 | 1-Fan • Electric Defrost | 08531793 | 1,592 |
| *M6E311, *M6E374, *M4E232, *M4E288, *M6D275, * M6D369, * M6D441 | 2-Fan • Electric Defrost | 08531794 | 2,094 |
| *M6E469, *M6E564, *M4E336, *M4E419, * M6D548, * M6D657 | 3-Fan • Electric Defrost | 08531795 | 2,281 |
| *M4E447, *M4E557, *M6E624, *M6E750, *M6D729, *M6D874 | 4-Fan • Electric Defrost | 08540042 | 2,509 |

For units with insulated or hot gas drain pans, please contact the factory with the model and serial number

## COIL DEFROST HEATERS

| Model(s) | Description | Part # | List Price ($US) |
|---|---|---|---|
| Heaters | 1-Fan Coil Heater • 230 Volt • 750 Watts • 36-1/2" Long* | 08215201 | 158 |
| | 2-Fan Coil Heater • 230 Volt • 1475 Watts • 69-1/2" Long* | 08215203 | 211 |
| | 3-Fan Coil Heater • 230 Volt • 2225 Watts • 102-1/2" Long* | 08215205 | 255 |

All Medium Profile models require **2 defrost heaters** for each unit.
* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

# HEAVY DUTY & WAREHOUSE

## COMMON PARTS

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Controls | Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw | 08219273 | 247 |
| | Fan Delay • Open at 45°F, Close at 35°F | 103079009 | 247 |
| | Heater Safety Switch | 103079003 | 231 |
| | Adjustable Defrost Control | 204464037 | 662 |
| | Terminal Board • TB29 EcoNet® | 207757029 | 52 |
| | Terminal Board • TB34 • Air Defrost | 207757034 | 65 |
| | Terminal Board • TB35 • Electric & Hot Gas Defrost | 207757035 | 108 |
| | Terminal Board • TB26 EcoNet® | 207757026 | 66 |
| | Thermostat • 120/240 Volt • Single Pole Single Throw • -30 Open to 100 Close | 08219008 | 560 |
| | Thermostat • Electronic Thermostat • 120/240 Volt | 08219588 | 465 |
| | Thermostat • Electronic Thermostat with timer | 08219608 | 503 |
| Motor Harness | 1-Fan • 3 Wire • 230 Volt • Electric • ECM | 08533495 | 62 |
| | 2-Fan • 3 Wire • 230 Volt • Electric • ECM | 08533496 | 123 |
| | 3-Fan • 3 Wire • 230 Volt • Electric • ECM | 08533497 | 259 |
| | 4-Fan • 3 Wire • 230 Volt • Electric • ECM | 08533498 | 379 |
| | 1-Fan • 5 Wire • 460 Volt • Electric • ECM | 08533499 | 93 |
| | 2-Fan • 5 Wire • 460 Volt • Electric • ECM | 08533500 | 196 |
| | 3-Fan • 5 Wire • 460 Volt • Electric • ECM | 08533501 | 237 |
| | 4-Fan • 5 Wire • 460 Volt • Electric • ECM | 08533502 | 286 |
| | 1-Fan • 3 Wire • 230/460 Volt • 3 Phase • Electric • Daisy Chain | 08533507 | 62 |
| | 2-Fan • 3 Wire • 230/460 Volt • 3 Phase • Electric • Daisy Chain | 08533508 | 217 |
| | 3-Fan • 3 Wire • 230/460 Volt • 3 Phase • Electric • Daisy Chain | 08533509 | 291 |
| | 4-Fan • 3 Wire • 230/460 Volt • 3 Phase • Electric • Daisy Chain | 08533510 | 377 |
| Motors | ECM • 230 Volt • 3/4 HP • 60/50 Hz | 08532682 | 2,012 |
| | ECM • 460 Volt • 3/4 HP • 60/50 Hz | 08532683 | 2,704 |
| | 230/460 Volt • 1 HP • 850 RPM • 3-Phase • Inverter Duty • Base Mounted Motor • Low Temp | 08533523 | 1,861 |
| | 230/460 Volt • 1.5 HP • 1140 RPM • Base Mounted Motor • 3-Phase | 08216190 | 2,687 |
| | 575 Volt • 2 HP • 1140 RPM • 3-Phase • Base Mounted | 08216217 | 3,538 |
| Fan Blades | 30" Diameter • 28° Pitch • 3 Blade • All Warehouse Coils - High Static | 08533522 | 417 |
| | 30.26" Diameter • 25° Pitch • 3 Blade • All Warehouse Coils | 08221238 | 953 |
| | 30" Diameter • 21° Pitch • 3 Blade • All Heavy Duty Coils | 08536680 | 602 |
| Fan Guard | 30" • Wire • Black | 08528201 | 268 |

# HEAVY DUTY & WAREHOUSE

## DRAIN PANS ∞ AIR DEFROST

| Model(s) | Description | Part # | List Price ($US) |
|---|---|---|---|
| *H6A031, *H6A043, *H6A052, *W6A034, *W6A047, *W6A058 | 1-Fan • Air Defrost | 0853343001 | 1,681 |
| *H6A063, *H6A087, *H6A105, *W6A069, *W6A094, *W6A117 | 2-Fan • Air Defrost | 0853343101 | 2,591 |
| *H6A132, *H6A156, *W6A143, *W6A176 | 3-Fan • Air Defrost | 0853343201 | 2,473 |
| *H6A175, *H6A209, *W6A190, *W6A234 | 4-Fan • Air Defrost | 0853343301 | 3,044 |

## DRAIN PANS ∞ ELECTRIC DEFROST

| Model(s) | Description | Part # | List Price ($US) |
|---|---|---|---|
| *H6E033, *H6E044, *H6E053, *H4E035, *H4E044, *W6E036, *W6E047, *W6E059 | 1-Fan • Electric Defrost | 0853343002 | 2,271 |
| *H6E066, *H6E089, *H6E109, *H4E071, *H4E087, *W6E072, *W6E096, *W6E120 | 2-Fan • Electric Defrost | 0853343102 | 2,943 |
| *H6E134, *H6E163, *H6E199, *H4E107, *H4E131, *W6E143, *W6E179 | 3-Fan • Electric Defrost | 0853343202 | 3,258 |
| *H4E167, *W6E216 | 4-Fan • Electric Defrost | 0853343302 | 4,025 |
| *W4E038, *W4E048 | 1-Fan • Electric Defrost | 0853343002 | 2,271 |
| *W4E077, *W4E097 | 2-Fan • Electric Defrost | 0853343102 | 2,943 |
| *W4E115, *W4E145 | 3-Fan • Electric Defrost | 0853343202 | 3,258 |
| *W4E182 | 4-Fan • Electric Defrost | 0853343302 | 4,025 |

For units with insulated or hot gas drain pans, please contact the factory with the model and serial number

## HEATERS

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Electric Heaters | 1-Fan Heater • 240 Volt • 1000 Watts • 47-1/2" Long | 08532696 | 275 |
| | 2-Fan Heater • 240 Volt • 2000 Watts • 87-1/2" Long | 08532697 | 319 |
| | 3-Fan Heater • 240 Volt • 3000 Watts • 127-1/2" Long | 08532698 | 365 |
| | 4-Fan Heater • 240 Volt • 4000 Watts • 167-1/2" Long | 08532699 | 450 |

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

# AIR-COOLED
## CONDENSING UNITS

- **Next-Gen MiniCon: ½ to 6 HP**
- **Next-Gen II: 3 to 22 HP**
- **QV-Series: 15 to 100 HP**

# NEXT-GEN MINI-CON • 1/2 TO 6 HP

## COMMON PARTS

⊘ Part will not be restocked once depleted

| Part | Description | | Part # | List Price ($US) |
|---|---|---|---|---|
| Controls | Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated | | 204464232 | 580 |
| | High Pressure Control • Auto Reset • 400 PSI Gauge | | 08219424 | 177 |
| | Adjustable Low Pressure Control • -20/100 Pressure Range | | 08536906 | 272 |
| | Dual Pressure Control • High / Low • Flare • Manual Reset | | 08537905 | 827 |
| | Deforst Time Clock w/Bracket • 40 AMP • 230 Volt | | 08219056 | 554 |
| | Compressor Contactor • 10 AMP • Normally Open / Normally Closed • Auxiliary | | 08537059 | 98 |
| | Contactor | 32 AMP • 3-Pole • 230 Volt | 08538312 | 108 |
| | | 40 AMP • 3-Pole • 230 Volt | 08219965 ⊘ | 242 |
| | | 40 AMP • 3-Pole • 230 Volt | 08538315 | 263 |
| | | 50 AMP • 3-Pole • 230 Volt | 08538316 | 331 |
| | Thermostat w/ Clip | 1/2" Discharge Line | 118431442 | 384 |
| | | 3/8" Discharge Line | 08352253 | 477 |
| | | 5/8" Discharge Line | 08352256 | 477 |
| | Terminal Board | TB1 & TB2 | 207757015 ⊘ | 87 |
| | | TB1 & TB2 • A1 & A2L | 08540113 | 136 |
| Capacitors | 5 MFD • 440 Volt | | 202163004 | 85 |
| Motor Mounts | 12" | | 21062000 | 247 |
| | 12" • 4-Leg • Wire | | 08397068 | 339 |
| | 24" • 3-Leg • Wire | | 212837000 | 406 |
| Motors | PSC | 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted | 08216073 | 602 |
| | | 460 Volt • 1/15 HP • 1550 RPM • Capacitor is pre-mounted | 08216135 | 787 |
| | | 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt) | 205051004 | 722 |
| | | 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt) | 205051002 | 2,095 |
| | ECM | 230 Volt • 1/15 HP • 1550 RPM | 08216139 | 1,360 |
| | | 115/230 Volt • 35 Watt • 2-Speed | 08216216 | 1,416 |
| | | 230 Volt • 3/4 HP • 1075 RPM • Counterclockwise | 08216132 | 2,326 |
| | | 115/230 Volt • 35 Watt • 2-Speed | 08216211 | 1,416 |
| | | 230 Volt • 3/4 HP • 1075/640 RPM | 08216170 | 1,907 |
| | | 460 Volt • 3/4 HP • 1075/640 RPM | 08216173 | 2,842 |

# NEXT-GEN MINI-CON • 1/2 TO 6 HP

## COMMON PARTS

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Fan Blades | 12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors | 08221169 | 139 |
| | 12" Diameter • 24° Pitch • 1/4" Bore • Counterclockwise • Aluminum • ECM Motors | 08221176 | 138 |
| | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| Grilles | 16.88" X 15.75" • Wire • Black | 08397064 | 534 |
| | 16.88" X 27.75" • Wire • Black | 08397065 | 598 |
| | 19.38" X 27.75" • Wire • Black | 08397066 | 598 |
| | 33.14" X 30.13" • Wire • Black | 08397067 | 688 |

## SHEET METALS

| Models | Description | Part # | List Price ($US) |
|---|---|---|---|
| *FH055E4S, *FH080E4S, *FH100E4S, *FH100L44, *FH150L44, *FO060M4S, *FO080M4S, *FO100M4S, *FO130E4S, *FO100L4S, *FO130L4S, *FO160L4S | Snow Guard Assembly • FM1 | 08540571 | 712 |
| *FH125E4S, *FH150E4S, *FH200E4S, *FH200L44, *FO150E4S, *FO180E4S, *FO230L4S | Snow Guard Assembly • FM2 | 08540572 | 786 |
| *FH250E4S, *FH300E4S, *FH300L44, *FO200E4S, *FO250E4S, *FO250L4S, *FO300L4S, *FO350L4S | Snow Guard Assembly • FM3 | 08540573 | 852 |
| *FH325E4S, *FO300E4S, *FO350E4S, *FO400E4S, *FO450E4S, *FO500E4S, *FO600E4S, *FO400L4S, *FO500L4S, *FO600L4S | Snow Guard Assembly • FM4 | 08540574 | 1,042 |

## REPLACEMENT COILS

| Models | Description | Part # | List Price ($US) |
|---|---|---|---|
| *O130E4S*B, *H100L44*A, *H150L44*A, *O100L4S*B, *O130L4S*B, *O160L4S*B, *O060M4S*B, *O080M4S*B, *O100M4S*B | FM1 • 2 Rows • 12 Fins Per Inch | 08526726SVC | 1,880 |
| *H150E4S*A, *O150E4S*A,*H200E4S*A, *H125E4S*B, *O180E4S*A | FM2 • 2 Rows • 10 Fins Per Inch | 08526727SVC | 2,504 |
| *H250E4S*A, *H300E4S*A, *O200E4S*A, *O250E4S*A, *H300L44*A, *O250L4S*A, *O300L4S*A, *O350L4S*A | FM3 • 3 Rows • 10 Fins Per Inch | 08526728SVC | 2,956 |
| *H325E4S*B, *O300E4S*B, *O350E4S*B, *O400E4S*B, *O400L4S*B, *O500L4S*B, *O600L4S*B, *O400L4S*B, *O500L4S*B, *O600L4S*B | FM4 • 2 Rows • 10 Fins Per Inch | 08526729SVC | 4,052 |
| *O450E4S*B, *O500E4S*B, *O600E4S*B | FM4 • 3 Rows • 12 Fins Per Inch | 08526730SVC | 4,555 |
| *H200L44*A, *O230L4S*A | FM2 • 2 Rows • 10 Fins Per Inch | 08527164SVC | 2,479 |
| *H055E4S*B, *H080E4S*B, *H100E4S*B | FM1 • 3 Rows • 14 Fins Per Inch | 08533390SVC | 2,067 |

Replacement part specially crated for shipment
* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

# NEXT-GEN II • 3 TO 22 HP

## COMMON PARTS

⊘ Part will not be restocked once depleted

| Part | Description | | Part # | List Price ($US) |
|---|---|---|---|---|
| Controls | Pressure Control • Dual Control • High / Low • Flare | | 204464054 ⊘ | 1,286 |
| | Dual Pressure Control • High / Low • Flare • Manual Reset | | 08537905 | 827 |
| | Deforst Time Clock w/Bracket • 40 AMP • 230 Volt | | 08219056 | 554 |
| | Compressor Contactor • 10 AMP • Normally Open / Normally Closed • Auxiliary | | 08537059 | 98 |
| | Contactor | 32 AMP • 3-Pole • 230 Volt | 08538312 | 108 |
| | | 40 AMP • 3-Pole • 230 Volt | 08219965 ⊘ | 242 |
| | | 50 AMP • 3-Pole • 230 Volt | 08538316 | 331 |
| | | 63 AMP • 3-Pole • 230 Volt | 08538318 | 641 |
| | | 75 AMP • 3-Pole • 230 Volt | 08538321 | 1,559 |
| | Terminal Board | TB1 & TB2 | 08219104 ⊘ | 1,420 |
| | | TB1 & TB2 • A1 & A2L | 08538187 | 139 |
| Receivers | Vertical Receivers | 6" X 23" | 08357246 | 800 |
| | | 8.6" X 24" | 08356987 | 2,664 |
| | | 8.63" X 26.5" | 08357248 | 4,448 |
| | | 10" X 30" | 08357249 | 6,028 |
| Capacitors | 7.5 MFD • 440 Volt • for 1/3 HP (230 Volt, 460 Volt) PSC Motor | | 202163006 | 93 |
| Motors | 3-Phase | 230 Volt • 3/4 HP • 1140 RPM • 48" Frame | 08216205 | 2,597 |
| | | 460 Volt • 3/4 HP • 1140 RPM • 48" Frame | 08216206 | 2,207 |
| | PSC | 575 Volt • 1/2 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 115952000 | 1,714 |
| | ECM | 230 Volt • 3/4 HP • 1075/640 RPM | 08216170 | 1,907 |
| | | 460 Volt • 3/4 HP • 1075/640 RPM | 08216173 | 2,842 |
| Motor Mounts | 24" • 3-Leg • Wire | | 212837000 | 406 |
| Fan Blades | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | | 08221246 | 598 |
| Grilles | D-Series Frame Size 1 & 2 • Wire • Black | | 08397069 | 805 |
| | D-Series Frame Size 3 • Wire • Black | | 08397070 | 982 |

# QV-SERIES • 15 TO 100 HP

## COMMON PARTS

| Part | Description | | Part # | List Price ($US) |
|---|---|---|---|---|
| Box Components | Light Kit • Single Wide | | 08357519 | 1,694 |
| | Light Kit • Double Wide | | 08357520 | 2,079 |
| Controls | High Pressure • 0-500 PSIG | | 08357521 | 146 |
| | Low Pressure • 0-200 PSIG | | 08357522 | 418 |
| | Dual Pressure Control • High / Low • Flare • Manual Reset | | 08537905 | 827 |
| | Transducer Harness • Low Pressure | | 08357524 | 133 |
| | 16.375' • Temperature Sensor | | 08219615 | 649 |
| | Deforst Time Clock w/Bracket • 40 AMP • 230 Volt | | 08219056 | 554 |
| | Toggle Switch • 240 Volt • Single Pole Single Throw | | 104536004 | 19 |
| | JCI 450 Module | | 08219546 | 1,382 |
| | JCI 450 Expansion Module | | 08219547 | 778 |
| Horizontal Receiver | Rotolock • 10" x 36" | | 08357329 | 5,965 |
| | Rotolock • 10" x 48" | | 08357330 | 3,860 |
| | Rotolock • 10" x 72" | | 08357331 | 5,490 |
| | Rotolock • 10" X 94" | | 08357332 | 6,551 |
| | Rotolock • 12" X 94" | | 08357333 | 12,665 |
| | Rotolock • 14" X 94" | | 08357334 | 11,359 |
| Valves | Rotalock Valve • 1-3/4" R x 1-1/8" SW • Side | | 08357343 | 313 |
| | Rotalock Valve • 1-3/4R x 3/8" SW • Side | | 08356604 | 381 |
| | Rotalock Valve • 1-3/4" R x 1-5/8" SW • Side | | 08357345 | 423 |
| Vertical Accumulator | 1-5/8" | | 08357335 | 2,323 |
| | 2-1/8" | | 08357336 | 3,174 |
| | 2-5/8" | | 08357337 | 3,550 |
| | 3-1/8 | | 08357338 | 3,901 |
| Transformers | 120/240 to 24 Volt | | 08219548 | 401 |
| | 240/480 - 120/240 Volt (300 VA) | | 08219830 | 931 |
| Motors | 3-Phase | 230/460 Volt • 1.5 HP • 1140 RPM • Base Mounted Motor | 08216190 | 2,687 |
| | | 575 Volt • 2 HP • 1140 RPM • Base Mounted | 08216217 | 3,538 |
| | VSEC | 230 Volt • 2-1/2 HP • 900-1200 RPM • Variable Speed • 3-Phase | 08216209 | 9,040 |
| | | 460 Volt • 2-1/4 HP • 900-1200 RPM • Variable Speed | 08216210 | 9,116 |
| Fan Blades | 30" Diameter • 27° Pitch • 3 Blade | | 08221237 | 947 |
| | 30" Diameter • 29° Pitch • 4 Blade | | 08221239 | 803 |
| Fan Guards | 30" • Wire • Black | | 08528201 | 268 |

# WATER-COOLED
## CONDENSING UNITS

### Next-Gen WC-Series™: ½ to 6 HP

# NEXT-GEN WC-SERIES • 1/2 TO 6 HP

## COMMON PARTS

⊘ Part will not be restocked once depleted

| Part | Description | | Part # | List Price ($US) |
|---|---|---|---|---|
| Controls | Pressure Control | Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated | 204464232 | 580 |
| | | High Pressure Control • Auto Reset • 400 PSI Gauge | 08219424 | 177 |
| | Contactor | 40 AMP • 3-Pole • 230 Volt | 08219965 ⊘ | 242 |
| | Thermostat w/ Clip | 3/8" Discharge Line | 08352253 | 477 |
| | | 1/2" Discharge Line | 118431442 | 384 |
| | | 5/8" Discharge Line | 08352256 | 477 |
| | Terminal Board | TB1 & TB2 | 207757015 ⊘ | 87 |
| | | TB1 & TB2 • A1 & A2L | 08540113 | 136 |
| Capacitors | 5 MFD • 440 Volt | | 202163004 | 85 |

# AIR-COOLED
CONDENSERS

## LARGE: Quantum Air™

Available with 1 to 14 fans in single and double fan width models with vertical or horizontal air flow

## SMALL: Multi-Con

Due to the unique specifications of each unit, please call the Parts Department with the unit model and serial number for assistance with serviceable parts

# QUANTUM AIR™

## COMMON PARTS

⊘ Part will not be restocked once depleted

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Motor Mounts | 30" Motor Mount Kit • WCS, WCL • T/K Pattern | 08522568 | 840 |
| Fan Blades | 30" Diameter • 21° Pitch • 5/8" Bore • Clockwise • 3 Blade • Only used with use P-66 controller | 08221180 | 787 |
| | 30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade • WCS | 08221151 | 952 |
| | 30.26" Diameter • 25° Pitch • 3 Blade • 850 RPM • 1 HP | 08221238 | 953 |
| | 30" Diameter • 27° Pitch • 3 Blade • 1140 RPM • 1-½ HP | 08221237 | 947 |
| | 30" Diameter • 29° Pitch • 4 Blade • 550 RPM • VSEC | 08221239 | 803 |
| | 30" Diameter • 31° Pitch • 5/8" Bore • Clockwise • 5 Blade • WCL | 08221152 | 528 |
| Fan Guards | 30" • Wire • Black • WCS, WCL | 08397044 | 392 |
| | 30" • Wire • Black • Quantum | 08528201 | 268 |

## MOTORS

| RPM | HP | Voltage | Motor Note | Part # | List Price ($US) |
|---|---|---|---|---|---|
| 900 - 1,200 | 2-1/4 | 460 | Variable Speed EC | 08216210 | 9,116 |
| 1140 | 1-1/2 | 575 | 3-Phase | 118570001 | 4,546 |
| | 1-1/2 | 230/460 | 3-Phase | 110204000 | 3,046 |
| | 1-1/2 | 230/460 | 3-Phase • Totally Enclosed | 08216154 | 5,107 |
| | 1-1/2 | 230/460 | 3-Phase • Base-Mounted Motor | 08216190 | 2,687 |
| | 2 | 575 | 3-Phase • Base-Mounted Motor | 08216217 | 3,538 |
| 850 | 1 | 230/460 | 3-Phase • Inverter Duty | 114105000 | 4,245 |
| | 1 | 230/460 | 3-Phase • Inverter Duty • Base Mounted Motor | 08216191 | 1,181 |
| | 1-1/2 | 230/460 | 3-Phase | 08216100 | 4,245 |
| | 1-1/2 | 230/460 | 3-Phase • Inverter Duty | 08216193 | 3,058 |
| 575 | 1/3 | 230/460 | 3-Phase | 119226000 | 2,351 |
| 565 | 1/3 | 230/460 | 3-Phase | 08216192 | 2,482 |

# PACKAGED
SYSTEM

## Packaged Refrigeration System

# PACKAGED REFRIGERATION SYSTEM

## COMMON PARTS

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Controls | High Pressure Control • Auto Reset • 425 PSI Gauge | 08219639 | 94 |
| | Pressure Control • Encapsulated • Open Rise • 180 PSI Guage | 08537183 | 60 |
| Motors | ECM • 115/230 Volt • 35 Watt • 2-Speed | 08216216 | 1,416 |
| Fan Blades | 12" Diameter • 24° Pitch • 1/4" Bore • Clockwise • ECM Motors | 08221175 | 138 |
| | 12" Diameter • 24° Pitch • 1/4" Bore • Counterclockwise • Aluminum • ECM Motors | 08221176 | 138 |
| Grilles | 16.88" X 15.75" • Wire • Black | 08397064 | 534 |
| EcoNet® | Pressure Transducer • 0-150 PSIA • Suction Pressure | 08219621 | 202 |
| | Space/Drain Temp • Space Temperature Thermistor Assembly • 10K OHM | 08219623 | 121 |
| | Evap Temp • Flush Mount Thermistor • 10K OHM • EcoNet® | 08219636 | 79 |
| | Electronic Expansion Valve (EEV) • SER-AA-3X4 ODF • No Cable | 08219543 | 1,553 |
| | Electronic Expansion Valve (EEV) • SER-A-3X4 ODF • No Cable | 08219544 | 1,578 |
| | Electronic Expansion Valve (EEV) • SER-B-3X4 ODF • No Cable | 08219540 | 1,029 |

## SHEET METALS & BOX COMPONENTS

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Box Components | Slide Latch | 08323272 | 16 |
| | Evaporator Cover • APEX • #8335-02 | 08326021 | 46 |
| | Ridge Cap • Outdoor Hood • Packaged Refrigeration System | 08537292 | 305 |
| | Mounting Bracket • Outdoor Hood • Packaged Refrigeration System | 08537288 | 449 |
| Sheet Metals | Top Panel • Outdoor Hood • Small Cabinet • Packaged Refrigeration System | 08537290 | 673 |
| | Top Panel • Control Side • Outdoor Hood • Small Cabinet • Packaged Refrigeration System | 08537336 | 673 |
| | Cross Brace • Outdoor Hood • Small Cabinet • Packaged Refrigeration System | 08537291 | 500 |
| | End Panel • Outdoor Hood • Small Cabinet • Packaged Refrigeration System | 08537313 | 505 |
| | Door Guard • Outdoor Hood • Packaged Refrigeration System | 08537340 | 452 |

# ECONET®
## REPLACEMENT PARTS

### EcoNet® Replacement Parts

# SERVICEABLE PARTS

## COMMON PARTS

⊘ Part will not be restocked once depleted

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Control Board | EcoNet® Control Board | 08536930 ⊘ | 1,119 |
| | EcoNet® 2.0 Control Board with Bluetooth | 08541126 | 1,153 |
| Controls / Sensor | Space/Drain Temp • Space Temperature Thermistor Assembly • 10K OHM | 08219623 | 121 |
| | Evap Temp • Flush Mount Thermistor • 10K OHM | 08219636 | 79 |
| Assembly | Suction Temperature Thermistor Assembly | 08219637 | 274 |
| Pressure | Pressure Transducer • 0-150 PSIA • Suction Pressure | 08219621 | 202 |
| Harness | 63" Controller Wire Harness • multi valve[1] • 1-2 Fan Low Profile & 1 Fan Center Mount | 0853669601 | 368 |
| | 96" Controller Wire Harness • multi valve[1] • 3-4 Fan Low Profile & 2-3 Fan Center Mount | 0853669602 | 368 |
| | 126" Controller Wire Harness • multi valve[1] • 5-6 Fan Low Profile & 4-5 Fan Center Mount | 0853669603 | 402 |
| Harness Extension | 10' Harness Extension • SER valve only | 08532293 | 276 |
| | 10' Harness Extension • multi valve | 08537410 | 461 |
| Electrical • Harness | Controller Power Harness | 08219638 | 24 |
| Valve Adapter | EcoNet® • Sporlan SER Bi-Polar valve adapter | 08536760 | 300 |

1. If using Sporlan SER Value, must use harness with part #08536760

# LEGACY
## EQUIPMENT

- Unit Coolers
- Air-Cooled Condensing Units
- Condensers
- Packaged Systems

Available parts for equipment no longer manufactured

# UNIT COOLERS

## REACH-IN | FLEX TEMP ∞ FT Models

⊘ Part will not be restocked once depleted

| Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| FT18-17 | Fan Guards | 8" • Plastic | 206569000 | 168 |
| | Motors | ECM • 115 Volt • 16 Watt • 1550 RPM | 107933006 ⊘ | 1,258 |
| | Motors | ECM • 230 Volt • 16 Watt • 1550 RPM | 107933003 ⊘ | 1,306 |
| | Motors | Shaded Pole • 115 Volt • 9 Watt • 1550 RPM | 103104004 | 299 |
| | Motors | Shaded Pole • 230 Volt • 9 Watt • 1550 RPM | 103104005 | 299 |
| | Sheet Metals | Drain Pan / Venturi • Flex Temp | 20985400 | 401 |
| FT18-23, FT18-31 | Fan Blades | 10" Diameter • 25° Pitch • 5/16" Bore • Counterclockwise | 214022000 | 96 |
| | Motors | Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM | 08216072 | 386 |
| | Motors | Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM | 08216071 | 386 |
| | Sheet Metals | Drain Pan / Venturi • Flex Temp | 20985300 | 510 |
| FT18-6, FT18-8 | Fan Guards | 6" • Plastic | 205932000 | 165 |
| | Motors | Shaded Pole • 115 Volt • 3000 RPM • Skeleton Frame | 102249005 | 305 |
| | Motors | Shaded Pole • 230 Volt • 3000 RPM • Skeleton Frame | 102249007 | 305 |
| | Sheet Metals | Drain Pan / Venturi • Flex Temp | 20985600 | 254 |
| FT28-12 | Fan Guards | 6" • Plastic | 205932000 | 165 |
| | Motors | Shaded Pole • 115 Volt • 3000 RPM • Skeleton Frame | 102249005 | 305 |
| | Motors | Shaded Pole • 230 Volt • 3000 RPM • Skeleton Frame | 102249007 | 305 |
| | Sheet Metals | Drain Pan / Venturi • Flex Temp | 20985500 | 334 |

# UNIT COOLERS

## REACH-IN | WALL TEMP ∞ WA Models

⊘ Part will not be restocked once depleted

| Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| WA17-12, WA17-18 | Fan Blades | 8" Diameter • 36° Pitch • Counterclockwise • Hubless | 204395010 | 91 |
| | Fan Guards | 8" • Plastic | 206569000 | 168 |
| | Sheet Metals | Drain Pan Assembly • Wall Temp 17-12, 8 | 105633002 | 286 |
| WA17-25, WA17-35 | Fan Blades | 10" Diameter • 20° Pitch • 1/4" Bore • Counterclockwise • Hubless | 204395016 | 96 |
| | Fan Guards | 10" • Wire • White | 08397053 | 178 |
| | Motors | Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM | 08216072 | 386 |
| | Motors | Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM | 08216071 | 386 |
| | Sheet Metals | Drain Pan Assembly • Wall Temp 17-25, 35 | 105633003 | 633 |
| WA17-45 | Fan Blades | 12" Diameter • 19° Pitch • Counterclockwise | 11860 | 290 |
| | Sheet Metals | Drain Pan Assembly • Wall Temp 17-45 | 105633004 | 336 |
| WA17-6 | Fan Blades | 8" Diameter • 22° Pitch • Counterclockwise • Hubless | 204395008 | 91 |
| | Fan Guards | 8" • Plastic | 206569000 | 168 |
| | Motors | ECM • 115 Volt • 16 Watt • 1550 RPM | 107933006 ⊘ | 1,258 |
| | Sheet Metals | Drain Pan Assembly • Wall Temp 17-6, 9 | 105633001 | 286 |
| WA17-9 | Fan Blades | 8" Diameter • 22° Pitch • Counterclockwise • Hubless | 204395008 | 91 |
| | Fan Guards | 8" • Plastic | 206569000 | 168 |
| | Sheet Metals | Drain Pan Assembly • Wall Temp 17-6, 9 | 105633001 | 286 |
| WA17-9, WA17-12, WA17-18 | Motors | ECM • 115 Volt • 16 Watt • 1550 RPM | 107933006 ⊘ | 1,258 |
| | Motors | ECM • 230 Volt • 16 Watt • 1550 RPM | 107933003 ⊘ | 1,306 |
| | Motors | Shaded Pole • 115 Volt • 9 Watt • 1550 RPM | 103104004 | 299 |
| | Motors | Shaded Pole • 230 Volt • 9 Watt • 1550 RPM | 103104005 | 299 |

# UNIT COOLERS

## WALK-IN | CEILING TEMP ∞ CTA, CTE Models

⊘ Part will not be restocked once depleted

| Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| Permanent Split Capacitor Motors | Capacitors | 5 MFD • 440 Volt | 202163004 | 85 |
| All Models | Controls | Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw | 08219273 | 247 |
| | | Fan Delay • Open at 45°F, Close at 35°F | 103079009 | 247 |
| | | Heater Safety Switch | 103079003 | 231 |
| | Fan Blades | 10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise | 204395018 | 96 |
| | Fan Guards | 12" • Plastic • Black | 119647000 | 178 |
| CTE34-48, CTE34-58, CTE34-65, CTE36-53,CTE36-62, CTE36-69 | Defrost Heaters | Defrost Heater • Core • 230 Volt • 1037 Watts • 55" Long (x2 required for each unit) | 208579001 | 694 |
| CTE44-72, CTE44-84, CTE44-95, CTE46-77, CTE46-90, CTE46-100 | | Defrost Heater • 230 Volt • 1490 Watts • 79" Long (x2 required for each unit) | 208579002 | 946 |
| CTE54-115, CTE44-128, CTE44-152, CTE54-145, CTE64-173, CTE56-125, CTE46-140, CTE56-160, CTE66-218 | | Defrost Heater • 230 Volt • 1943 Watts • 103" Long | 208579003 | 1,041 |
| All Models | Motor Mounts | Motor Mount • 16 Watt Motors • ECM & Shaded Pole | 10243000 | 178 |
| All Models | Motors | ECM • 115 Volt • 16 Watt • 1550 RPM | 107933006 ⊘ | 1,258 |
| EC Motors | | ECM • 230 Volt • 16 Watt • 1550 RPM | 107933003 ⊘ | 1,306 |
| All Models (optional) | | PSC • 115 Volt • 16 Watt • 1550 RPM | 107933001 | 725 |
| All Models (optional) | | Shaded Pole • 115 Volt • 16 Watt • 1550 RPM | 103104007 | 357 |
| Shaded Pole Motors | | Shaded Pole • 230 Volt • 16 Watt • 1550 RPM | 103104008 | 357 |
| All 4 Fan CTA/CTE Models | Sheet Metals ∞ Drain Pan / Venturi | 4-Fan • Aluminum • 82-1/2" Long | 20861001 | 1,264 |
| CTA46-190, CTA48-210, CTE44-128, CTE46-140 | | 4-Fan • Aluminum • 106-1/2" Long | 20861101 | 1,455 |
| All 5 Fan CTA/CTE Models | | 5-Fan • Embossed Aluminum • 106-1/2" Long | 20861201 | 1,455 |
| All 6 Fan CTA/CTE Models | | 6-Fan • Embossed Aluminum • 106-1/2" Long | 20861301 | 1,510 |

Specify drain connection location when ordering CTA/CTE Drain Pans (bottom or side*)

# UNIT COOLERS

## WALK-IN | LOW VELOCITY FLOW TEMP ∞ All Models

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Sheet Metals ∞ Drain Pans: units produced AFTER April 1, 1991 | Weld Assembly • Venturi / Drain Pan • 2-Fan • Aluminum | 10861406 | 1,145 |
| | Weld Assembly • Venturi / Drain Pan • 3-Fan • Aluminum | 10861407 | 1,269 |
| | 4-Fan | 10861403 | 1,455 |
| | 5-Fan | 10861408 | 1,653 |
| | 2-Fan• White Painted | 10861406W | 2,009 |
| | 3-Fan• White Painted | 10861407W | 2,416 |
| | 4-Fan• White Painted | 10861403W | 2,758 |
| | 5-Fan• White Painted | 10861408W | 3,041 |

## WALK-IN | LOW VELOCITY FLOW TEMP ∞ FL, FL-E, FL-G, FL-H Models

⊘ Part will not be restocked once depleted

| Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| All 2 Fan Models | Motors | Shaded Pole • 115 Volt • 9 Watt • 1550 RPM | 103104004 | 299 |
| All 2 Fan Models: FL36-100, FL36-135, FL46-180 | Fan Blades | 10" Diameter • 20° Pitch • 1/4" Bore • Counterclockwise • Hubless | 204395016 | 96 |
| All 4 & 5 Fan Models | Motors | Shaded Pole • 230 Volt • 16 Watt • 1550 RPM | 103104008 | 357 |
| All FL Models (optional) Permanent Split Capacitor Motors | Capacitors | 5 MFD • 440 Volt | 202163004 | 85 |
| | Motors | PSC • 115 Volt • 16 Watt • 1550 RPM | 107933001 | 725 |
| All Models | Controls | Fan Delay • Open at 45°F, Close at 35°F | 103079009 | 247 |
| | Controls | Heater Safety Switch | 103079003 | 231 |
| | Fan Guards | 12" • Plastic • Black | 119647000 | 178 |
| | Motor Mounts | Motor Mount • 16 Watt Motors • ECM & Shaded Pole | 10243000 | 178 |
| | Motors | ECM • 115 Volt • 16 Watt • 1550 RPM | 107933006 ⊘ | 1,258 |
| EC Motor | Motors | ECM • 230 Volt • 16 Watt • 1550 RPM | 107933003 ⊘ | 1,306 |
| FL26-67E | Heaters | Defrost Heater • Core • 230 Volt • 1970 Watts • 48" Long (x2 required for each unit) | 200172026 | 599 |
| FL36-100 | Motors | Shaded Pole • 230 Volt • 9 Watt • 1550 RPM | 103104005 | 299 |
| FL36-100E, FL36-135E, FL36-160E | Defrost Heaters | Core • 230 Volt • 1220 Watts • 30" Long (x2 required each unit) | 200172023 | 626 |
| FL36-135, FL36-160 | Motors | Shaded Pole • 115 Volt • 16 Watt • 1550 RPM | 103104007 | 357 |
| FL36-160, FL46-220, FL46-265, FL56-370 | Fan Blades | 10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise | 204395018 | 96 |
| FL46-180E, FL46-220E, FL46-265E | Defrost Heaters | Core • 230 Volt • 1550 Watts • 38" Long (x2 required for each unit) | 200172024 | 559 |
| FL46-180E, FL46-220E, FL46-265E, FL56-370E* | Defrost Heaters | Core • 230 Volt • 2480 Watts • 60" Long (x2 required for each unit) | 200172028 | 662 |

* (x4) defrost heaters required for each unit

# UNIT COOLERS

## WALK-IN | Low Velocity Flow Temp ∞ RWF Models

⊘ Part will not be restocked once depleted

| Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| All Electric & Hot Gas Defrost Models | Controls | Adjustable Defrost Control | 204464037 | 662 |
| | Controls | Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw | 08219273 | 247 |
| | Controls | Heater Safety Switch | 103079003 | 231 |
| All Models | Fan Guards | 12" • Plastic • Black | 119647000 | 178 |
| | Motor Mounts | 16 Watt Motors | 10243000 | 178 |
| All Models - ECM Motors | Motors | ECM • 115 Volt • 16 Watt • 1550 RPM | 107933006 ⊘ | 1,258 |
| | Motors | ECM • 230 Volt • 16 Watt • 1550 RPM | 107933003 ⊘ | 1,306 |
| All Models - PSC Motors (optional) | Capacitors | 5 MFD • 440 Volt | 202163004 | 85 |
| | Motors | PSC • 115 Volt • 16 Watt • 1550 RPM | 107933001 | 725 |
| | Motors | PSC • 460 Volt • 1/15 HP • 1550 RPM • Capacitor pre-mounted | 08216135 | 787 |
| All Models - Shaded Pole Motors (optional) | Motors | Shaded Pole • 115 Volt • 16 Watt • 1550 RPM | 103104007 | 357 |
| | Motors | Shaded Pole • 230 Volt • 16 Watt • 1550 RPM | 103104008 | 357 |
| RWF - 050 | Defrost Heaters | 240 Volt • 545 Watts • 42" Long (x2 required for each unit) | 0821500901 | 643 |
| | Sheet Metals | Drain Pan / Venturi • 1-Fan | 0852507601 | 835 |
| | | Drain Pan / Venturi • 1-Fan • White Painted | 0852507607 | 1,248 |
| RWF - 075 | Fan Blades | 10" Diameter • 20° Pitch • 1/4" Bore • Counterclockwise • Hubless | 204395016 | 96 |
| | | 10" Diameter • 13° Pitch • 5/16" Bore • Counterclockwise | 08221005 | 96 |
| RWF - 075, 100 | Defrost Heaters | 240 Volt • 545 Watts • 61" Long (x2 required for each unit) | 0821500902 | 688 |
| | Sheet Metals | Drain Pan / Venturi • 2-Fan | 0852507701 | 1,145 |
| | | Drain Pan / Venturi • 2-Fan • White Painted | 0852507707 | 1,575 |
| RWF - 130, 160 | Sheet Metals | Drain Pan / Venturi • 3-Fan | 0852507801 | 1,269 |
| | | Drain Pan / Venturi • 3-Fan • White Painted | 0852507807 | 1,915 |
| RWF - 130, 160, 190, 220 | Defrost Heaters | 240 Volt • 1305 Watts • 79" Long (x2 required for each unit) | 0821500903 | 794 |
| RWF - 190, 220 | Sheet Metals | Drain Pan / Venturi • 4-Fan | 0852507901 | 1,455 |
| | | Drain Pan / Venturi • 4-Fan • White Painted | 0852507907 | 1,930 |
| RWF - 270 | Defrost Heaters | 240 Volt • 2180 Watts • 90" Long (x2 required for each unit) | 0821500904 | 897 |
| | Sheet Metals | Drain Pan / Venturi • 5-Fan | 0852508001 | 1,653 |
| | | Drain Pan / Venturi • 5-Fan • White Painted | 0852508007 | 2,147 |
| RWF - 340 | Defrost Heaters | 240 Volt • 2725 Watts • 114" Long (x2 required for each unit) | 0821500905 | 1,015 |
| | Sheet Metals | Drain Pan / Venturi • 6-Fan | 0852508101 | 1,796 |
| RWF-050, 100, 130, 160, 190, 220, 270, 340 | Fan Blades | 10" Diameter • 28° Pitch • 5/16" Bore • Counterclockwise | 08221007 | 96 |
| | | 10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise | 204395018 | 96 |

# UNIT COOLERS

## WALK-IN | HI TEMP ∞ HI Models

| Part | Model(s) | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| Fan Blades | HI18-55 | 12" Diameter • 23° Pitch • 5/16" Bore • Clockwise | 215112000 | 286 |
| Fan Guards | HI17-6 | 6" • Plastic | 205932000 | 165 |
| | HI17-9, HI17-12, HI17-15 | 8" • Plastic | 206569000 | 168 |
| | HI17-18, HI17-25 | 10" • Wire • Black | 08397002 | 178 |
| Motors ∞ Shaded Pole | HI17-35, HI17-45, HI18-55 | 115 Volt • 1/20 HP • 1550 RPM | 08216072 | 386 |
| | | 230 Volt • 1/20 HP • 1550 RPM | 08216071 | 386 |
| | HI17-15, HI17-18, HI17-25 | 115 Volt • 9 Watt • 1550 RPM | 103104004 | 299 |
| | | 230 Volt • 9 Watt • 1550 RPM | 103104005 | 299 |
| | HI17-65, HI17-75, HI18-85, | 115-230 Volt • 1/12 HP • 1050 RPM | 08216119 | 1,082 |

# UNIT COOLERS

## WALK-IN | LOW PROFILE ALL-TEMP B VINTAGE ∞ AA-B, AE-B, AG-B, AH-B Models

***Built after October 1, 1991***

⊘ Part will not be restocked once depleted

| Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| 1 - 6 Fan AE Models | Controls | Heater Safety Switch | 103079003 | 231 |
| 1 Fan • AA & AE Models | Sheet Metals | Drain Pan • 27" L | 08533740 | 720 |
| 3 Fan • AA & AE Models | | Drain Pan • 63" L | 08533743 | 892 |
| 4 Fan • AA & AE Models* | | Drain Pan • 81" L | 08533744 | 1,240 |
| 5 Fan • AA & AE Models* | | Drain Pan • 99" L | 08533745 | 1,361 |
| 6 Fan • AA & AE Models* | | Drain Pan • 117" L | 08533746 | 1,468 |
| AA28-106B, -134B, AA26-115B, AE26-92B, AE24-72B, -85B | | Drain Pan • 45" L | 08533742 | 805 |
| AA28-76B, -97B, -122B, AA26-70B, -87B, AE26-60B, 26-75B | | Drain Pan • 41" L | 08533741 | 805 |
| AE14-37B, AE16-36B, AE16-41B, AE16-46B | Defrost Heaters | Drain Pan • 1-Fan • 230 Volt • 500 Watts • 21" Long | 200172042 | 539 |
| AE14-37B, AE16-36B, AE16-41B, AE16-46B | | Core • 230 Volt • 500 Watts • 26-1/4" Long | 206240006 | 698 |
| AE24-72B, AE24-85B, AE26-92B | | Drain Pan • 2-Fan • 230 Volt • 1000 Watts • 39" Long | 200172044 | 559 |
| AE24-72B, AE24-85B, AE26-92B | | Core • 230 Volt • 1000 Watts • 44-1/4" Long | 206240008 ⊘ | 599 |
| AE26-60B, AE26-75B | | Drain Pan • 2-Fan • 230 Volt • 800 Watts • 35" Long | 200172043 | 539 |
| AE26-60B, AE26-75B | | Core • 230 Volt • 800 Watts • 40-1/4" Long | 206240007 | 559 |
| AE34-105B, AE36-120B, AE36-140B | | Drain Pan • 3-Fan • 230 Volt • 1500 Watts • 57" Long | 200172045 | 662 |
| AE34-105B, AE36-120B, AE36-140B | | Core • 230 Volt • 1500 Watts • 62-1/4" Long | 206240009 | 697 |
| AE44-140B, AE46-164B, AE46-185B | | Drain Pan • 4-Fan • 230 Volt • 2000 Watts • 75" Long | 200172046 | 847 |
| AE44-140B, AE46-164B, AE46-185B | | Core • 230 Volt • 2000 Watts • 80-1/4" Long | 206240010 | 887 |
| AE54-180B, AE56-210B | | Core • 230 Volt • 2500 Watts • 97-3/4" Long | 206240011 | 1,031 |
| AE64-215B, AE66-245B, AE66-280B | | Drain Pan • 6-Fan • 230 Volt • 3000 Watts • 111" Long | 200172048 | 1,070 |
| AE64-215B, AE66-245B, AE66-280B | | Core • 230 Volt • 2750 Watts • 115-3/4" Long | 206240012 | 1,092 |
| All "AE" Models | Controls | Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw | 08219273 | 247 |
| | | Fan Delay • Open at 45°F, Close at 35°F | 103079009 | 247 |
| All Models | Fan Guards | 12" • Plastic • Black | 119647000 | 178 |
| | | 12" • Plastic • High Throw* | 205925001 | 253 |
| All Models | Fan Blades | 12" Diameter • 24° Pitch • 5/16" Bore • Clockwise • for use with Shaded Pole & PSC motors | 08221153 | 145 |

* Optional

Continued on next page

# UNIT COOLERS

## WALK-IN | LOW PROFILE ALL-TEMP B VINTAGE ∞ AA-B, AE-B, AG-B, AH-B Models

***Built after October 1, 1991***

⊘ Part will not be restocked once depleted

| Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| B Models ∞ ECM | Fan Blades | 12" Diameter • 24° Pitch • 1/4" Bore • Clockwise | 08221175 | 138 |
| | Motor Mounts | 1-Leg • x3 required per motor | 08522938 | 78 |
| | Motors | 115 Volt • 50 Watt • 1550 RPM • Counterclockwise | 08216124 ⊘ | 1,180 |
| | | 230 Volt • 1/15 HP • 1550 RPM | 08216139 | 1,360 |
| B Models ∞ PSC | Capacitors | 3 MFD • 370 Volt | 202163010 | 84 |
| | Fan Blades | 12" Diameter • 24° Pitch • 5/16" Bore • Clockwise • for use with Shaded Pole & PSC motors | 08221153 | 145 |
| | Motor Mounts | 12" | 21062000 | 247 |
| | Motors | 115 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted | 08216074 | 531 |
| | | 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted | 08216073 | 602 |
| B Models ∞ Shaded Pole | Motor Mounts | 12" | 21062000 | 247 |
| | Motors | 115 Volt • 1/20 HP • 1550 RPM | 08216072 | 386 |
| | | 230 Volt • 1/20 HP • 1550 RPM | 08216071 | 386 |
| | | 460 Volt • 1/20 HP • 1550 RPM | 08216034 | 568 |

# AIR-COOLED CONDENSING UNITS

## "D" STYLE AIR CONDENSING UNITS ∞ 3 thru 22 HP • DC, DE, DL, DS Models

| Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| 5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57 | Capacitors | 5 MFD • 440 Volt | 202163004 | 85 |
| 3L22, 3L52, 3L44,3L57, 4L22, 4L44, 4L57, 5L22, 5L52, 5L44, 5L57, 6M44, 6L22, 6L52, 6L44, 6L57, 7H22, 7M52, 7M44, 7M57, 8H22, 8M52, 8M44, 8M57, 8L22, 8L44, 8L57, 9L22, 9L52, 9L44, 9L57, 10L22, 10L52, 10L44,10L57, 12L22, 12L52, 12L44, 12L57 | Capacitors | 7.5 MFD • 440 Volt • for 1/3 HP (230 Volt, 460 Volt) PSC Motor | 202163006 | 93 |
| Voltage Codes C,D,E,F,G,M,N,Q | Fan Blades | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| Voltage Codes H, J | Motor Mounts | 24" • 3-Leg • Wire | 212837000 | 406 |
| Voltage Codes C,D,E,F,G,M,N,Q | Motor Mounts / Fan Guards | 24" Wire Motor Mount & Fan Guard Combination | 204340000 | 474 |
| 3L22, 3L52, 3L44,3L57, 4L22, 4L44, 4L57, 5L22, 5L52, 5L44, 5L57, 6M44, 6L22, 6L52, 6L44, 6L57, 7H22, 7M52, 7M44, 7M57, 8H22, 8M52, 8M44, 8M57, 8L22, 8L44, 8L57, 9L22, 9L52, 9L44, 9L57, 10L22, 10L52, 10L44,10L57, 12L22, 12L52, 12L44, 12L57 | Motors | ECM • 230 Volt • 1/3 HP • 1075 RPM • Counterclockwise | 08216131 | 2,107 |
| 5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57 | Motors | ECM • 230 Volt • 3/4 HP • 1075 RPM • Counterclockwise | 08216132 | 2,326 |
| 3L22, 3L52, 3L44,3L57, 4L22, 4L44, 4L57, 5L22, 5L52, 5L44, 5L57, 6M44, 6L22, 6L52, 6L44, 6L57, 7H22, 7M52, 7M44, 7M57, 8H22, 8M52, 8M44, 8M57, 8L22, 8L44, 8L57, 9L22, 9L52, 9L44, 9L57, 10L22, 10L52, 10L44,10L57, 12L22, 12L52, 12L44, 12L57 | Motors | PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051004 | 722 |
| 5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57 | Motors | PSC • 575 Volt • 1/2 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 115952000 | 1,714 |
| 5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57 | Motors | PSC • 440 Volt • 5 MFD • 1075 RPM • capacitor not included | 205051009 | 1,902 |
| 3L22, 3L52, 3L44,3L57, 4L22, 4L44, 4L57, 5L22, 5L52, 5L44, 5L57, 6M44, 6L22, 6L52, 6L44, 6L57, 7H22, 7M52, 7M44, 7M57, 8H22, 8M52, 8M44, 8M57, 8L22, 8L44, 8L57, 9L22, 9L52, 9L44, 9L57, 10L22, 10L52, 10L44,10L57, 12L22, 12L52, 12L44, 12L57 | Motors | PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051002 | 2,095 |
| 5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57 | Motors | PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051002 | 2,095 |

# AIR-COOLED CONDENSING UNITS

## "V" STYLE AIR CONDENSING UNITS ∞ 20 thru 80 HP • VC, VL, VS Models

| Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| ALL | Fan Blades | 30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade | 08221151 | 952 |
| | Fan Guards | 30" • Wire • Black | 202136011 | 344 |
| | Motor Mount Kits | 30" Knockdown Motor Mount Kit • VAC | 125215001 | 840 |
| | Motors | 230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase | 110204000 | 3,046 |
| | Motors | 575 Volt • 1.5 HP • 1140 RPM • 3-Phase | 118570001 | 4,546 |

## NEXT-GEN R-SERIES MINICON ∞ ½ thru 3-1/2 HP Models with 12" fans • RFH, RFO, RBH, RBO, RVH, RVO

*Built after 11-2015*

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Fan Blades | 12" Diameter • 24° Pitch • 1/4" Bore • Counterclockwise • Aluminum • ECM Motors | 08221176 | 138 |
| | 12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors | 08221169 | 139 |
| | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| Grilles | 16.88" X 15.75" • Wire • Black | 08397064 | 534 |
| | 19.38" X 27.75" • Wire • Black | 08397066 | 598 |
| | 16.88" X 27.75" • Wire • Black | 08397065 | 598 |
| Motor Mounts | Motor Mount • 12" | 21062000 | 247 |
| | Motor Mount • 12" • 4-Leg • Wire | 08397068 | 339 |
| | Motor Mount • 24" • 3-Leg • Wire | 212837000 | 406 |
| Motors | PSC • 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted | 08216073 | 602 |
| | PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051004 | 722 |
| | PSC • 460 Volt • 1/15 HP • 1550 RPM • Capacitor is pre-mounted | 08216135 | 787 |
| Refrigeration Components | Thermostat w/Clip • 1/2" Discharge Line | 118431442 | 384 |
| | Thermostat w/Clip • 3/8" Discharge Line | 08352253 | 477 |

# AIR-COOLED CONDENSING UNITS

## NEXT-GEN R-SERIES MINICON ∞ 3 thru 6 HP Models with 24" fans
## RFH, RFO, RBH, RBO, RVH, RVO ∞ *Built after 11-2015*

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Pressure Control | High Pressure Control • Auto Reset • 400 PSI Gauge | 08219424 | 177 |
| | Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated | 204464232 | 580 |
| Capacitors | 5 MFD • 440 Volt | 202163004 | 85 |
| Grilles | 33.14" X 30.13" • Wire • Black | 08397067 | 688 |
| Motors | ECM • 230 Volt • 3/4 HP • 1075 RPM • Counterclockwise | 08216132 | 2,326 |
| Motors | PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051002 | 2,095 |
| Refrigeration Components | Thermostat w/Clip • 5/8" Discharge Line | 08352256 | 477 |

## NEXT-GEN MINICON ∞ ½ thru 2 HP Models • M*H, M*S, M*O, M*D, R*H, R*S, R*O, R*D Models
## *Built before 10-2002*

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Fan Blades | 12" Diameter • 24° Pitch • 5/16" Bore • Clockwise • for use with Shaded Pole & PSC motors | 08221153 | 145 |
| Fan Guards | 12" • Wire | 08397040 | 210 |
| Motors | Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM | 08216071 | 386 |

## NEXT-GEN R-SERIES MINICON ∞ ½ thru 3 HP Models *(after 10-2002)* & 2 thru 3 HP Scrolls *(after 04- 2003)*
## M*H, M*S, M*O, M*D, R*H, R*S, R*O, R*D

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Capacitors | 2 MFD • 370 Volt | 202163009 | 93 |
| Controls | High Pressure Control • Manual Reset • Encapsulated | 204464208 | 452 |
| Controls | Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated | 204464232 | 580 |
| Fan Blades | 12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise | 119103001 | 145 |
| Motor Mounts | Motor Mount • 12" | 21062000 | 247 |
| Motors | Shaded Pole • 460 Volt • 1/20 HP • 1550 RPM | 08216034 | 568 |
| Motors | ECM • 230 Volt • 1/8 HP • 1075 RPM • Counterclockwise | 08216129 | 1,814 |
| Motors | PSC • 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted | 08216073 | 602 |

# AIR-COOLED CONDENSING UNITS

## NEXT-GEN R-SERIES MINICON ∞ 4 thru 6 HP Models & 2 thru 3 HP & Scrolls (before April 2003) M*H, M*S, M*O, M*D, R*H, R*S, R*O, R*D

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Capacitors | 5 MFD • 440 Volt | 202163004 | 85 |
| Fan Blades | 20" Diameter • 30° Pitch • 1/2" Bore • Clockwise | 213156000 | 526 |
| | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| Fan Guards | 20" • Wire • Black | 213484000 | 431 |
| Grilles | 30" X 34" • Wire • Black | 124027000 | 598 |
| Motor Mounts | 24" • 3-Leg • Wire | 212837000 | 406 |
| | 20" • 3-Leg • Wire | 210225000 | 422 |
| Motors | ECM • 230 Volt • 1/3 HP • 1075 RPM • Counterclockwise | 08216131 | 2,107 |
| Motors | PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051004 | 722 |
| Motors | PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051002 | 2,095 |

## NEXT-GEN MINICON ∞ ½ thru 6 HP • M*H, M*S, M*O, M*D, R*H, R*S, R*O, R*D

| Part | Description | Part # | List Price ($US) |
|---|---|---|---|
| Pressure Control | High Pressure Control • Manual Reset • Encapsulated | 204464208 | 452 |
| Relay | 230 Volt • 90-second Relay • Interval | 104799010 | 232 |
| | 208/240 Volt • 30 AMP • Dual Pole Double Throw | 104799020 | 437 |
| Thermostat | Thermostat w/Clip • 1/2" Discharge Line | 118431442 | 384 |

# AIR-COOLED CONDENSING UNITS

## RUSSCON 3 THRU 30 HP ∞ H, L, M, HE, LE, ME Models

| Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| H31, M31, L35, M51, L55, H51, M61, L65, M81, L85, H81, H82, H101, M101, L105, L155,M61,L65 | Capacitors | 5 MFD • 440 Volt | 202163004 | 85 |
| H102, H151, H152, L205, L255, H202, l305 | Capacitors | 7.5 MFD • 440 Volt • for 1/3 HP (230 Volt, 460 Volt) PSC Motor | 202163006 | 93 |
| All Models | Fan Blades | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| All Models | Motor Mounts | Motor Mount • 24" • 3-Leg • Wire | 212837000 | 406 |
| All Models | Motor Mounts / Fan Guards | 24" Wire Motor Mount & Fan Guard Combination | 204340000 | 474 |
| H31, M31, L35, M51, L55, H51, M61, L65, M81, L85, H81, H82, H101, M101, L105, L155,M61,L65 | Motors | PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051004 | 722 |
| H102, H151, H152, L205, L255, H202, l305 | Motors | PSC • 440 Volt • 5 MFD • 1075 RPM • capacitor not included | 205051009 | 1,902 |
| H31, M31, L35, M51, L55, H51, M61, L65, M81, L85, H81, H82, H101, M101, L105, L155,M61,L65 | Motors | PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051002 | 2,095 |
| H102, H151, H152, L205, L255, H202, l305 | Motors | PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051002 | 2,095 |

## RUSSETTE ½ THRU 3 HP ∞ RC, RE, RS MODELS

| Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| ALL | Fan Guards | 20" • Wire • Black | 213484000 | 431 |

# CONDENSERS

## MULTI-CON COMPUTER ROOM AIR-COOLED CONDENSER ∞ CAC Models

| Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| CAC 5 thru CAC 80 | Capacitors | 5 MFD • 440 Volt | 202163004 | 85 |
| | Capacitors | 15 MFD Capacitor | 08352607 | 93 |
| | Fan Blades | 24" Diameter • 26° Pitch • 1/2" Bore • Clockwise • 3 Blade | 08221050 | 598 |
| | Fan Guards | 24" • Wire • Black | 202136005 | 879 |
| | Motor Mounts | Motor Mount • 24" • 4-Leg • Wire | 205269000 | 422 |
| | Motors | PSC • 440 Volt • 5 MFD • 1075 RPM • capacitor not included | 205051009 | 1,902 |
| | Motors | PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051002 | 2,095 |
| | Motors | PSC • 460 Volt • 3/4 HP • 1075 RPM • Variable Speed • Capacitor 08352607 required (15 UF • 370 VAC) | 205051016 | 2,517 |
| CBC 27 thru CBC 164 | Fan Blades | 24" Diameter • 26° Pitch • 1/2" Bore • Clockwise • 3 Blade | 08221050 | 598 |
| | Fan Blades | 30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade | 08221151 | 952 |
| | Fan Guards | 30" • Wire • Black | 202136011 | 344 |
| | Fan Guards | 24" • Wire • Black | 202136005 | 879 |
| | Motor Mounts | Motor Mount • 24" • 4-Leg • Wire | 205269000 | 422 |
| | Motor Mounts | 30" Knockdown Motor Mount Kit • VAC | 125215001 | 840 |
| | Motors | 230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase | 110204000 | 3,046 |
| | Motors | PSC • 460 Volt • 3/4 HP • 1075 RPM • Variable Speed • Capacitor 08352607 required (15 UF • 370 VAC) | 205051016 | 2,517 |

# PACKAGED SYSTEM

## APEX REFRIGERATION SYSTEM ∞ XN, XT Models

⊘ Part will not be restocked once depleted

| Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| All Models | Box Components | Latch • Evaporator Cover | 08326021 | 46 |
| X*050M thru X*134M, X*024L thru X*068L | Capacitors | 2 MFD • 370 Volt | 202163009 | 93 |
| XN026M thru XN037M, XN018L | | 5 MFD • 440 Volt | 202163004 | 85 |
| XN050M, XN024L | | 3 MFD • 370 Volt | 202163010 | 84 |
| All 115 V Coolers | Controls ∞ Electronic Controllers | 120 Volt • Programmable Control • Medium Temp Air | 08522798 | 1,191 |
| All 115 V Freezers | | 120 Volt • Programmable Control • Low Temp Electric | 08522796 | 1,191 |
| All 208-230 V Coolers | | 230 Volt • Programmable Control • Medium Temp Air | 08522799 | 1,191 |
| All 208-230 V Freezers | | 230 Volt • Programmable Control • Low Temp Electric | 08522797 | 1,191 |
| All Models | Pressure Control | High Pressure Control • Auto Reset • 400 PSI Gauge | 08219424 | 177 |
| All Models | Sensor | Temperature Sensor for APEX line | 08219958 | 138 |
| X*050M thru X*134M, X*024L thru X*068L | Contactor | 32 AMP • 3-Pole • 230 Volt | 08538312 | 108 |
| XN018L thru X*068L | Heater Safety | Heater Safety Switch | 103079003 | 231 |
| XT050M thru XT134M, XT024L thru XT068L | | Heater Safety Switch | 103079003 | 231 |
| XN026M thru XN037M, XN018L | Relay | Evaporator Motor Relay • Single Pole Double Throw • 115 Volt Coil | 08218979 | 93 |
| XN050M, XN024L | | Evaporator Motor Relay • Single Pole Double Throw • 115 Volt Coil | 08218979 | 93 |
| X*050M thru X*134M, X*024L thru X*068L | | Evaporator Motor Relay • 208-230 Volt • Coil • Single Pole Double Throw | 08218181 ⊘ | 97 |
| X*050M thru X*134M, X*024L thru X*068L | Fan Blades | 10" Diameter • 31° Pitch • 5/16" Bore • Clockwise • SP & PSC motors | 08221168 ⊘ | 91 |
| X*050M thru X*134M, X*024L thru X*068L | | 10" Diameter • 30° Pitch • 1/4" Bore • Clockwise • Aluminum • ECM Motors | 08221174 | 91 |
| X*050M thru X*134M, X*024L thru X*068L | | 12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors | 08221169 | 139 |
| XN026M thru XN037M, XN018L | | 10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise | 204395018 | 96 |

Continued on next page

# PACKAGED SYSTEM

## APEX REFRIGERATION SYSTEM ∞ XN, XT Models

⊘ Part will not be restocked once depleted

| Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|
| X*050M thru X*076M, X*024L thru X*043L | Defrost Heaters | Defrost Heater • Drain Pan • 240 Volt • 500 Watts • 22" Long • 1/4" OD | 08215141 ⊘ | 500 |
| X*106M thru X*134M, X*051L AND X*068L | | Defrost Coil Heater • 240 Volt • 600 Watts • 1/4" OD • 40.5" Long | 08215139 ⊘ | 691 |
| XT050M thru XT134M, XT024L thru XT068L | Heaters | Drain line • 240 Volt • 25 Watts | 08215143 | 311 |
| X*050M thru X*134M, X*024L thru X*068L | Motor Mounts | 1-Leg • x3 required per motor • ECM motors | 08522938 | 78 |
| X*050M thru X*134M, X*024L thru X*068L | | 12" | 21062000 | 247 |
| XN026M thru XN037M, XN018L | | SL | 12003000 | 96 |
| XN026M thru XN037M, XN018L | | 16 Watt Motors • ECM & Shaded Pole | 10243000 | 178 |
| X*050M thru X*134M, X*024L thru X*068L | Motors | Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM | 08216071 | 386 |
| X*050M thru X*134M, X*024L thru X*068L | | PSC • 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted | 08216073 | 602 |
| XN026M thru XN037M, XN018L | | ECM • 115 Volt • 16 Watt • 1550 RPM | 107933006 ⊘ | 1,258 |
| XN026M thru XN037M, XN018L | | PSC • 115 Volt • 16 Watt • 1550 RPM | 107933001 | 725 |
| XN026M thru XN037M, XN018L | | Shaded Pole • 115 Volt • 16 Watt • 1550 RPM | 103104007 | 357 |
| XN050M, XN024L | | Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM | 08216072 | 386 |
| XN050M, XN024L | | ECM • 115 Volt • 50 Watt • 1550 RPM • Counterclockwise | 08216124 ⊘ | 1,180 |
| XN050M, XN024L | | PSC • 115 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted | 08216074 | 531 |

# PACKAGED SYSTEM

## HIGH SIERRA REFRIGERATION SYSTEM ½ THRU 30 HP ∞ RHH, RHS, RHD, RHO Models

| | Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|---|
| Low Temp ∞ Discuss | All RHD Low Temp Models | Controls | High Pressure Control • Manual Reset • Encapsulated | 204464208 | 452 |
| | | Controls | Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated | 204464232 | 580 |
| | | Fan Blades | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| | RHD300L44 | Valves | Thermostatic Expansion Valve (TXV) | SBFSE-C-Z | 1,059 |
| Low Temp ∞ Hermetic | All RHH Low Temp Models | Controls | High Pressure Control • Manual Reset • Encapsulated | 204464208 | 452 |
| | | Controls | Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated | 204464232 | 580 |
| | | Fan Blades | 12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise | 119103001 | 145 |
| | | Motors | Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM | 08216071 | 386 |
| | | Valves | Reversing Valve • 1/2" x 7/8" x 7/8" | 21012 ⊘ | 1,147 |
| | RHH100L44 | Valves | Thermostatic Expansion Valve (TXV) | SBFSE-AA-Z | 829 |
| | RHH165L44 | Valves | Thermostatic Expansion Valve (TXV) | SBFSE-A-Z | 829 |
| | RHH215L44 | Valves | Thermostatic Expansion Valve (TXV) | SBFSE-B-Z | 829 |
| | RHH315L44 | Valves | Thermostatic Expansion Valve (TXV) | SBFSE-C-Z | 1,059 |
| Low Temp ∞ Scroll | All RHO Low Temp Models | Controls | High Pressure Control • Manual Reset • Encapsulated | 204464208 | 452 |
| | | Controls | Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated | 204464232 | 580 |
| | | Fan Blades | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| | RHO200L44 - RHO400L44 | Valves | Reversing Valve • 1/2" x 7/8" x 7/8" | 21012 ⊘ | 1,147 |
| | RHO200L44 | Valves | Thermostatic Expansion Valve (TXV) | SBFSE-A-Z | 829 |
| | RHO250L44, RHO300L44 | Valves | Thermostatic Expansion Valve (TXV) | SBFSE-B-Z | 829 |
| | RHO301L44, RHO400L44 | Valves | Thermostatic Expansion Valve (TXV) | SBFSE-C-Z | 1,059 |
| Low Temp ∞ Semi-Hermetic | All RHS Low Temp Models | Controls | High Pressure Control • Manual Reset • Encapsulated | 204464208 | 452 |
| | | Controls | Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated | 204464232 | 580 |
| | | Fan Blades | 12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise | 119103001 | 145 |
| | | Motors | Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM | 08216071 | 386 |
| | | Valves | Reversing Valve • 1/2" x 7/8" x 7/8" | 21012 ⊘ | 1,147 |
| | RHS075L44 | Valves | Thermostatic Expansion Valve (TXV) | SBFSE-AA-Z | 829 |
| | RHS100L44, RHS150L44 | Valves | Thermostatic Expansion Valve (TXV) | SBFSE-A-Z | 829 |
| | RHS200L44, RHS250L44 | Valves | Thermostatic Expansion Valve (TXV) | SBFSE-B-Z | 829 |
| | RHS300L44 | Valves | Thermostatic Expansion Valve (TXV) | SBFSE-C-Z | 1,059 |

⊘ Part will not be restocked once depleted

# PACKAGED SYSTEM

## HIGH SIERRA REFRIGERATION SYSTEM ½ THRU 30 HP ∞ W/D-Series Condensing Unit: DHD, DHO Models

| | Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|---|
| Low Temp ∞ Discuss | All DHD*L44 Low Temp Models | Fan Blades | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| | | Motors | PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051004 | 722 |
| | DHD5L44 - DHD9L44 | Valves | Reversing Valve • 7/8" x 1-3/8" x 1-3/8" | 21054 | 2,270 |
| | DHD6L44 | Valves | Thermostatic Expansion Valve (TXV) | EBSSE-7-1/2-Z | 1,203 |
| Low Temp ∞ Scroll | All DHO Low Temp Models | Fan Blades | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| | | Motors | PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051004 | 722 |
| | DHO8L44 - DHO13L44 | Valves | Reversing Valve • 7/8" x 1-3/8" x 1-3/8" | 21054 | 2,270 |
| Medium Temp ∞ Discus R22 / R404A | All DHD*H22, All DHD*M44 | Fan Blades | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| | All DHD*H22 | Motors | PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051004 | 722 |
| | DHD7H22, DHD8H22, DHD10H22, DHD5M44 - DHD7M44 | Valves | Reversing Valve • 7/8" x 1-3/8" x 1-3/8" | 21054 | 2,270 |
| | DHD5H22 | Valves | Thermostatic Expansion Valve (TXV) | EBSVE-8-C | 835 |
| | DHD7H22, DHD8H22 | Valves | Thermostatic Expansion Valve (TXV) | EBSVE-11-C | 1,455 |
| | DHD10H22, DHD12H22 | Valves | Thermostatic Expansion Valve (TXV) | EBSVE-15-C | 1,455 |
| | DHD5M44 - DHD7M44 | Valves | Thermostatic Expansion Valve (TXV) | EBSSE-10-C | 1,455 |
| | DHD8M44, DHD10M44, DHD12M44 | Valves | Thermostatic Expansion Valve (TXV) | EBSSE-13-C | 1,455 |
| Medium Temp ∞ Scroll R404A | All DHO*M44 | Fan Blades | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| | | Motors | PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163004 required (5 MFD • 440 Volt) | 205051004 | 722 |
| | DHO7M44, DHO8M44 | Valves | Reversing Valve • 7/8" x 1-3/8" x 1-3/8" | 21054 | 2,270 |
| | DHO7M44, DHO8M44 | Valves | Thermostatic Expansion Valve (TXV) | EBSSE-10-C | 1,455 |
| | DHO10M44, DHO13M44 | Valves | Thermostatic Expansion Valve (TXV) | EBSSE-13-C | 1,455 |
| | DHO6M44 | Valves | Thermostatic Expansion Valve (TXV) | EBSSE-7-1/2-C | 563 |

# PACKAGED SYSTEM

## HIGH SIERRA REFRIGERATION SYSTEM ½ thru 30 HP ∞ W/R-Series Condensing Unit: RHH, RHS, RHD, RHO

| | Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|---|
| Medium Temp ∞ Hermetic R22 / R404A | All RHH*H22 | Controls | High Pressure Control • Manual Reset • Encapsulated | 204464208 | 452 |
| | | Controls | Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated | 204464232 | 580 |
| | | Valves | Reversing Valve • 1/2" x 7/8" x 7/8" | 21012 ⊘ | 1,147 |
| | All RHH*M44 | Controls | High Pressure Control • Manual Reset • Encapsulated | 204464208 | 452 |
| | | Controls | Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated | 204464232 | 580 |
| | RHH050M44 - RHH300M44 | Fan Blades | 12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise | 119103001 | 145 |
| | | Motors | Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM | 08216071 | 386 |
| | | Valves | Reversing Valve • 1/2" x 7/8" x 7/8" | 21012 ⊘ | 1,147 |
| | RHH075H22 - RHH301H22 | Fan Blades | 12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise | 119103001 | 145 |
| | | Motors | Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM | 08216071 | 386 |
| | RHH400M44 | Fan Blades | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| | RHH400M44 | Valves | Thermostatic Expansion Valve (TXV) | EBSSE-6-C | 1,059 |
| | RHH401H22, RHH500H22 | Fan Blades | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| Medium Temp ∞ Semi-Hermetic R22 | All RHH*H22 | Controls | High Pressure Control • Manual Reset • Encapsulated | 204464208 | 452 |
| | All RHH*H22 | Controls | Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated | 204464232 | 580 |
| | All RHH*H22 | Valves | Reversing Valve • 1/2" x 7/8" x 7/8" | 21012 ⊘ | 1,147 |
| | RHS050H22 - RHS300H22 | Fan Blades | 12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise | 119103001 | 145 |
| | RHS400H22 | Fan Blades | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |

⊘ Part will not be restocked once depleted

# PACKAGED SYSTEM

## HIGH SIERRA REFRIGERATION SYSTEM 1/2 thru 30 HP ∞ W/R-Series Condensing Unit: RHS, RHO Models

| | Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|---|
| Medium Temp ∞ Scroll R404A | All RHO*M44 | Controls | High Pressure Control • Manual Reset • Encapsulated | 204464208 | 452 |
| | All RHO*M44 | Controls | Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated | 204464232 | 580 |
| | All RHO*M44 | Fan Blades | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| | RHO200M44 - RHO300M44 | Valves | Reversing Valve • 1/2" x 7/8" x 7/8" | 21012 ⊘ | 1,147 |
| | RHO600M44 | Valves | Reversing Valve • 7/8" x 1-3/8" x 1-3/8" | 21054 | 2,270 |
| | RHO301M44 - RHO500M44 | Valves | Thermostatic Expansion Valve (TXV) | EBSSE-6-C | 1,059 |
| | RHO600M44 | Valves | Thermostatic Expansion Valve (TXV) | EBSSE-6-C | 1,059 |
| | RHO650M44 | Valves | Thermostatic Expansion Valve (TXV) | EBSSE-7-1/2-C | 563 |
| Medium Temp ∞ Semi-Hermetic R404A | All RHS*M44 | Controls | High Pressure Control • Manual Reset • Encapsulated | 204464208 | 452 |
| | All RHS*M44 | Controls | Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated | 204464232 | 580 |
| | RHS050M44 - RHS300M44 | Fan Blades | 12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise | 119103001 | 145 |
| | RHS400M44 | Fan Blades | 24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade | 08221246 | 598 |
| | RHS050M44 - RHS300M44 | Motors | Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM | 08216071 | 386 |
| | RHS050M44 - RHS300M44 | Valves | Reversing Valve • 1/2" x 7/8" x 7/8" | 21012 ⊘ | 1,147 |
| | RHS400M44 | Valves | Thermostatic Expansion Valve (TXV) | EBSSE-6-C | 1,059 |

⊘ Part will not be restocked once depleted

# PACKAGED SYSTEM

## HIGH SIERRA REFRIGERATION SYSTEM ½ thru 30 HP ∞ W/V-Series Condensing Unit: VHD Models

| | Model(s) | Part | Description | Part # | List Price ($US) |
|---|---|---|---|---|---|
| Low Temp ∞ Discuss | All VHD*L44 Low Temp Models | Fan Blades | 30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade | 08221151 | 952 |
| | VHD15L44, VHD22L44 | Filters | Filter Shell • Liquid Filter • 7/8" | 104471021 | 1,059 |
| | VHD27L44, VHD30L44 | Filters | Filter Shell • Liquid Filter • 7/8" | 104471021 | 1,059 |
| | VHD44L44 | Filters | Filter Shell • Liquid Filter • 1-1/8" • C489G • 10-15 Ton | 104471022 | 1,272 |
| | VHD54L44, VHD60L44 | Filters | Filter Shell • Liquid Filter • 1-1/8" • C489G • 10-15 Ton | 104471022 | 1,272 |
| | All VHD*L44 Low Temp Models | Motors | 230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase | 110204000 | 3,046 |
| Medium Temp ∞ Discus R22 / R404A | All VHD*H22 | Fan Blades | 30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade | 08221151 | 952 |
| | All VHD*M44 | Fan Blades | 30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade | 08221151 | 952 |
| | VHD15H22, VHD20H22 | Filters | Filter Shell • Liquid Filter • 7/8" | 104471021 | 1,059 |
| | VHD25H22 | Filters | Filter Shell • Liquid Filter • 7/8" | 104471021 | 1,059 |
| | VHD15M44, VHD20M44 | Filters | Filter Shell • Liquid Filter • 7/8" | 104471021 | 1,059 |
| | VHD25M44 | Filters | Filter Shell • Liquid Filter • 7/8" | 104471021 | 1,059 |
| | VHD30H22 | Filters | Filter Shell • Liquid Filter • 1-1/8" • C489G • 10-15 Ton | 104471022 | 1,272 |
| | VHD30M44 | Filters | Filter Shell • Liquid Filter • 1-1/8" • C489G • 10-15 Ton | 104471022 | 1,272 |
| | VHD35H22 - VHD50H22 | Filters | Filter Shell • Liquid Filter • 1-1/8" • C969G • 16-29 Ton | 104471031 | 1,841 |
| | VHD35M44 - VHD50M44 | Filters | Filter Shell • Liquid Filter • 1-1/8" • C969G • 16-29 Ton | 104471031 | 1,841 |
| | All VHD*H22 | Motors | 230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase | 110204000 | 3,046 |
| | All VHD*M44 | Motors | 230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase | 110204000 | 3,046 |
| | VHD25M44 - VHD35M44, VHD70M44 | Valves | Thermostatic Expansion Valve (TXV) | OSE-30-C | 1,455 |

# EQUIPMENT
## NOMENCLATURE INDEX


- Step-In Unit Coolers
- Walk-In Unit Coolers
- Air-Cooled Condensing Units
- Water-Cooled Condensing Units
- Air-Cooled Condensers
- Packaged Refrigeration System

This index may not include all configurable options or definitions.
For additional product detail, please refer to the Equipment Price Books or Product Brochure at HTPG.com

## STEP-IN UNIT COOLERS

### ASLA/ASLE SLIM TEMP

| ASL | A | 2 | 5 | 061 | A | D | A |
|---|---|---|---|---|---|---|---|
| Product Line | Defrost Type | No. of Fans | Fins Per Inch (FPI) | Capacity | Voltage | Motor Type | Vintage |
| ASL = Slim Temp Display Case | A = Air<br>E = Electric | 2 to 6 | | # x 100 = BTUH | A = 115/1/60<br>D = 230/1/60 | D = Dual Speed EC | |

## WALK-IN UNIT COOLERS

### NEXT-GEN ALL TEMP

| R | L | 6 | E | 042 | E | D | A |
|---|---|---|---|---|---|---|---|
| Brand | Connections[1] | Fins Per Inch (FPI) | Defrost Type | Capacity | Voltage | Motor Type | Vintage |
| R = Russell<br>K = Kramer<br>W = Witt | L = Standard<br>U = Reverse | 6 FPI<br>4 FPI | A = Air<br>E = Electric<br>H = Hot Gas 3-Pipe<br>G = Hot Gas Reverse | # x 100 = BTUH | A = 115/1/60<br>D = 230/1/60<br>E = 208-230/3/60 | D = Dual Speed EC | |

### NEXT-GEN ALL TEMP PRE-CONFIGURATION CODES

| A | S | L |
|---|---|---|
| Refrigerant | Valve | Pre-assembly Code |
| A = R404A<br>R = EcoNet® Approved Refrigerants<br>S = R407A, R448A, R449A/B | S = Sporlan SER | C = Mounted TXV, LLSV & Electronic Thermostat<br>E = EcoNet® 1.0 Control Package<br>F = EcoNet® 2.0 Control Package<br>L = Mounted TXV, LLSV & Mechanical Thermostat |

### CENTER MOUNT • LOW HEIGHT

| R | E | 6 | A | 041 | A | D | A |
|---|---|---|---|---|---|---|---|
| Brand | Style | Fins Per Inch (FPI) | Defrost Type | Capacity | Voltage | Motor Type | Vintage |
| R = Russell<br>K = Kramer<br>W = Witt | E = Center Mount | 6 FPI<br>4 FPI | A = Air<br>E = Electric | # x 100 = BTUH | A = 115/1/60<br>D = 230/1/60 | D = Dual Speed EC | |

This index may not include all configurable options or definitions.
For additional product detail, please refer to the Equipment Price Books or Product Brochure at HTPG.com

# WALK-IN UNIT COOLERS

## CENTER MOUNT • LOW VELOCITY

| R | V | 6 | A | 043 | A | D | A |
|---|---|---|---|---|---|---|---|
| Brand | Style | Fins Per Inch (FPI) | Defrost Type | Capacity | Voltage | Motor Type | Vintage |
| R = Russell<br>K = Kramer<br>W = Witt | V = Low Velocity Center Mount | 6 FPI<br>4 FPI | A = Air<br>E = Electric | # x 100 = BTUH | A = 115/1/60<br>D = 230/1/60 | D = Dual Speed EC | |

## MEDIUM PROFILE

| R | M | 6 | E | 153 | A | D | A |
|---|---|---|---|---|---|---|---|
| Brand | Style | Fins Per Inch (FPI) | Defrost Type | Capacity | Voltage | Motor Type | Vintage |
| R = Russell<br>K = Kramer<br>W = Witt | M = Medium Profile | 6 FPI<br>4 FPI | A = Air<br>D = Medium Temp Electric<br>E = Low Temp Electric<br>H = Hot Gas 3-Pipe<br>G = Hot Gas Reverse Cycle | # x 100 = BTUH | A = 115/1/60<br>D = 230/1/60<br>E = 208-230/3/60<br>F = 460/1/60<br>G = 460/3/60 | D = Dual Speed EC | |

## HEAVY DUTY

| R | H | 6 | E | 109 | D | D | A |
|---|---|---|---|---|---|---|---|
| Brand | Style | Fins Per Inch (FPI) | Defrost Type | Capacity | Voltage | Motor Type | Vintage |
| R = Russell<br>K = Kramer<br>W = Witt | H = Heavy Duty<br>Y = Reverse Connections | 6 FPI<br>4 FPI | A = Air<br>D = Medium Temp Electric<br>E = Low Temp Electric<br>H = Hot Gas 3-Pipe<br>K = Hot Gas 3-Pipe + Hot Gas Drain Pan<br>G = Hot Gas Reverse + Electric Drain Pan<br>L = Hot Gas Reverse + Hot Gas Drain Pan | # x 1,000 = BTUH | D = 230/1/60<br>E = 208-230/3/60<br>F = 460/1/60<br>G = 460/3/60 | D = Dual Speed EC | |

This index may not include all configurable options or definitions.
For additional product detail, please refer to the Equipment Price Books or Product Brochure at HTPG.com

## WALK-IN UNIT COOLERS

### WAREHOUSE

| R | W | 6 | E | 143 | E | T | A |
|---|---|---|---|---|---|---|---|
| Brand | Style | Fins Per Inch (FPI) | Defrost Type | Capacity | Voltage | Motor Type | Vintage |
| R = Russell<br>K = Kramer<br>W = Witt | W = Warehouse<br>Z = Reverse Connections | 6 FPI<br>4 FPI | A = Air<br>D = Medium Temp Electric<br>E = Low Temp Electric<br>H = Hot Gas 3-Pipe + Electric Drain Pan<br>K = Hot Gas 3-Pipe + Hot Gas Drain Pan<br>G = Hot Gas Reverse + Electric Drain Pan<br>L = Hot Gas Reverse + Hot Gas Drain Pan | # x 100 = BTUH | E = 208-230/3/60<br>G = 460/3/60 | T = 3 Phase<br>H = 3 Phase + High-Static (Pressure Prop) Fan Blades | |

## AIR-COOLED CONDENSING UNITS

### NEXT-GEN MINICON: ½ THRU 6 HP

| R | F | H | 150 | E | 4S | D | A |
|---|---|---|---|---|---|---|---|
| Brand | Style | Compressor | Horsepower | Temperature | Refrigerant | Voltage | Vintage[1] |
| R = Russell<br>K = Kramer<br>W = Witt | F = Flooded<br>B = Non-Flooded | H = Hermetic<br>O = Scroll | 150 = 1.5 HP | E = Extended Medium<br>L = Low<br>M = Medium | 44 = R404A Only<br>4S = Multiple Refrigerants | D = 230/1/60<br>E = 208=230/3/60<br>G = 460/3/60<br>M = 200-220/1/50<br>N = 200-220/3/50<br>Q = 380/3/50 | A<br>B |

### PRE-CONFIGURATION CODE

| NT |
|---|
| Pre-Assembly Code |
| NT - No Defrost Timer /Kit |

This index may not include all configurable options or definitions.
For additional product detail, please refer to the Equipment Price Books or Product Brochure at HTPG.com

## AIR-COOLED CONDENSING UNITS

### NEXT-GEN II: 3 THRU 22 HP

| R | F | D | S | 04 | M | 4S | E | A |
|---|---|---|---|---|---|---|---|---|
| Brand | Style | Compressor | Compressor Configuration | Horsepower | Temperature | Refrigerant | Voltage | Vintage^ |
| R = Russell<br>K = Kramer<br>W = Witt | F = Flooded<br>B = Non=Flooded | D = Discus<br>O = Scroll<br>B = Bitzer | S = Single | | E = Extended Medium<br>L = Low<br>M = Medium | 4S = Multiple Refrigerants | E = 208-230/3/60<br>G = 460/3/60<br>N = 200-220/3/50<br>Q = 380/3/50 | A<br>B |

### QV-SERIES: 15-100 HP

| R | F | D | V | 030 | M | 4S | G | A |
|---|---|---|---|---|---|---|---|---|
| Brand | Style | Compressor | Compressor Configuration | Horsepower | Temperature | Refrigerant | Voltage | Vintage^ |
| R = Russell<br>K = Kramer<br>W = Witt | F = Flooded<br>B = Non=Flooded | D = Discus<br>B = Bitzer | V = Single<br>D = Dual<br>P = Parallel Piped | | L = Low<br>M = Medium | 4S = Multiple Refrigerants | E = 208-230/3/60<br>G = 460/3/60 | A<br>B |

## WATER-COOLED CONDENSING UNITS

### NEXT-GEN WC-SERIES

| R | W | O | 500 | M | 4S | E | A |
|---|---|---|---|---|---|---|---|
| Brand | Style | Compressor | Horsepower | Temperature | Refrigerant | Voltage | Vintage |
| R = Russell<br>K = Kramer<br>W = Witt | F = Flooded<br>B = Non-Flooded | D = Discus<br>O = Scroll<br>B = Bitzer | | E = Extended Medium<br>L = Low<br>M = Medium | 4S = Multiple Refrigerants | E = 208-230/3/60<br>G = 460/3/60<br>N = 200-220/3/50<br>Q = 380/3/50 | A |

This index may not include all configurable options or definitions.
For additional product detail, please refer to the Equipment Price Books or Product Brochure at HTPG.com

# AIR-COOLED CONDENSERS

## QUANTUM AIR® LARGE CONDENSER

| R | D | D | 087 | G | D | 3 | A |
|---|---|---|---|---|---|---|---|
| Brand | Series | Width | MBTUH* | Voltage | Motor | No. of Fans | Vintage |
| R = Russell<br>K = Kramer<br>W = Witt | D = Condenser | S = Single Wide<br>D = Double Wide | | E = 208-230/3/60<br>G = 460/3/60<br>N = 200-220/3/50<br>Q = 380/3/50<br>X = Non-Catalogued | B = 1140 RPM, 1.5 HP<br>D = 850 RPM, 1.5 HP<br>L = 850 RPM, 1 HP<br>E = 550 RPM, 1/3 HP<br>G = 900 RPM Rail Mount Variable Speed EC<br>K = 1200 RPM Rail Mount Variable Speed EC | 1 to 7 | |

## MULTI-CON SMALL CONDENSER

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| R | D | S | 007 | D | A | 2 | B | 1 | 2 | A | 1 | A |

1. Model Series
   R = Russell
   K = Kramer
   W = Witt
2. Unit Type
   D = Condenser
3. Series
   S = Single fan wide
4. Capacity
   3 Number Characters
5. Voltage Code
   D = 208-230/1/60
   E = 208-230/3/60
   F = 460/1/60
   G = 460/3/60
6. Motor/Fan Type
   A = 1075 RPM, 0.33 HP, Metal Blade
   C = 850 RPM, 0.25 HP, Metal Blade
   H^ = 1075 RPM, 0.5 HP Totally Enclosed, Metal Blade
   T^ = 1075 RPM, 3/4 HP, Metal Blade
7. Length in Fans - 1 or 2 Coil Density
   A = 8 FPI
   B = 10 FPI
   C = 12 FPI
   D = 14 FPI
8. Coil Material & Coating Options*
   1 = Aluminum fins
   2 = Copper fins
   3 = Al + AST coating
   6 = Al + Heresite
9. Housing Material & Coatings*
   2 = Galvanized
10. Unit Design Configuration
    A = Vertical Fan Discharge, Standard Legs
    E = Vertical Fan Discharge, 30" Legs
    N = Horizontal Fan Discharge, Standard Legs
11. Circuit Splitting Options
    1 = Full
    2 = 50/50
    X = Other
12. Vintage Code
    Single Alphanumeric Character
    A = Initial Release

# PACKAGED SYSTEM

## PACKAGED REFRIGERATION SYSTEM

| H | P | O | 100 | M | 4C | D | B |
|---|---|---|---|---|---|---|---|
| Brand | Product | Compressor | Horsepower | Temperature | Refrigerant | Voltage | Vintage |
| H = HTPG | P = Packaged Refrigeration System | O = Scroll | 100 = 1 HP | M = Medium<br>L = Low<br>D = Medium Electric Defrost | 4C = R454C | A = 115/1/60<br>D = 208-230/1/60 | B |

HTPG