




MARCH 2024

PRICE LIST

Parts

Commercial Refrigeration



ORDERS

All orders are subject to a \$30.00 net minimum billing and subject to HTPG's Terms and Conditions of Sale. Warranty on all purchased parts is 1 year from date of invoice. If an exact part number is not available; model number, serial number, and voltage must be provided to determine the exact vintage of the unit.

All parts are shipped FOB point of shipping:

- Parts are typically shipped in cardboard cartons unless size or weight will not permit
- Any parts order requiring crating cannot be shipped by FedEx e.g. *metal components such as venturi panels, drain pans, long defrost heaters*
- Defrost heaters are coiled for shipment, heater hooks are sold separately
- PSC motors are shipped less their capacitors, unless specifically ordered.



256-259-7400
Customer Service

1-800-288-9488
Equipment Orders

1-855-HTPARTS (1-855-487-2787)
Parts Orders



equipment@htpg.com


parts@htpg.com



HTPG.com


[VIEW TERMS & WARRANTY](#)

From March 2005 to January 2019



For help on specific units or equipment produced prior to 2005, please contact
Parts Customer Service at 1-855-HTPARTS (1-855-487-2787)

January 2019 to present



Contents





REACH-IN UNIT COOLERS

REACH-IN UNIT COOLERS

SLIM TEMP SLA/SLE

SL Models ∞ Air & Electric Defrost

Model #	Part	Description	Part #	List Price (\$US)
SL- ALL MODELS	Control	Defrost Termination / Fan Delay	103079002	217
SL35-58E	Defrost Heater	Core • 230 V • 2200 Watt • 56" L	200172027	584
SL35-70E	Defrost Heater	Core • 230 V • 1220 Watt • 30 L	200172023	552
		Core • 230 V • 1760 Watt • 42 L	205221007	638
SL45-87E	Defrost Heater	Core • 230 V • 1300 Watt • 39 L	205221013	492
		Core • 230 V • 1970 Watt • 48 L	200172026	528
SL15-9(E) thru SL55-44(E)	Fan Blades	6" Diameter • 21° Pitch • CW • 1/4" Bore • Plastic	105849001	93
SL35-58(E), SL35-70(E), SL45-87(E)	Fan Blades	10" Diameter • 31° Pitch • CCW • 1/4" Bore	204395018	85
SL15-9(E) thru SL55-44(E)	Fan Guard	6" • Plastic	205932000	145
SL35-58(E), SL35-70(E), SL45-87(E)	Fan Guard	10" • Wire • Epoxy Coated • White	08397053	157
SL15-9(E) thru SL55-44(E)	Motor	Shaded Pole • 115 V • 43 Watt Input • 3000 RPM • Skeleton Frame	102249005	268
		Shaded Pole • 230 V • 43 Watt Input • 3000 RPM • Skeleton Frame	102249007	268
SL35-58(E), SL35-70(E), SL45-87(E)	Motor	Shaded Pole • 115 V • 16 Watt • 1550 RPM	103104007	314
		Shaded Pole • 230 V • 16 Watt • 1550 RPM	103104008	314
SL15-9(E) thru SL55-44(E)	Motor Mount	43 Watt Motor	12003600	80
SL35-58(E), SL35-70(E), SL45-87(E)	Motor Mount	16 Watt Motor	10243000	157

REACH-IN UNIT COOLERS

SLIM TEMP SLA/SLE

SLA Models

Model #	Part	Description	Part #	List Price (\$US)
SLA 17-10	Drain Pan	Venturi / Drain Pan	20997400	287
SLA 17-13	Drain Pan	Venturi / Drain Pan	20997600	317
SLA27-17	Drain Pan	Venturi / Drain Pan	20997800	373
SLA27-23	Drain Pan	Venturi / Drain Pan	20996600	438
SLA 37-30	Drain Pan	Venturi / Drain Pan	20996800	521
SLA 47-40	Drain Pan	Venturi / Drain Pan	20997000	574
SLA 57-50	Drain Pan	Venturi / Drain Pan	20997200	710
ALL MODELS	Fan Blade	6" Diameter • 21° Pitch • CW • Plastic	105849001	93
	Fan Guard	6" Diameter • Plastic • Clear	205932000	145
	Motor	Shaded Pole • 115 V • 43 Watt Input • 3000 RPM • Skeleton Frame	102249005	268
		Shaded Pole • 230 V • 43 Watt Input • 3000 RPM • Skeleton Frame	102249007	268
	Motor Mount	43 Watt Motor	12003600	80

REACH-IN UNIT COOLERS

SLIM TEMP SLA/SLE

SLE Models

Model #	Part	Description	Part #	List Price (\$US)
All "SLE" Models	Control	Defrost Termination • Single Pole Single Throw • open at 30°F, close at 60°F	08219273	217
		Fan Delay open at 45°F, close at 35°F	103079009	217
SLE 15-9	Defrost Heater	115 V • 400 Watt • 10-1/4" L	220150001	372
		230 V • 400 Watt • 10-1/4" L	220150031	426
	Drain Pan	Drain Pan	20997400	287
SLE 15-12	Defrost Heater	115 V • 500 Watt • 14-1/4" L	220150002	373
		230 V • 500 Watt • 14-1/4" L	220150032	433
	Drain Pan	Drain Pan	20997600	317
SLE 25-16	Defrost Heater	115 V • 700 Watt • 17-3/4" L	220150003	432
		230 V • 700 Watt • 17-3/4" L	220150033	413
	Drain Pan	Drain Pan	20997800	373
SLE 25-21	Defrost Heater	115 V • 700 Watt • 17-3/4" L	220150003	432
		230 V • 700 Watt • 17-3/4" L	220150033	413
	Drain Pan	Drain Pan	20998000	438
SLE 25-28	Defrost Heater	115 V • 900 Watt • 25-1/4" L	220150004	474
		230 V • 900 Watt • 25-1/4" L	220150034	567
	Drain Pan	Drain Pan	20998200	537
SLE 35-36	Defrost Heater	115 V • 1200 Watt • 32-1/4" L	220150005	527
		230 V • 1200 Watt • 32-1/4" L	220150035	615
	Drain Pan	Drain Pan	20998400	598
SLE 45-54	Defrost Heater	115 V • 1500 Watt • 42" L	220150006	670
		230 V • 1500 Watt • 42" L	220150036	678
	Drain Pan	Drain Pan	20998600	739

Continued on next page.

REACH-IN UNIT COOLERS

SLIM TEMP SLA/SLE SLE Models (continued)

Model #	Part	Description	Part #	List Price (\$US)
SLE 35-70	Defrost Heater	230 V • 2300 Watt • 69-1/4" L	220150037	759
	Drain Pan	Drain Pan	20998800	816
SLE 15-9 thru 25-16	Fan Blade	6" Diameter • 21° Pitch • CW • Plastic	105849001	93
	Fan Guard	6" • Plastic • Clear	205932000	145
SLE 25-21 thru 45-54	Fan Blade	8" Diameter • 31° Pitch • CCW	204395010	80
	Fan Guard	8" • Plastic • Clear	206569000	148
SLE 35-70	Fan Blade	10" Diameter • 31° Pitch • CCW	204395018	85
	Fan Guard	10" • Epoxy Coated • Wire • White	08397053	157
SLE 15-9 thru 25-16	Motor	Shaded Pole • 115 V • 43 Watt Input • 3000 RPM • Skeleton Frame	102249005	268
		Shaded Pole • 230 V • 43 Watt Input • 3000 RPM • Skeleton Frame	102249007	268
SLE 25-21 thru 45-54	Motor	Shaded Pole • 115 V • 9 Watt • 1550 RPM • Skeleton Frame	103104004	263
		Shaded Pole • 230 V • 9 Watt • 1550 RPM • Skeleton Frame	103104005	263
		ECM • 115 V • 16 Watt • 1550 RPM	107933006	1,108
		ECM • 230 V • 16 Watt • 1550 RPM	107933003	1,150
SLE 35-70	Motor	Shaded Pole • 115 V • 16 Watt • 1550 RPM • Skeleton Frame	103104007	314
		Shaded Pole • 230 V • 16 Watt • 1550 RPM • Skeleton Frame	103104008	314
SLE 15-9 thru 25-16	Motor Mount	43 Watt Motor	12003600	80
SLE 25-21 thru 45-54	Motor Mount	43 Watt Motor	12003000	85
SLE 35-70	Motor Mount	16 Watt Motor	10243000	157

REACH-IN UNIT COOLERS

WEDGE TEMP

WE Models

Model #	Part	Description	Part #	List Price (\$US)
WE17-12	Drain Pan	Drain Pan	20193200	492
	Fan Blade	8" Diameter • 31° Pitch • CCW	204395010	80
	Fan Guard	8" • Plastic	206569000	148
WE17-15	Drain Pan	Drain Pan	20193200	492
	Fan Blade	8" Diameter • 31° Pitch • CCW	204395010	80
	Fan Guard	8" • Plastic	206569000	148
	Drain Pan	Shaded Pole • 115 V • 9 Watt • 1550 RPM	103104004	263
	Fan Blade	Shaded Pole • 230 V • 9 Watt • 1550 RPM	103104005	263
WE17-18	Fan Guard	Venturi	20193000	492
	Motor	8" Diameter • 31° Pitch • CCW	204395010	80
		8" • Plastic	206569000	148
		Shaded Pole • 115 V • 9 Watt • 1550 RPM	103104004	263
		Shaded Pole • 230 V • 9 Watt • 1550 RPM	103104005	263
WE17-25		Drain Pan	Venturi	105633003
	Fan Blade	10" Diameter • 20° Pitch • CCW	204395016	85
	Fan Guard	10" • Wire • Epoxy Coated	08397053	157
	Motor	Shaded Pole • 115 V • 9 Watt • 1550 RPM	103104004	263
		Shaded Pole • 230 V • 9 Watt • 1550 RPM	20192600	263
WE17-35	Drain Pan	Venturi	20192400	558
	Fan Blade	10" Diameter • 31° Pitch • CCW	204395018	85
	Fan Guard	10" • Wire • Epoxy Coated	08397053	157
	Motor	Shaded Pole • 115 V • 16 Watt • 1550 RPM	103104007	314
		Shaded Pole • 230 V • 16 Watt • 1550 RPM	103104008	314
WE17-12, -15, -18, -25, -35	Motor	ECM • 115 V • 16 Watt • 1550 RPM	107933006	1,108
	Motor	ECM • 230 V • 16 Watt • 1550 RPM	107933003	1,150
WE17-45, WE18-55	Drain Pan	Venturi	20194000	598
	Fan Blade	12" Diameter • 23° Pitch • CCW • 5/16" Bore	08221169	122
	Motor	Shaded Pole • 115 V • 1/20 HP • 1550 RPM	08216072	340
		Shaded Pole • 230 V • 1/20 HP • 1550 RPM	08216071	340
WE28-110	Fan Blade	12" Diameter • 19° Pitch • CCW • 5/16" Bore	11860	256

REACH-IN UNIT COOLERS

FLEX TEMP

FT Models

Model #	Part	Description	Part #	List Price (\$US)
FT18-6, FT18-8	Drain Pan	Venturi / Drain Pan	20985600	224
	Fan Blade	6" Diameter • 21° Pitch • 1/4" Bore • CW	105849001	93
	Fan Guard	6" • Plastic	205932000	145
	Motor	115 V • Shaded Pole • 43 Watt Input • 3000 RPM • Skeleton Frame	102249005	268
230 V • Shaded Pole • 43 Watt Input • 3000 RPM • Skeleton Frame		102249007	268	
FT28-12	Drain Pan	Venturi / Drain Pan	20985500	294
	Fan Blade	6" Diameter • 21° Pitch • 1/4" Bore • CW	105849001	93
	Fan Guard	6" • Plastic	205932000	145
	Motor	115 V • Shaded Pole • 43 Watt Input • 3000 RPM • Skeleton Frame	102249005	268
230 V • Shaded Pole • 43 Watt Input • 3000 RPM • Skeleton Frame		102249007	268	
FT18-17	Drain Pan	Venturi / Drain Pan	20985400	353
	Fan Blade	8" Diameter • 31° Pitch • CW	204395009	80
	Fan Guard	8" • Plastic	206569000	148
	Motor	115 V • Shaded Pole • 9 Watt • 1550 RPM	103104004	263
230 V • Shaded Pole • 9 Watt • 1550 RPM		103104005	263	
ECM • 115 V • 16 Watt • 1550 RPM		107933006	1108	
ECM • 230 V • 16 Watt • 1550 RPM		107933003	1150	
FT18-23, FT18-31	Drain Pan	Venturi / Drain Pan	20985300	449
	Fan Blade	10" Diameter • 25° Pitch • 5/16" Bore • CCW	214022000	85
	Motor	Shaded Pole • 115 V • 1/20 HP • 1550 RPM	08216072	340
		Shaded Pole • 208-230 V • 1/20 HP • 1550 RPM	08216071	340

REACH-IN UNIT COOLERS

MULLION-TEMP MUF // MDF Models

Model #	Part	Description	Part #	List Price (\$US)
ALL 27-13, & 27-17 MODELS	Drain Pan	Wraparound and drain pan	20782200	224
ALL 37-23 MODELS	Drain Pan	Wraparound and drain pan	20988300	274
ALL MUF	Fan Blades	5" Diameter • CCW • Plastic	105849004	69
ALL MDF MODELS	Fan Blades	5" Diameter • CW • Plastic	105849002	69
	Fan Guard	5" • Plastic	207824000	142
ALL MODELS	Motor	Shaded Pole • 115 V • 43 Watt Input • 3000 RPM • Skeleton Frame	102249005	268
		Shaded Pole • 230 V • 43 Watt Input • 3000 RPM • Skeleton Frame	102249007	268

T-TEMP TEMP TT Models

Model #	Part	Description	Part #	List Price (\$US)
TT18-8	Drain Pan	Venturi / Drain Pan	20316400	287
TT28-13	Drain Pan	Venturi / Drain Pan	20316501	317
TT28-17	Drain Pan	Venturi / Drain Pan	20316502	373
ALL MODELS	Fan Blade	6" Diameter • 21° Pitch • CW • 1/4" Bore • Plastic	105849001	93
	Fan Guard	6" • Plastic • Clear	205932000	145
	Motor	115 V • Shaded Pole • 43 Watt Input • 3000 RPM • Skeleton Frame	102249005	268
		230 V • Shaded Pole • 43 Watt Input • 3000 RPM • Skeleton Frame	102249007	268
	Motor Mount	43 Watt Motor	12003600	80

REACH-IN UNIT COOLERS

TWIN-TEMP

TW Models

Model #	Part	Description	Part #	List Price (\$US)
TW17-9, TW17-12, TW17-18	Drain Pan	Venturi / Drain Pan	20870100	256
TW17-25, TW17-35	Drain Pan	Venturi / Drain Pan	20873500	256
TW17-45, TW17-55, TW18-65	Drain Pan	Venturi / Drain Pan	20874600	492
TW17-75, 18-85, TW17-105, TW18-120	Drain Pan	Venturi / Drain Pan	10574400	527
TW17-9	Fan Blade	8" Diameter • 20° Pitch • CCW	204395008	80
TW17-12, TW17-18	Fan Blade	8" Diameter • 31° Pitch • CCW	204395010	80
TW17-25, TW17-35	Fan Blade	10" Diameter • 20° Pitch • CW	204395015	85
TW17-45	Fan Blade	12" Diameter • 18° Pitch • CCW • 5/16" Bore	214118000	256
TW17-55, TW18-65	Fan Blade	12" Diameter • 23° Pitch • CCW • 5/16" Bore	08221169	122
TW17-75, TW18-85, TW17-105, TW18-120	Fan Blade	16" Diameter • 16° Pitch • CCW • 1/2" Bore	11904	346
TW17-9, TW17-12, TW17-18	Fan Guard	8" • Plastic	206569000	148
TW17-25, TW17-35	Fan Guard	10" • Wire • Epoxy Coated • White	08397053	157
TW17-75, TW18-85, TW17-105, TW18-120, TW27-240	Fan Guard	16" • Wire • Epoxy Coated	201006004	213
TW17-9, TW17-12	Motor	ECM • 115 V • 16 Watt • 1550 RPM	107933006	1,108
TW17-18, TW17-25, TW17-35	Motor	Shaded Pole • 115 V • 9 Watt • 1550 RPM	103104004	263
		Shaded Pole • 230 V • 9 Watt • 1550 RPM	103104005	263
		ECM • 115 V • 16 Watt • 1550 RPM	107933006	1,108
		ECM • 230 V • 16 Watt • 1550 RPM	107933003	1,150
TW17-45, TW17-55, TW18-65	Motor	Shaded Pole • 115 V • 1/20 HP • 1550 RPM	08216072	340
		Shaded Pole • 230 V • 1/20 HP • 1550 RPM	08216071	340
TW17-75, TW18-85, TW17-105, TW18-120, TW27-240	Motor	Shaded Pole • 115-230/1 V • 1/12 HP • 1050 RPM	08216119	953
Specify unit model and serial numbers when ordering	Motor Mount	TW17-18	10870202	1,108
		TW17-25	10873801	1,150
		TW17-35	10873802	121
		TW17-45	10874700	69
		TW17-55, TW18-65	10874800	209
		TW17-75 thru TW17-180	10019700	245

REACH-IN UNIT COOLERS

MINI TWIN-TEMP

MTW Models

Model #	Part	Description	Part #	List Price (\$US)
MTW18-8	Drain Pan	Venturi / Drain Pan	20317800	287
MTW28-13	Drain Pan	Venturi / Drain Pan	20317900	382
MTW28-18	Drain Pan	Venturi / Drain Pan	20317900	382
MTW38-27	Drain Pan	Venturi / Drain Pan	20317600	392
ALL "MTW" MODELS	Fan Blades	6" Diameter • 21° Pitch • CW • 1/4" Bore • Plastic	105849001	93
	Fan Guard	6" • Plastic	205932000	145
	Motor	Shaded Pole • 115 V • 43 Watt • 3000 RPM • Skeleton Frame	102249005	268
	Motor	Shaded Pole • 230 V • 43 Watt • 3000 RPM • Skeleton Frame	102249007	268
	Motor Mount	43 Watt Motor	12003600	80

STEP-IN UNIT COOLERS

STEP-IN UNIT COOLERS

ASL MODELS

Model #	Part	Description	Part #	List Price (\$US)
ASL25-46E	Defrost Heater	Core • 39" L • 230 V • 1300 Watt	205221013	492
	Drain Pan	46" L	20248901	739
ASL25-58E	Defrost Heater	Core • 48" L • 230 V • 1970 Watt	200172026	528
	Drain Pan	46" L	20248901	739
ASL35-70E	Defrost Heater	Core • 62" L • 230 V • 1850 Watt	205221016	774
	Drain Pan	69" L	20248902	887
ASL45-94E	Defrost Heater	Core • 42" L • 230 V • 1250 Watt • (2 required)	205221007	638
	Drain Pan	92" L	20248903	981
ASL55-117E	Defrost Heater	Core • 54" L • 230 V • 1600 Watt • (2 required)	205221010	730
	Drain Pan	115" L	20248904	1076
ALL "ASL-E" MODELS	Control	Defrost Termination / Fan Delay • Non- adjustable • 3 wire	103079002	217
ALL "ASL-E" MODELS	Control	Heater Safety	103079003	203
ALL "ASL" MODELS	Fan Blade	10" Diameter • 31° Pitch • CCW • 1/4" Bore	204395018	85
ALL "ASL" MODELS	Fan Guard	10" • Wire • Epoxy Coated • White	08397053	157
ALL "ASL" MODELS	Motor Mount	16 Watt Motor	10243000	157
ALL "ASL" MODELS Shaded Pole Motors	Motor	115 V • 16 Watt • 1550 RPM	103104007	314
		230 V • 16 Watt • 1550 RPM	103104008	314
ALL "ASL" MODELS Permanent Split Capacitor Motors	Motor	115 V • 16 Watt • 1550 RPM	107933001	638
ALL MODELS Electronically Commutated Motors	Motor	115 V • 16 Watt • 1550 RPM	107933006	1108
		230 V • 16 Watt • 1550 RPM	107933003	1150

STEP-IN UNIT COOLERS

ASLA & ASLE MODELS

Model #	Part	Description	Part #	List Price (\$US)
ASLE 25-46	Defrost Heater	Core • 39" L • 230 V • 1300 Watt	205221013	492
	Drain Pan	46" L	20248901	739
ASLE 25-58	Defrost Heater	Core • 48" L • 230 V • 1970 Watt	200172026	528
	Drain Pan	69" L	20248902	887
ASLE 35-70	Defrost Heater	Core • 62" L • 230 V • 1850 Watt	205221016	774
	Drain Pan	92" L	20248903	981
ASLE 45-94	Defrost Heater	Core • 42" L • 230 V • 1250 Watt • (2 required)	205221007	638
	Drain Pan	92" L	20248903	981
ASLE55-117	Defrost Heater	Core • 54" L • 230 V • 1600 Watt • (2 required)	205221010	730
	Drain Pan	115" L	20248904	1076
ASLE 65-150	Defrost Heater	Core • 62" L • 230 V • 1850 Watt • (2 required)	205221016	774
	Drain Pan	138" L	22118700	887
ALL "ASLE" MODELS		Defrost Termination • Single Pole Single Throw • open at 30°F, close at 60°F	08219273	217
	Control	Fan Delay open at 45°F, close at 35°F	103079009	217
		Heater Safety	103079003	203
	Fan Blade	10" Diameter • 31° Pitch • CCW • 1/4" Bore	204395018	85
	Fan Guard	10" • Wire • Epoxy Coated • White	08397053	157
ALL "ASL" MODELS	Motor Mount	16 Watt Motor for all motor types below	10243000	157
ALL "ASL" MODELS Shaded Pole Motors	Motor	115 V • 16 Watt • 1550 RPM	103104007	314
		230 V • 16 Watt • 1550 RPM	103104008	314
ALL "ASL" MODELS Permanent Split Capacitor Motors	Motor	115 V • 16 Watt • 1550 RPM	107933001	638
ALL MODELS Electronically Commutated Motors	Motor	115 V • 16 Watt • 1550 RPM	107933006	1108
		230 V • 16 Watt • 1550 RPM	107933003	1150



WALK-IN UNIT COOLERS

WALK-IN UNIT COOLERS

NEXT-GEN ALL-TEMP • LOW PROFILE

*LA // *LE // *LH // *LG

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Part	Description	Part #	List Price (\$US)
Drain Pan	1 Fan • Air Defrost	0852833601	634
	2 Fan • Air Defrost	0852833701	710
	3 Fan • Air Defrost	0852833801	786
	4 Fan • Air Defrost	0852833901	1,092
	5 Fan • Air Defrost	0852834001	1,201
	6 Fan • Air Defrost	0852834101	1,292
	1 Fan • Electric Defrost	0852833602	634
	2 Fan • Electric Defrost	0852833702	710
	3 Fan • Electric Defrost	0852833802	786
	4 Fan • Electric Defrost	0852833902	1,092
	5 Fan • Electric Defrost	0852834002	1,201
	6 Fan • Electric Defrost	0852834102	1,292
Venturi Panel	1 Fan	08528313	531
	2 Fan	08528314	572
	3 Fan	08528315	598
	4 Fan	08528316	634
	5 Fan	08528317	665
	6 Fan	08528318	692
Door	End Cover	08528319	244
Motor Relay	Dual Speed • 120 V	08218183	51
	Dual Speed • 240 V	08218377	51
Motor	ECM • 115/230 V • 35 Watt • 2 Speed • Screw Mount	08216211	1,247
	ECM • 115/230 V • 35 Watt • 2 Speed • Stud Mount	08216216	1,247
	1 Speed • ECM • 50 Watt • 1550 RPM • 115 V • CCW (Hot Gas Defrost)	08216124	1,039
	PSC • 115 V • 1/20 HP • 1550 RPM	08216074	468
	PSC • 230 V • 1/20 HP • 1550 RPM	08216073	530
	PSC • 460 V • 1/20 HP • 1550 RPM	08216135	693
Motor Mount	Leg • Tall (ECM)	08321627	130
	Leg • Short (PSC)	08321628	122
Fan Blade	12" Diameter, 24° Pitch, CW (for use with ECM)	08221175	121
Fan Blade	12" Diameter, 24° Pitch, CW (for use with PSC & SP)	08221153	128
Fan Guard	12" • Plastic • High Throw • Black	08321626	223

WALK-IN UNIT COOLERS

NEXT-GEN ALL-TEMP • LOW PROFILE

Common Parts

Part	Description	Part #	List Price (\$US)
Control	Defrost Termination / Fan Delay • Single Pole Dual Throw • open at 35°F, close at 55°F + open at 55°F, close at 35°F	08219328	217
	Mechanical	08219008	493
Thermostat	Electronic	08219588	409
	Electronic with timer	08219608	442

NEXT-GEN ALL-TEMP • LOW PROFILE

Electric Defrost ∞ *LE

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Model #	Part	Description	Part #	List Price (\$US)
*L6E035, *L6E042, *L6E049, *L4E027, *L4E032, *L4E038	Coil Heater	1 Fan • 230 V • 375 Watt	08215200	116
	Drain Pan Heater	1 Fan • 230 V • 375 Watt	08215206	116
		1 Fan • 460 V • 375 Watt	08215212	108
*L6E066, *L6E077, *L6E090, *L6E105, *L4E051, *L4E064, *L4E080	Coil Heater	2 Fan • 230 V • 750 Watt	08215201	138
	Drain Pan Heater	2 Fan • 230 V • 750 Watt	08215207	133
		2 Fan • 460 V • 750 Watt	08215213	155
*L6E121, *L4E094, *L6E142, *L4E110	Coil Heater	3 Fan • 230 V • 1100 Watt	08215202	178
	Drain Pan Heater	3 Fan • 230 V • 1100 Watt	08215208	185
		3 Fan • 460 V • 1100 Watt	08215214	205
*L6E162, *L4E125, *L6E182, *L4E141	Coil Heater	4 Fan • 230 V • 1475 Watt	08215203	186
	Drain Pan Heater	4 Fan • 230 V • 1475 Watt	08215209	187
		4 Fan • 460 V • 1475 Watt	08215215	259
*L6E200, *L4E155	Coil Heater	5 Fan • 230 V • 1850 Watt	08215204	205
	Drain Pan Heater	5 Fan • 230 V • 1850 Watt	08215210	192
		5 Fan • 460 V • 1850 Watt	08215216	297
*L6E244, *L4E195, *L6E281, *L4E230	Coil Heater	6 Fan • 230 V • 2225 Watt	08215205	225
	Drain Pan Heater	6 Fan • 230 V • 2225 Watt	08215211	209
		6 Fan • 460 V • 2225 Watt	08215217	338

WALK-IN UNIT COOLERS

NEXT-GEN ALL-TEMP • LOW PROFILE

Hot Gas Defrost ∞ *LG // *LH

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Model #	Part	Description	Part #	List Price (\$US)
*L6G035, *L6G042, *LG049, *L4G027, *L4G032, *L4G038, *L6H035, *L6H042, *LH049, *L4H027, *L4H032, *L4H038	Drain Pan Heater	1 Fan • 115 V • 375 Watts	08530726	121
		1 Fan • 230 V • 375 Watts	08215206	116
		1 Fan • 460 V • 375 Watts	08215212	108
*L6G066, *L6G077, *L6G090, *L6G105, *L4G051, *L4G064, *L4G080, *L6H066, *L6H077, *L6H090, *L6H105, *L4H051, *L4H064, *L4H080	Drain Pan Heater	2 Fan • 115 V • 375 Watts	08530727	173
		2 Fan • 230 V • 750 Watts	08215207	133
		2 Fan • 460 V • 750 Watts	08215213	155
*L6G121, *L4G094, *L6G142, *L4G110, *L6H121, *L4H094, *L6H142, *L4H110	Drain Pan Heater	3 Fan • 115 V • 375 Watts	08530728	238
		3 Fan • 230 V • 1100 Watts	08215208	185
		3 Fan • 460 V • 1100 Watts	08215214	205
*L6G162, *L4G125, *L6G182, *L4G141, *L6H162, *L4H125, *L6H182, *L4H141	Drain Pan Heater	4 Fan • 115 V • 375 Watts	08530729	276
		4 Fan • 230 V • 1475 Watts	08215209	187
		4 Fan • 460 V • 1475 Watts	08215215	259
*L6G200, *L4G155, *L6H200, *L4H155	Drain Pan Heater	5 Fan • 115 V • 375 Watts	08530730	321
		5 Fan • 230 V • 1850 Watts	08215210	192
		5 Fan • 460 V • 1850 Watts	08215216	297
*L6G244, *L4G195, *L6G281, *L4G230, *L6H244, *L4H195, *L6H281, *L4H230	Drain Pan Heater	6 Fan • 115 V • 375 Watts	08530731	375
		6 Fan • 230 V • 2225 Watts	08215211	209
		6 Fan • 460 V • 2225 Watts	08215217	338

NOTE | The heater voltage will line up with the voltage code in the model number. Each unit will get 3 heaters (2 on the face of the coil & 1 in the drain pan). 460 V units include (2) 230 V face heaters wired in series. The drain pan contains a single 460 V heater.

ECONET® ENABLED UNIT COOLERS

Model #	Part / Description	Part #	List Price (\$US)
ECONET® REPLACEMENT PARTS	Space/Drain Temp Sensor	08219623	106
	Suction Temp Sensor	08219637	241
	Econet Control Board	08219624	1,015
	96" Controller Wire Harness	0821963502	459
	Evap. Temp Sensor	08219636	70
	Suction Pressure Sensor	08219621	178
	63" Controller Wire Harness	0821963501	303
	126" Controller Wire Harness	0821963503	345
	Controller Power Harness	08219638	21

WALK-IN UNIT COOLERS

CENTER MOUNT • LOW HEIGHT & LOW VELOCITY

Common Parts

Part	Description	Part #	List Price (\$US)
Heater	1 Fan • 230 V • 300 Watt	08532114	70
	2 Fan • 230 V • 600 Watt	08532115	89
	3 Fan • 230 V • 900 Watt	08532116	110
	4 Fan • 230 V • 1200 Watt	08532117	122
	5 Fan • 230 V • 1500 Watt	08532118	143
	5 Fan • Tall • 230 V • 2250 Watt	08532119	140
Drain Pan Heater	1 Fan • 230 V • 75 Watt • 25-1/8" L	08532326	88
	2 Fan • 230 V • 150 Watt • 45-1/8" L	08532327	115
	3 Fan • 230 V • 225 Watt • 65-1/8" L	08532328	123
	4 Fan • 230 V • 300 Watt • 85-1/8" L	08532329	132
	5 Fan • 230 V • 375 Watt • 105-1/8" L	08532330	153
	5 Fan • Tall • 230 V • 560 Watt • 105-1/8" L	08532331	150
Motor Harness	1 Fan • 3 Wire	08532212	33
	2 Fan • 3 Wire	08532213	52
	3 Fan • 3 Wire	08532214	67
	4 Fan • 3 Wire	08532215	85
	5 Fan • 3 Wire	08532216	98
Motor	ECM • 115/230 V • 35 Watt • 2 Speed • Screw Mount	08216211	1,247
	ECM • 115/230 V • 35 Watt • 2 Speed • Stud Mount	08216216	1,247
Fan Blade	ECM • 12" Diameter • 20° Pitch • 1/4" Bore • AL • CCW	08221247	121
Fan Guard	12" • Plastic • High Throw • Black	08321626	223
Control	Defrost Termination / Fan Delay • Single Pole Dual Throw • open at 35°F, close at 55°F + open at 55°F, close at 35°F	08219328	217
	Fan Delay open at 45°F, close at 35°F	103079009	217
	Heater Safety	103079003	203
Terminal Board		207757027	77
	TB# printed on board	207757028	69
Thermostat	Mechanical	08219008	493
	Electronic	08219588	409
	Electronic with timer	08219608	442

Continued on next page.

WALK-IN UNIT COOLERS

CENTER MOUNT • LOW HEIGHT & LOW VELOCITY

Common Parts (continued)

Part	Description	Part #	List Price (\$US)
Heater Clip	Heater Clip, Coil	08321625	2
Relay	Single Pole Double Throw • 240 V Coil • Sealed	08218514	23
Venturi	1 Fan • Embossed • Aluminum	08532306	232
	2 Fan • Embossed • Aluminum	08532307	345
	3 Fan • Embossed • Aluminum	08532308	452
	4 Fan • Embossed • Aluminum	08532309	549
	5 Fan • Embossed • Aluminum	08532310	601
Drain Trough	1 Fan	08532555	280
	2 Fan	08532556	329
	3 Fan	08532111	386
	4 Fan	08532557	453
	5 Fan	08532558	532

WALK-IN UNIT COOLERS

MEDIUM PROFILE

Common Parts

Part	Description	Part #	List Price (\$US)
Motor	ECM • 120 V • 1/3 HP • 825/425 • Rigid Base Mount	08216214	1,398
	ECM • 230 V • 1/3 HP • 825/425 • Rigid Base Mount	08216212	1,694
	ECM • 460 V • 1/3 HP • 825/425 • Rigid Base Mount	08216213	2,404
Heater	2 Fan • 230 V • 750 Watt • 36-1/2" L	08215201	138
	4 Fan • 230 V • 1475 Watt • 69-1/2" L	08215203	186
	6 Fan • 230 V • 2225 Watt • 102-1/2" L	08215205	225
Heater Clip	Coil • NEXGEN-LP • Stainless Steel	08321625	2
Motor Harness	1 Fan • 230 V	08532761	47
	2 Fan • 230 V	08532762	89
	3 Fan • 230 V	08532763	133
	1 Fan • 460 V	08532764	66
	2 Fan • 460 V	08532765	135
	3 Fan • 460 V	08532766	201
Terminal Board	TB# printed on board	207757007	173
		207757034	57
		207757035	95
		207757026	58
3 Pole Terminal	Black • 2 Speed	08218563	10
	Black • Heaters	08218564	10
Fan Blade	24" Diameter • 25° Pitch • 1/2" Bore • CW	08221244	83
Fan Blade	24" Diameter • 25° Pitch • 1/2" Bore • CW	08221245	73
Fan Guard	24" Blade • Wire • Black	202136005	774
Control	Heater Safety	103079003	203
	Defrost Termination / Fan Delay • Single Pole Dual Throw • open at 35°F, close at 55°F + open at 55°F, close at 35°F	08219328	217
	Defrost Termination • Single Pole Single Throw • open at 30°F, close at 60°F	08219273	217
	Fan Delay open at 45°F, close at 35°F	103079009	217
	Defrost • Adjustable	204464037	584
Thermostat	Mechanical	08219008	493
	Electronic	08219588	409
	Electronic with timer	08219608	442

WALK-IN UNIT COOLERS

HEAVY DUTY & WAREHOUSE

Common Parts

Part	Description	Part #	List Price (\$US)
Motor	ECM • 230/1 • 3/4 HP • 60/50 HZ	08532682	1,771
	ECM • 460/1 • 3/4 HP • 60/50 HZ	08532683	2,381
	230/460/3 • 1 HP • 850 RPM • Inverter Duty Base Mounted Motor	08533523	1,639
	230/460/3 • 1.5 HP • 1150 RPM • Inverter Duty Base Mounted Motor	08216190	2,366
	575/3 • 2 HP • 1140 RPM Base	08216217	3,116
Fan Blade	30" Diameter • 28° Pitch • 3 Blade	08533522	367
	30" Diameter • 25° Pitch • 3 Blade	08221238	839
	30" Diameter • 23° Pitch • 3 Blade	08533511	357
Fan Guard	30" Blade • Wire • Black	08528201	236
Electric Heater	1 Fan • 240 V • 1000 Watt • 47-1/2" L	08532696	242
	2 Fan • 240 V • 2000 Watt • 87-1/2" L	08532697	281
	3 Fan • 240 V • 3000 Watt • 127-1/2" L	08532698	321
	4 Fan • 240 V • 4000 Watt • 167-1/2" L	08532699	396
Motor Harness	Electric • ECM • 230 V • 1 Fan • 3 Wire	08533495	55
	Electric • ECM • 230 V • 2 Fan • 3 Wire	08533496	108
	Electric • ECM • 230 V • 3 Fan • 3 Wire	08533497	228
	Electric • ECM • 230 V • 4 Fan • 3 Wire	08533498	334
	Electric • ECM • 460 V • 1 Fan • 5 Wire	08533499	82
	Electric • ECM • 460 V • 2 Fan • 5 Wire	08533500	172
	Electric • ECM • 460 V • 3 Fan • 5 Wire	08533501	209
	Electric • ECM • 460 V • 4 Fan • 5 Wire	08533502	252
	Electric • 230/460 • 3 PH • 1 Fan • 3 Wire • Daisy Chain	08533507	55
	Electric • 230/460 • 3 PH • 2 Fan • 3 Wire • Daisy Chain	08533508	191
	Electric • 230/460 • 3 PH • 3 Fan • 3 Wire • Daisy Chain	08533509	257
	Electric • 230/460 • 3 PH • 4 Fan • 3 Wire • Daisy Chain	08533510	332

Continued on next page.

WALK-IN UNIT COOLERS

HEAVY DUTY & WAREHOUSE

Common Parts (continued)

Part	Description	Part #	List Price (\$US)
		207757029	45
Terminal Board	TB# printed on board	207757034	57
		207757035	95
		207757026	58
Thermostat	Mechanical	08219008	493
	Electronic	08219588	409
	Electronic with timer	08219608	442
Control	Defrost • Adjustable	204464037	584
	Defrost Termination • Single Pole Single Throw open at 30°F, close at 60°F	08219273	217
	Fan Delay open at 45°F, close at 35°F	103079009	217
	Heater Safety	103079003	203



AIR-COOLED CONDENSING UNITS

AIR COOLED CONDENSING UNITS

NEXT-GEN MINICON

*FH // *FO // *BH // *BO // *VH // *VO (built after November 2015)

Part	Description	Part #	List Price (\$US)
Control	Fixed Low Cut Out Control • High/ Med Temp Models	204464232	511
	High Cut Out Control Auto Reset • All Models	08219424	156
	Adjustable Low Cut Out Control (standard on Low Temp Models)	08219422	511
Contactor	Compressor 30 AMP	08219963	173
	Compressor 40 AMP	08219965	213
	Compressor 50 AMP	08219967	504
Terminal Board	TB# printed on board • combined with multiple boards (TB1 & TB2)	207757015	76
Fan Blade	12" Diameter • 24° Pitch • CCW • For units with PSC Motors	08221169	122
	12" Diameter • 24° Pitch • CCW • For units with ECM Motors	08221176	121
Motor Mount	PSC Motors with 12" Fans	21062000	217
	ECM Motors with 12" Fans	08397068	298
Motor	PSC • 230 V • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	530
	PSC • 460 V • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216135	693
	ECM • 230 V • 50 Watt • 1550 RPM	08216139	1,071
	ECM • 115/230 V • 35 Watt • 2 Speed • Stud Mount	08216216	1,247
Motor Mount	12" • Wire • 4 Leg	08397068	298
Fan Blade	ECM • 12" Diameter • 24° Pitch • 1/4" Bore • CCW	08221176	121
Grille	16.88" x 15.75" • Wire • Black	08397064	470
	16.88" x 27.75" • Wire • Black	08397065	527
	19.38" x 27.75" • Wire • Black	08397066	527
3 Discharge T-stat	3/8" Discharge Line	08352253	420
Discharge T-stat	1/2" Discharge Line	118431442	338
Motor	PSC • 230 V • 1/3 HP • 1075 RPM	205051004	636

Continued on next page.

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

AIR COOLED CONDENSING UNITS

NEXT-GEN MINICON

*FH // *FO // *BH // *BO // *VH // *VO (built after November 2015)

Part	Description	Part #	List Price (\$US)
Motor	PSC • 460 V (cap. not included) • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,845
	ECM • 208-230/1 • 3/4 HP • 1075 RPM	08216132	2,048
Capacitor	5 MFD • 440 V	202163004	75
Motor	ECM • 115/230 V • 35 Watt • 2 Speed • Screw Mount	08216211	1,247
	ECM • 115/230 V • 35 Watt • 2 Speed • Stud Mount	08216216	1,247
	ECM • 230 V • 3/4 HP • 2 Speed	08216170	1,679
	ECM • 460 V • 3/4 HP • 2 Speed	08216173	2,503
Grille	33.14" X 30.13" • Wire • Black	08397067	606
Discharge T-stat	5/8" Discharge Line	08352256	420
Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527
Motor Mount	24" • Wire • PSC & ECM Motors	212837000	358

NEXT-GEN MINICON - 1/2 to 6 HP

Standard Replacement Coils ∞ Copper Tube / Aluminum Fin Coils (standard)

Base Model	Description	Part #	List Price (\$US)
*O130E4S*B, *H100L44*A, *H150L44*A, *O100L4S*B, *O130L4S*B, *O160L4S*B, *O060M4S*B, *O080M4S*B, *O100M4S*B	COIL • FM1 • T13.2.12.18 • 1@24 • 1@2	08526726SVC	1,656
*H150E4S*A, *O150E4S*A, *H200E4S*A, *H125E4S*B, *O180E4S*A	COIL • FM2 • T13.2.10.33 • 2@12 • 1@2	08526727SVC	2,205
*H250E4S*A, *H300E4S*A, *O200E4S*A, *O250E4S*A, *H300L44*A, *O250L4S*A, *O300L4S*A, *O350L4S*A	COIL • FM3 • T15.3.10.33 • 2@20 • 2@2	08526728SVC	2,604
*H325E4S*B, *O300E4S*B, *O350E4S*B, *O400E4S*B, *O400L4S*B, *O500L4S*B, *O600L4S*B, *O400L4S*B, *O500L4S*B, *O600L4S*B	COIL • FM4 • T26.2.10.36 • 3@16 • 2@2	08526729SVC	3,568
*O450E4S*B, *O500E4S*B, *O600E4S*B	COIL • FM4 • T26.3.12.36 • 4@18 • 3@2	08526730SVC	4,012
*H200L44*A, *O230L4S*A	COIL • FM2 • T13.2.10.33 • 1@24 • 1@2	08527164SVC	2,184
*H055E4S*B, *H080E4S*B, *H100E4S*B	COIL • FM1 • T13.3.14.18 • 1@34 • 2@2	08533390SVC	1,820

Standard parts are available to ship from stock. Serial # is required when placing order. Special orders including copper fins or alternate coatings (Bronz-Glow, AST, Heresite) have different part numbers and pricing. Please contact the parts department for additional help.

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

AIR COOLED CONDENSING UNITS

NEXT-GEN II - 3 to 22 HP

*FD // *FO // *FB // *BD // *BO // *BB Models

Part	Description	Part #	List Price (\$US)
Motor	230/3/60 • 3/4 HP • 1140 RPM • 48 Frame	08216205	2,287
	460/3/60 • 3/4 HP • 1140 RPM • 48 Frame	08216206	1,944
	575/1/60 • 1/2 HP • 1075 RPM	115952000	1,510
Capacitor	440 V • 7.5 MFD	202163006	82
Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527
Motor Mount	24" • Wire • 3 Leg	212837000	358
Pressure Control	Dual HI/LO • Flare	204464054	1,133

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

AIR COOLED CONDENSING UNITS

QV-SERIES - 15 to 100 HP

Common Parts

Part	Description	Part #	List Price (\$US)
Motor	230/460/3 • 1.5 HP • 1140 RPM	08216190	2,366
Fan Blade	30" Diameter • 27° Pitch • 3 Blade	08221237	834
Fan Guard	30" Blade • Wire • Black	08528201	236
Motor	208-230/3/50-60 • VSEC • 2.5 HP • 900-1200 RPM	08216209	7,962
	460/3/50-60 • VSEC • 2.25 HP • 900-1200 RPM	08216210	8,028
Fan Blade	30" Diameter • 29° Pitch • 4 Blade	08221239	708
Motor	575/3/60 • 2 HP • 1140 RPM	08216217	3,116
Fan Blade	30" Diameter • 27° Pitch • 3 Blade	08221237	834
Receiver	Horizontal • ROT • 10 x 36	08357329	5,253
	Horizontal • ROT • 10 x 48	08357330	3,400
	Horizontal • ROT • 10 x 72	08357331	4,835
	Horizontal • ROT • 10 x 94	08357332	5,769
	Horizontal • ROT • 12 x 94	08357333	11,154
	Horizontal • ROT • 14 x 94	08357334	10,004
Valve	1-3/4 R x 1-1/8 SW • ROT • Side	08357343	276
	1-3/4 R x 1-3/8 SW • ROT • Side	08357344	240
	1-3/4 R x 1-5/8 SW • ROT • Side	08357345	373
Accumulator	1-5/8 • A8-15	08357335	2,045
	2-1/8 • A10-21	08357336	2,796
	2-5/8 • A10-25	08357337	3,127
	3-1/8 • A10-31	08357338	3,436
Transformer	240/480-120/240	104532006	1,204
Toggle Switch	240 V • Single Pole Single Throw	104536004	16
Light Kit	V-Series • Single Wide	08357519	1,492
	V-Series • Double Wide	08357520	1,831

Continued on next page.

AIR COOLED CONDENSING UNITS

QV-SERIES - 15 to 100 HP

Common Parts (continued)

Part	Description	Part #	List Price (\$US)
Control	Module	08219546	1,217
	Expansion Module	08219547	685
Transformer	120/240-24 V	08219548	353
Sensor	Temperature Sensor • 16' L • Vendor Part # A99BC-500C	08219615	571
Transducer	High Pressure	08357521	129
	Low Pressure	08357522	368
	Harness • High Pressure	08357523	107
	Harness • Low Pressure	08357524	117
SPEP Latch	Left Hand	08530986	46
	Right Hand	08530987	42

QV-SERIES - 15 to 100 HP

Electrical Parts

Part	Description	Part #	List Price (\$US)
Electrical - 230/3	Contactator • Compressor • 60 AMP	08220036	438
	Contactator • Compressor • 75 AMP	08220037	1,262
	Contactator • Compressor • 90 AMP	08220038	1,323
	Contactator • Compressor • 120 AMP • 208 V coil	104461124	1,579
	Contactator • Auxiliary • Normally Open / Normally Closed 15-75 AMP	104461101	47
	Contactator • Auxiliary • Normally Open / Normally Closed 90 AMP	104536708	220
	Contactator • Auxiliary • Normally Open / Normally Closed 120-360 AMP	104461122	361
	Condenser Fan Contactator • 30 AMP	08219963	173
Electrical - 460/3	Contactator • Compressor 30 AMP	08219963	173
	Contactator • Compressor 40 AMP	08219965	213
	Contactator • Compressor 50 AMP	08219967	504
	Contactator • Compressor 60 AMP	08220036	438
	Contactator • Compressor 75 AMP	08220037	1,262
	Contactator • Auxiliary • Normally Open / Normally Closed 15-75 AMP	104461101	47
	Condenser Fan Contactator • 30 AMP	08219963	173



AIR-COOLED CONDENSERS

LARGE AIR COOLED CONDENSERS

QUANTUM AIR™ RDS & RDD Models

Model #	Part	Description	Part #	List Price (\$US)	
1140 RPM Models RDS009 thru RDD229	Motor	208-230/460/3/60/50 • 1.5 HP • 1140 RPM	110204000	2,683	
		575/3/60 • 1.5 HP • 1140 RPM	118570001	4,004	
		Totally Enclosed • 208/230/3/60/50 • 1.5 HP • 1140 RPM	08216154	4,497	
	Fan Blade	30" Diameter • 24° Pitch • 4 Blade • CW • 5/8" Bore	08221151	838	
	Motor	208-230/1/60/50 • 1.0 HP • 1140 RPM • for use with P-66 controller	08216098	3,738	
	Capacitor	30 MFD • for motor 008216098 • for use with P-66 controller	08352555	120	
	Fan Blade	30" Diameter • 21° Pitch • 3 Blade • CW • 5/8" Bore • for use with P-66 controller	08221180	693	
	Motor Mount	1140 RPM motors and above	08522568	740	
	Fan Guard	30" Diameter • Epoxy Coated • Wire	08221151	838	
	850 RPM Models RDS009 thru RDD213	Motor	208-230/460/3/60/50 • 1.5 HP • 850 RPM	08216100	3,738
Fan Blade		30" Diameter • 31° Pitch • 5 Blade • CW • 5/8" Bore • use with 08216100	08221152	465	
Motor		208-230/460/3/60/50 • 1.0 HP • 850 RPM	114105000	3,738	
		575/3/60 • 1.0 HP • 850 RPM	114105002	4,565	
		380/3/60 • 1.0 HP • 850 RPM	114105001	3,926	
Fan Blade		30" Diameter • 28° Pitch • 4 Blade • CW • 5/8" Bore • for 1 HP's and above	08221151	838	
Motor Mount		850 RPM motors and above	08522568	740	
Fan Guard		30" Diameter • Epoxy Coated • Wire	08397044	345	
550 RPM Models RDS008 thru RDD158		Motor	208-230/460/3/60/50 • 1/3 HP • 550 RPM	119226000	2,071
		Fan Blade	30" Diameter • 31° Pitch • 5 Blade • CW • 5/8" Bore • Metal	08221152	465
	Swept Wing Fan	30" Diameter • 25° Pitch • CW • 1/2" Bore	08221181	838	
	Fan Blade	30" Flying Bird II	121424000	1,177	
	Motor Mount	550 RPM motors and above	08522568	740	
	Fan Guard	30" Diameter • Epoxy Coated Wire • NOT for Flying Bird II Fans	08397044	345	

SMALL AIR COOLED CONDENSERS

MULTI-CON Common Parts

Part	Description	Part #	List Price (\$US)
Disconnect	30 AMP • thru the door	08218990	908
	60 AMP • thru the door	08218991	1,084
	80 AMP • thru the door	08218992	1,432
	100 AMP • thru the door	08218993	1,534
	30 AMP Dial Handle • thru the door • 18"/22" fans	08218379	717
Contactor	3 P • 25-30 AMP • 208-230 V control	08219018	168
	3 P • 25-30 AMP • 460 V control	08219012	174
	3 P • 27 AMP • 208-230 V control	104461733	1,152
Fan Cycling	Pressure • Standard • R12, R22, R404A, R134A	08219003	624
	Ambient • Standard • R12, R22, R404A, R134A	08219006	278
	Pressure • R410A	08219463	697
P66	Single Tap • R22/R404	08219427	1,842
	Dual Tap • R22/R404	08219429	2,883
	Single Tap • R134A	08219437	1,635
	Single Tap • R410A	08219461	2,556
	Dual Tap • R410A	08219462	3,554
Shut Off Valve	P66 • Pressure cycling	08356559	290

SMALL AIR COOLED CONDENSERS

MULTI-CON RDS Models

Model #	Part	Description	Part #	List Price (\$US)
Models 001 thru 011	Motor	208-230/3/60/50 • .33 HP • 1140 RPM	08216106	833
		PSC • 230 V • 1/3 HP • 1075 RPM	205051004	636
	Capacitor	5 MFD • 440 V	202163004	75
	Fan Blade	22" Diameter • 28° Pitch • 5/8" Bore	08221154	213
	Motor	PSC • 208-230/1/60/50 for use with P-66 • .33 HP • 1140 RPM	08216008	1,033
	Capacitor	15 MFD • for motor 008216008	08352607	82
	Motor	460/3/60/50 • .33 HP • 1140 RPM	08216107	1,381
		PSC • 460/1/60/50 for use with P-66 • .33 HP • 1140 RPM	08216009	1,061
	Capacitor	15 MFD • for motor 08216009	08352607	82
	Motor	208-230/460/3/60/50 • .25 HP • 850 RPM	08216075	1,949
		PSC • 208-230/1/60/50 (cap. on motor) • .25 HP • 850 RPM	08216076	1,650
		Totally enclosed • 208-230/460/3/60/50 • 1/2 HP • 1140 RPM	08352607	82
		PSC • Totally encl. • 208-230//460/1/60/50 • 1/2 HP • 1140 RPM	08216081	1,564
	Motor Mount	18" to 22" Mount	08397056	332
		33" Rail for a 22" Fan	08519019	332
28" Rail for a 18" Fan		08519022	332	
Fan Guard	18" Diameter • Epoxy Coated • Wire	08397011	205	
	22" Diameter • Epoxy Coated • Wire	08397012	244	
Models 001 & 002	Fan Blade	18" Diameter • 34° Pitch • CW • 5/8" Bore • 1140 RPM motors	08221022	216
Models 003 thru 011	Fan Blade	18" Diameter • 34° Pitch • CW • 1/28" Bore • 850 RPM motors	08221154	213
Models 001 & 002	Fan Blade	22" Diameter • 28° Pitch • 5/8" Bore • 850 RPM motors	08221076	210
Models 003 thru 009	Fan Blade	22" Diameter • 28° Pitch • 1/2" Bore • 1140 RPM motors	08221023	213

SMALL AIR COOLED CONDENSERS

MULTI-CON

VAC // VEQ (1 - 4) Models

Model #	Part	Description	Part #	List Price (\$US)
VAC 1 - 2 & VEQ 1 - 2	Fan Blades	18" Diameter • 34° Pitch • CW • 5/8" Bore • 1140 RPM motors	08221022	216
VAC 4 & VEQ 3	Fan Blades	22" Diameter • 28° Pitch • CW • 5/8" Bore	08221023	213
VAC 4 & VEQ 3	Fan Guard	22" • Epoxy Coated • Wire	08397012	244
VAC 1 - 4	Motor	Shaded Pole • 208-230/460/1 • 1/2 HP • 1140 RPM	08216006	1,254
VEQ 1 & 3	Motor	Shaded Pole • 208-230/460/1 • 1/4 HP • 825 RPM	08216076	1,650
VEQ 2 & 3	Motor	Shaded Pole • 208-230/460/3 • 1/4 HP • 825 RPM	08216075	1,949

MULTI-CON AIR COOLED CONDENSERS & FLUID COOLERS

VAC // VEQ // FVAC Models

Model #	Part	Description	Part #	List Price (\$US)	
VAC & FVAC 5 thru 19	Fan Blades	24" Diameter • 30° Pitch • CW • 1/2 " Bore	213455000	527	
	Motor	PSC • 208-230 V • 3/4 HP • 1075 RPM	205051009	1,675	
		PSC • 460 V (cap. not included) • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,845	
		230/460/3/60 • 3/4 HP • 1140 RPM	205051012	2,750	
		PSC • 575/1/60 • 1/2 HP • 1075 RPM	115952000	1,510	
	Motor Mount	24" • 4 Leg • Wire	205269000	372	
	Capacitor	7.5 MFD • 208/1/60 Motors Only	202163006	82	
		5 MFD • 440 V (replaces part #202163007)	202163004	75	
	VAC & FVAC 22 thru 216	Fan Blades	30" Diameter • 24° Pitch • CW • 5/8" Bore (replaces part number 210385000)	08221151	838
		Fan Guard	30" • Wire • Epoxy Coated	202136011	303
Motor		208-230/460/3/60 • 1-1/2 HP • 1140 RPM	110204000	2,683	
		575/3/60 • 1-1/2 HP • 1140 RPM	118570001	4,004	

Continued on next page.

SMALL AIR COOLED CONDENSERS

MULTI-CON AIR COOLED CONDENSERS & FLUID COOLERS

VAC // VEQ // FVAC Models (continued)

Model #	Part	Description	Part #	List Price (\$US)
VEQ 21 thru VEQ 189	Motor Mount	30" • Knockdown Motor Mount Kit	125215001	740
	Fan Blades	30" Diameter • 24° Pitch • CW • 5/8" Bore (replaces part number 210385000)	08221151	838
	Fan Guard	30" • Epoxy Coated • Wire • Black	202136011	303
	Motor	208-230/460/3/60 • 1 HP • 850 RPM	114105000	3,738

AIR COOLED CONDENSERS

ACE Models

Part	Description	Part #	List Price (\$US)
Motor	1/3 HP • 550 RPM • 208-230/460/3/60/50	119226000	2,071
Fan Blade	30" Diameter • 31° Pitch • 5 Blade • CW • 5/8" Bore • Metal	08221152	465
Swept Wing Fan	30" Diameter • 25° Pitch • 1/2" Bore • CW	08221181	838
Fan Blade	30" Flying Bird II	121424000	1,177
Motor Mount	550 RPM motors and above	08522568	740
Fan Guard	30" Diameter • Epoxy Coated Wire • NOT for Flying Bird II	08397044	345

MULTI-CON AIR COOLED CONDENSERS & FLUID COOLERS

RAC // FRAC Models

Model #	Part	Description	Part #	List Price (\$US)
RAC & FRAC 3/4 thru 1	Fan Blades	16" Diameter • 19° Pitch • CW	11905	317
RAC & FRAC 1-1/2 thru 3	Fan Blades	20" Diameter • 27° Pitch • CW • 1/2" Bore	214040000	463

SMALL AIR COOLED CONDENSERS

MULTI-CON AIR COOLED CONDENSERS & FLUID COOLERS

TD // FTD Models

Part	Description	Part #	List Price (\$US)
Capacitor	5 MFD • 440 V	202163004	75
Fan Blades	24" Diameter • 30° Pitch • CW • 1/2 " Bore • replaces part #213455000	08221050	527
Fan Guard	24" • Wire, Epoxy Coated	202136001	0
Motor	PSC • 208-230 V • 3/4 HP • 1075 RPM	205051009	1,675
	PSC • 460 V (cap. not included) • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,845
Motor Mount	24" • 4 Leg • Wire	205269000	372

SMALL AIR COOLED CONDENSERS

ACS // ACL Models

Part	Description	Part #	List Price (\$US)
Fan Blades	22" Diameter • 29° Pitch • CW • 1/2" Bore	08221154	213
Fan Cycling Control	Pressure	08219003	624
	Ambient	08219006	278
Fan Speed Control	P-66 Single Port	08219427	1,842
	P-66 Dual Port	08219429	2,883
	P-66	08219437	1,635
Contactor	115 V Coil • 3 Pole	08219002	155
	208-230 V Coil • 3 Pole	08219018	168
	460 V Coil • 3 Pole	08219012	174
Transformer	208-230 to 24 V	08218258	109
	480 to 24 V	08218259	115
Motor Mount	18" to 22" Mount	08397056	332

Continued on next page.

SMALL AIR COOLED CONDENSERS

SMALL AIR COOLED CONDENSERS

ACS // ACL (continued)

Model #	Part	Description	Part #	List Price (\$US)
ACS 001 thru 012	Motor	PSC • 230 V • 1/3 HP • 1075 RPM	205051004	636
		PSC • 208-230/3 • 1/3 HP • 1075 RPM • CW (7.5 MFD Cap required)	08216106	833
		PSC • 460 V • 1/3 HP • 1075 RPM • CW (7.5 MFD Cap required)	08216088	961
		PSC • 460/3 • 1/3 HP • 1075 RPM • CW	08216107	1,381
		PSC • 230-460/3 • 1/2 HP • 1075 RPM • CW	08216068	1,870
		PSC • 575 V • 1/2 HP • 1075 RPM • CW	08216036	1,475
	Capacitor	208-230 V or 460 V Motors • 7.5 MFD	08216057	49
ACS 001 thru 012	Motor	PSC • 208-230/460/1 • 1/2 HP • 1075 RPM	08216006	1,254
		REV • 208-230/460/3 • 1/2 HP • 1125 RPM • 5/8 Shaft	08216007	2,201
ACL 001 thru 011	Motor	REV • 208-230/460/3 • 1/4 HP • 825 RPM • 5/8 Shaft	08216075	1,949
		PSC • 208-230/460/1 • 1/4 HP • 825 RPM • 5/8 Shaft	08216076	1,650
ACS, ACL 001 thru 002	Fan Guard	18" • Epoxy Coated • Wire	08397011	205
	Motor Rail	25" (18" fan)	08519022	332
ACS, ACL 003 trhu 012	Fan Guard	22" • Epoxy Coated • Wire	08397012	244
	Motor Rail	30" (22" fan)	08519019	332

SMALL AIR COOLED CONDENSERS

NEXT-GEN R-SERIES MINICON

RFH // RFO // RBH // RBO // RVH // RVO Models

Model #	Part	Description	Part #	List Price (\$US)
Next Gen R-Series Minicon (after 11-2015)	Fixed Low Cut Out Control	High/Med Temp Models	204464232	511
	High Cut Out Control	Auto Reset - All Models	08219424	156
All Models	Adjustable Low Cut Out Control	Standard on Low Temp Models	08219422	511
Next Gen R-Series Minicon (after 11-2015) 1/2 thru 3-1/2 HP Models with 12" fans	Fan Blade	12" Diameter • 24° Pitch • CCW • Units with PSC Motors	08221169	122
		Fan Blade • 12" Diameter • 24° Pitch • CCW • Units with ECM	08221176	121
	Motor Mount	PSC Motors with 12" Fans	21062000	217
		ECM Motors with 12" Fans	08397068	298
	Motor	PSC • 230 V • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	530
		PSC • 460 V • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216135	693
	Grille	Wire • Black • 16.88" x 15.75"	08397064	470
		Wire • Black • 16.88" x 27.75"	08397065	527
		Wire • Black • 19.38" x 27.75"	08397066	527
	Discharge T-Stat	3/8" Discharge Line	08352253	420
		1/2" Discharge Line	118431442	338
	Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527
	Motor Mount	24" for PSC & ECM Motors	212837000	358
	Motor	PSC • 230 V • 1/3 HP • 1075 RPM	205051004	636
Next Gen R-Series Minicon (after 11-2015) 3 thru 6 HP Models with 24" fan	Motor	PSC • 460 V (cap. not included) • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,845
		ECM • 208-230/1 • 3/4 HP • 1075 RPM	08216132	2,048
	Capacitor	5 MFD • 440 V	202163004	75
	Grille	Wire • Black • 33.14" X 30.13"	08397067	606
	Discharge T-Stat	5/8" Discharge Line	08352256	420

SMALL AIR COOLED CONDENSERS

MINICON AIR COOLED CONDENSING UNITS 1/2 -6 HP M*H // M*S // M*O // M*D // R*H // R*S // R*O // R*D Models

Model #	Part	Description	Part #	List Price (\$US)
1/2 thru 2 HP Models (built before October 2002)	Fan Blade	Fan Blade • 12" Diameter • 24° Pitch • CW • for use with PSC & SP motors	08221153	128
	Fan Guard	Fan Guard • 12" (Indoor Models Only) • Wire • Epoxy Coated • White	08397040	185
		Fan Guard • 12" (Indoor Models Only) • Wire • Epoxy Coated • Black	201006011	157
	Motor	Motor • SP • 230/1 (replaces part #10254004) • 1/20 HP • 1550 RPM	08216071	340
		Motor • SP • 230/1 • 1/20 HP • 1550 RPM	08216071	340
	Motor Mount	Outdoor models	21062000	217
Outdoor models • S100M / H201M models before June 2001		21279300	217	
R-Series 1/2 thru 3 HP Models (built October 2002 & after) & 2 - 3 HP Scrolls (built after April 2003)	Fan Blade	12" Diameter • 24° Pitch • CCW	119103001	128
	Fixed Low Cut Out Control	High/Med Temp models (except "CR" comp's)	204464232	511
	High Cut Out Control	All models	204464208	398
	Motor Mount	Outdoor models	21062000	217
	Motor	SP • 460/1 • 1/20 HP • 1550 RPM	08216034	500
		PSC • 230 V • 1/20 HP • 1550 RPM • 2 MFD capacitor not included	08216073	530
Capacitor	Capacitor • 2 MFD • for 1/20 230 V PSC motor	202163009	82	
Motor	ECM • 230 V • 1/8 HP • 1075 RPM • CCW	08216129	1,597	
2-1/2 thru 3 HP models (built after April 2003)	Fan Blade	20" Diameter • 18° Pitch • CW	214040000	463
	Fan Guard	20" (indoor models only) • Wire • Epoxy Coated • Black	213484000	379
	Motor	PSC • 230 V • 1/3 HP • 1075 RPM (units built after Mar. 31, 2001)	205051004	636
		ECM • 230 V • 1/3 HP • 1075 RPM • CCW	08216131	1,856

Continued on next page.

SMALL AIR COOLED CONDENSERS

MINICON AIR COOLED CONDENSING UNITS 1/2 -6 HP

M*H // M*S // M*O // M*D // R*H // R*S // R*O // R*D Models (continued)

Model #	Part	Description	Part #	List Price (\$US)
All 4 thru 6 HP Models, 2 - 3 HP	Fan Blade	20" Diameter • 29° Pitch • CW	213156000	463
		24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527
	Fan Guard	20" (indoor models only) • Wire • Epoxy Coated • Black	213484000	379
	Grille	30" • Wire • Epoxy Coated	124027000	527
& Scrolls	Motor	PSC • 230 V • 1/3 HP • 1075 RPM	205051004	636
(built before April 2003)		PSC • 460 V (cap. not included) • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,845
		ECM • 230 V • 1/3 HP • 1075 RPM • CCW	08216131	1,856
	Capacitor	5 MFD • 440 V	202163004	75
	Motor Mount	24" • Wire	212837000	358
		20" • Wire	210225000	372
All Models 1/2 thru 6 HP	Adjustable Low Cut Out Control	Standard on "CR" comp's • replaces part #204464021	08219422	511
	High Cut Out Control	High Pressure Control Manual Reset Encapsulated	204464208	398
		Pressure Control	204464049	398
	Discharge T-Stat Kit	Klixon Style	118431442	338
	Relay	230 V • Delay • 90-sec • D.O.B.	104799010	204
	Sequencing Relay	208/240 V • R2 • DPDT • 30 Amp • "Ice Cube Relay"	104799020	385



PACKAGED REFRIGERATION SYSTEM

PACKAGED REFRIGERATION SYSTEM

COMMON PARTS

Part	Description	Part #	List Price (\$US)
Latch	Slide • A3-40-525-12	08323272	14
	APEX • #8335-02	08326021	40
Gasket	Evaporator box • Large cabinet	08536858	127
	Evaporator box • Small cabinet • #X2199	08537151	113
Motor	ECM • 115/230 V • 35 Watt • 2 Speed • Stud Mount	08216216	1,247
Fan Blade	ECM • CW • AL • 12-24 x 1/4	08221175	121
Grille	Wire • Black • 16.88 x 15.75	08397064	470
Motor Mount	12" • Wire • 4 Leg	08397068	298
Pressure Transducer	0-150 PSIA	08219621	178
Space Temp Thermistor Assembly	10KOHMS - ECONET	08219623	106
Control Board	Refrigeration	08219624	1,015
Evap Temp	Flush Mount Thermistor • 10K OHM - EcoNet	08219636	70
EEV	SER-AA-3X4 ODF • No Cable	08219543	1,368
	SER-A-3X4 ODF • No Cable	08219544	1,389
	SER-B-3X4 ODF • No Cable	08219540	906
Switch	Hi Press • Auto Reset 400	08219424	156
Control	Pressure • End Cap • Open Rise • 180 PSIG	08537183	53

PACKAGED REFRIGERATION SYSTEM

ROOF KITS

Part #	Cabinet Size	List Price (\$US)
08537719	Small	2,442
08537720	Large	2,442

HAIL GUARDS

Part #	Cabinet Size	List Price (\$US)
08537721	Small	1,790
08537722	Large	1,790

POWER CORDS

"-" Not Available

	Model	Part #	NEMA Receptacle	List Price (\$US)
MEDIUM TEMP AIR	HPH050M48AA	08538541	5-20R	203
	HPH055M48AA	08538541	5-20R	203
	HPO080M48AA	08538541	5-20R	203
	HPO100M48AA	-	-	-
	HPO120M48AA	-	-	-
	HPH050M48DA	08238542	6-15R	203
	HPH055M48DA	08238542	6-15R	203
	HPO080M48DA	08238542	6-15R	203
	HPO100M48DA	08238542	6-15R	203
	HPO120M48DA	08238542	6-15R	203
	HPO150M48DA	-	-	-
MED. TEMP ELECTRIC	HPH050D48DA	08238542	6-15R	203
	HPH055D48DA	08238542	6-15R	203
	HPO080D48DA	08238542	6-15R	203
	HPO100D48DA	08238542	6-15R	203
	HPO120D48DA	08238542	6-15R	203
	HPO150D48DA	08538543	6-20R	203
LOW TEMP ELECTRIC	HPO150L48DA	08238542	6-15R	203
	HPO250L48DA	08538543	6-20R	203
	HPO300L48DA	-	-	-
	HPO350L48DA	-	-	-



OBSOLETE MODELS

Available parts for equipment no longer manufactured

NEXT-GEN ALL-TEMP • LOW PROFILE

Vintage C ∞ AA // AE

Model #	Part	Description	Part #	List Price (\$US)
ALL MODELS	Drain Pan	1 fan	08527139	630
		2 fan • short	08527379	710
		2 fan • long	08527140	710
		3 fan	08527141	786
		4 fan	08527142	1,092
		5 fan	08527143	1,198
	Venturi	6 fan	08527144	1,292
		1 fan	08527369	531
		2 fan • short	08527381	572
		2 fan • long	08527370	572
		3 fan	08527371	597
		4 fan	08527372	630
	End Cover Door	5 fan	08527373	665
		6 fan	08527374	687
	Motor Mount	Long	08527353	243
		Short	08527354	243
	Fan Blade	Leg • Tall	08527378	80
		Leg • Short	08527375	120
	Fan Guard	12" Diameter • 24° Pitch • CW (for use with PSC & SP)	08221153	128
	Motor	12" • Plastic • High Throw • Black	205925001	223
	Control	1 speed • ECM • 50 W • 1550 RPM • 115 V • CCW	08216124	1,039
		1 speed • ECM • 50 W • 1550 RPM • 230 V • CCW	08216139	1,197
		Defrost Termination / Fan Delay • Single Pole Dual Throw • open at 35°F, close at 55°F + open at 55°F, close at 35°F	08219328	217

OBSOLETE EQUIPMENT

NEXT-GEN ALL-TEMP • LOW PROFILE

B Models ∞ AA-B // AE-B // AG-B // AH-B (built after October 1, 1991)

Model #	Part	Description	Part #	List Price (\$US)
ALL "AE" MODELS	Control	Defrost Termination • Single Pole Single Throw • open at 30°F, close at 60°F	08219273	217
		Fan Delay open at 45°F, close at 35°F	103079009	217
1 - 6 FAN AE MODELS	Control	Heater Safety	103079003	203
AE14-37B, AE16-36B, AE16-41B, AE16-46B	Defrost Heater	Core • 500 Watt • 26-1/4" L • 208-230/460 V	206240006	615
		Drain Pan • 500 Watt • 21" L • 208-230/460 V	200172042	474
AE24-72B, AE24-85B, AE26-92B	Defrost Heater	Core • 1000 Watt • 44-1/4" L • 208-230/460 V	206240008	528
		Drain Pan • 1000 Watt • 39" L • 208-230/460 V	200172044	492
AE26-60B, AE26-75B	Defrost Heater	Core • 800 Watt • 40-1/4" L • 208-230/460 V	206240007	492
		Drain Pan • 800 Watt • 35" L • 208-230/460 V	200172043	474
AE34-105B, AE36-120B, AE36-140B	Defrost Heater	Core • 1500 Watt • 62-1/4" L • 208-230/460 V	206240009	614
		Drain Pan • 1500 Watt • 57" L • 208-230/460 V	200172045	584
AE44-140B, AE46-164B, AE46-185B	Defrost Heater	Core • 2000 Watt • 80-1/4" L • 208-230/460 V	206240010	781
		Drain Pan • 2000 Watt • 75" L • 208-230/460 V	200172046	745
AE54-180B, AE56-210B	Defrost Heater	Core • 2500 Watt • 97-3/4" L • 208-230/460 V	206240011	908
AE64-215B, AE66-245B, AE66-280B	Defrost Heater	Core • 2750 Watt • 115-3/4" L • 208-230/460 V	206240012	962
		Drain Pan • 3000 Watt • 111" L • 208-230/460 V	200172048	942
1 FAN AA, & AE MODELS	Drain Pan	27" L	08533740	634
AA28-76B, -97B, -122B, AA26-70B, -87B, AE26-60B, 26-75B	Drain Pan	41" L	08533741	710
AA28-106B, -134B, AA26-115B, AE26-92B, AE24-72B, -85B	Drain Pan	45" L	08533742	710
3 FAN AA & AE MODELS	Drain Pan	63" L	08533743	786
4 FAN AA & AE MODELS*	Drain Pan	81" L	08533744	1,092
5 FAN AA & AE MODELS*	Drain Pan	99" L	08533745	1,198
6 FAN AA & AE MODELS*	Drain Pan	117" L	08533746	1,292

Continued on next page.

OBSOLETE EQUIPMENT

NEXT-GEN ALL-TEMP • LOW PROFILE

B Models ∞ AA-B // AE-B // AG-B // AH-B (built after October 1, 1991) continued

Model #	Part	Description	Part #	List Price (\$US)
ALL-TEMP ² B MODELS	Fan Blade	12" Diameter • 24° Pitch • CW • for use with Shaded Pole & PSC motors	08221153	128
ALL MODELS (OPTIONAL)	Fan Guard	12" • Plastic • High Throw • Black	205925001	223
ALL MODELS	Fan Guard	12" • Plastic • Black	119647000	157
ALL-TEMP MODELS (SP & PSC)	Motor Mount	For use with Shaded Pole & PSC motors	21062000	217
ALL-TEMP ² B MODELS Shaded Pole	Motor	Shaded Pole • 1/20 HP • 1550 RPM • 115 V	08216072	340
	Motor	Shaded Pole • 1/20 HP • 1550 RPM • 208-230 V	08216071	340
	Motor	Shaded Pole • 1/20 HP • 1550 RPM • 460 V	08216034	500
ALL-TEMP ² B MODELS PSC	Motor	PSC • 1/20 HP • 1550 RPM • 115 V	08216074	468
	Motor	PSC • 1/20 HP • 1550 RPM • 230 V	08216073	530
	Capacitor	3 MFD • 1/20 115 V • PSC motor	202163010	74
ALL-TEMP ² B MODELS (ECM)	Fan Blade	12" Diameter • 24° Pitch • CW • for use with ECM	08221175	121
ALL-TEMP ² B MODELS (ECM)	Motor Mount	Leg • for use with ECM • 3 required for complete mount	08522938	69
ALL-TEMP ² B MODELS ECM	Motor	ECM • 50 W • 1550 RPM • 115 V • CCW	08216124	1,039
		ECM • 1550 RPM • 230V • 1/15 HP • CCW	08216139	1,197

NEXT-GEN ALL-TEMP • LOW PROFILE

Surveillant Demand Defrost Controller ∞ Demand Defrost Control Parts

Part / Description	Part #	List Price (\$US)
Surveillant Evaporator Control	08219537	4,209
Electronic Expansion Valve - less cable	08219539	815
Return Air Temperature Sensor for AA/AE	08219522	241
Air sensor mounting wire	08219978	16
Transducer only - No cable	08219981	644
Strain relief wire	08219528	4
Smartgate Router	08219541	4,993

OBSOLETE EQUIPMENT

NEXT-GEN ALL-TEMP • LOW PROFILE

B Models ∞ AA-B // AE-B // AG-B // AH-B (built after April 2004)

Model #	Part	Description	Part #	List Price (\$US)
1 FAN AA, AE, AG, AH MODELS	Venturi Panel	20" L	08519104	531
AA28-76B, -97B, -122B, AA26-70B, -87B, AE26-60B, AE26-75B. INCLUDES AG & AH MODELS	Venturi Panel	32" L	08519241	572
AA28-106B, -134B, AA26-115B, AE26-92B, AE24-85B INCLUDES AG & AH MODELS	Venturi Panel	36" L	08519242	572
3 FAN AA , AE, AG, AH MODELS	Venturi Panel	56" L	08519243	598
4 FAN AA , AE, AG, AH MODELS	Venturi Panel	74" L	08519244	634
5 FAN AA , AE, AG, AH MODELS	Venturi Panel	92" L	08519245	665
6 FAN AA , AE, AG, AH MODELS	Venturi Panel	110" L	08519246	692
ELECTRICAL END DOOR	Door	End Cover • Short • AA/AE Door • Hinged End Panel	08518612	244
HEADER END DOOR	Door	End Cover • Long • AA/AE Door • Hinged End Panel	08518613	244

NEXT-GEN ALL-TEMP • LOW PROFILE

Hot Gas Drain Pans (for units built after August 3, 1992)

Model #	Part / Description	Part #	List Price (\$US)
1 FAN AG, & AH MODELS	27" L • After 8/3/92 • Else Use Equiv. AA/AE drain pan	20935800	634
AG26-60B, AH26-60B, AG26-75B, AH26-75B	41" L • After 8/3/92 • Else Use Equiv. AA/AE drain pan	20935900	710
AG26-92B, AH26-92B	45" L • After 8/3/92 • Else Use Equiv. AA/AE drain pan	20936000	710
3 FAN AG, & AH MODELS	63" L • After 8/3/92 • Else Use Equiv. AA/AE drain pan	20936100	786
4 FAN AG, & AH MODELS*	81" L • After 8/3/92 • Else Use Equiv. AA/AE drain pan	20936200	1,092
5 FAN AG, & AH MODELS*	99" L • After 8/3/92 • Else Use Equiv. AA/AE drain pan	20936300	1,198
6 FAN AG, & AH MODELS*	117" L • After 8/3/92 • Else Use Equiv. AA/AE drain pan	20936400	1,292

* All 4 - 6 fan model drain pans must via common carrier only, no Fed-Ex.

OBSOLETE EQUIPMENT

NEXT-GEN ALL-TEMP • LOW PROFILE

Models AA // AE // AG // AH (built before October 1, 1991)

Model #	Part	Description	Part #	List Price (\$US)
1 - 3 FAN AE MODELS	Defrost Control	Defrost Termination • (Timer Reset) 2 Wire	103079005	217
4 - 6 FAN AE MODELS	Control	Defrost • Adjustable	204464037	584
1 - 6 FAN AE MODELS	Control	Heater Safety	103079003	203
AE16-46, AE16-41, AE14-37	Defrost Heater	Core • 500 W • 26-1/4" L • 208-230/460 V	206240006	615
	Defrost Heater	Drain Pan • 500 Watt • 21" L • 208-230/460 V	200172042	474
AE26-60	Defrost Heater	Drain Pan • 800 Watt • 35" L • 208-230/460 V	200172043	474
AE26-75	Defrost Heater	Core • 800 Watt • 40-1/4" L • 208-230/460 V	206240007	492
	Defrost Heater	Drain Pan • 800 Watt • 35" L • 208-230/460 V	200172043	474
AE26-92,AE24-85, AE24-72	Defrost Heater	Core • 1000 Watt • 44-1/4" L • 208-230/460 V	206240008	528
	Defrost Heater	Drain Pan • 1000 Watt • 39" L • 208-230/460 V	200172044	492
AE36-140,AE36-120, AE34-105	Defrost Heater	Core • 1500 Watt • 62-1/4" L • 208-230/460 V	206240009	614
	Defrost Heater	Drain Pan • 1500 Watt • 57" L • 208-230/460 V	200172045	584
AE46-164, AE46-185, AE44-140	Defrost Heater	Core • 2000 Watt • 80-1/4" L • 208-230/460 V	206240010	781
	Defrost Heater	Drain Pan • 2000 Watt • 75" L • 208-230/460 V	200172046	745
AE56-210, AE54-180	Defrost Heater	Core • 2500 Watt • 97-3/4" L • 208-230/460 V	206240011	908
AE66-280, AE66-245, AE64-215	Defrost Heater	Core • 3000 Watt • 115-3/4" L • 208-230/460 V	206240012	962
	Defrost Heater	Drain Pan • 3000 Watt • 111" L • 208-230/460 V	200172048	942
ALL MODELS	Fan Blade	12" Diameter • 24° Pitch • CW • for use with Shaded Pole & PSC motors	08221153	128
4 - 6 FAN AE MODELS	Fan Guard	12" • Plastic • High Throw • Black	205925001	223
ALL MODELS	Motor Mount	12" Fan motor mount	21062000	217
ALL MODELS (OPTIONAL)	Motor	PSC • 1/20 HP • 1550 RPM • 115 V • 3 MFD capacitor not included	08216074	468
	Motor	PSC • 1/20 HP • 1550 RPM • 230 V	08216073	530
	Capacitor	3 MFD • 1/20 115 V • PSC motor	202163010	74
	Capacitor	2 MFD • 1/20 230 V • PSC motor	202163009	82
ALL MODELS	Motor	Shaded Pole • 1/20 HP • 1550 RPM • 115 V	08216072	340
	Motor	Shaded Pole • 1/20 HP • 1550 RPM • 208-230 V	08216071	340
	Motor	Shaded Pole • 1/20 HP • 1550 RPM • 460 V	08216034	500

* All 4 - 6 fan model drain pans must via common carrier only, no Fed-Ex.

OBSOLETE EQUIPMENT

NEXT-GEN ALL-TEMP • LOW PROFILE

Models AL (built before June 1990)

Model #	Part	Description	Part #	List Price (\$US)
AL14-34, AL15-41, AL16-46	Defrost Heaters	Core • 780 Watts • 20" L • 208-230 V (2 required)	200172021	372
AL24-40, AL25-50, AL26-46	Defrost Heater	Core • 1550 Watts • 38" L • 208-230 V	200172024	492
AL24-53, AL24-68, AL25-64, AL25-82, AL26-72, AL26-56, AL26-92	Defrost Heaters	Core • 1550 Watts • 38" L • 208-230 V (2 required)	200172024	492
AL34-80, AL34-102, AL34-111, AL35-96, AL35-123, AL36-110, AL36-139	Defrost Heaters	Core • 2200 Watt • 56" L • 208-230 V (2 required)	200172027	584
AL44-136, AL45-164, AL46-185	Defrost Heaters	Core • 1220 Watt • 30" L • 208-230 V (2 required)	200172023	552
	Defrost Heaters	Core • 1760 Watt • 42" L • 208-230 V (2 required)	200172025	1016
AL54-170, AL55-205, AL56-230	Defrost Heaters	Core • 1760 Watt • 42" L • 208-230 V (2 required)	200172025	1016
	Defrost Heaters	Core • 1970 Watt • 48" L • 208-230 V (2 required)	200172026	528
AL64-204, AL65-246, AL66-276	Defrost Heaters	Core • 1970 Watt • 48" L • 208-230 V (2 required)	200172026	528
	Defrost Heaters	Core • 2480 Watt • 60" L • 208-230 V (2 required)	200172028	584
ALL MODELS	Defrost Control	Defrost Control • Non-Adjustable • 3 Wire	103079002	217
	Fan Blade	10" Diameter • 31° Pitch • CW	204395017	78
	Fan Guard	10" • Wire • Epoxy Coated • Black	08397002	157
	Fan Guard	10" • Wire • Epoxy Coated • White	08397053	157
	Motor Mount	Motor Mount for 16 Watt motor	10243000	157
	Motor	Shaded Pole • 16 Watt • 1550 RPM • 115 V • CCW	103104007	314
	Motor	Shaded Pole • 16 Watt • 1550 RPM • 230 V • CCW	103104008	314

* All 4 - 6 fan model drain pans must via common carrier only, no Fed-Ex.

OBSOLETE EQUIPMENT

NEXT-GEN ALL-TEMP • LOW PROFILE

Models AL-B (built after June 1990)

Model #	Part	Description	Part #	List Price (\$US)
AL14-34B, AL15-41B, AL16-46B	Defrost Heater	Core • 500 Watt • 24" L • 208-230/460 V	206240006	615
	Defrost Heater	Drain Pan • 500 Watt • 20" L • 208-230/460 V	200172042	474
AL24-68B, AL25-82B, AL26-92B	Defrost Heater	Core • 1000 Watt • 44-1/4" L • 208-230/460 V	206240008	528
	Defrost Heater	Drain Pan • 1000 Watt • 38" L • 208-230/460 V	200172044	492
AL34-80B, AL34-102B, AL34-111B, AL35-96B, AL35-123B, AL36-110B, AL36-139B	Defrost Heater	Core • 1500 Watt • 62" L • 208-230/460 V	206240009	614
	Defrost Heater	Drain Pan • 1500 Watt • 56" L • 208-230/460 V	200172045	584
AL44-136B, AL45-164B, AL46-185B	Defrost Heater	Core • 2000 Watt • 80-1/4" L • 208-230/460 V	206240010	781
	Defrost Heater	Drain Pan • 2000 Watt • 74" L • 208-230/460 V	200172046	745
AL54-170B, AL55-205B, AL56-230B	Defrost Heater	Core • 2500 Watt • 96" L • 208-230/460 V	206240011	908
AL64-204B, AL65-246B, AL66-276B	Defrost Heater	Core • 3000 Watt • 115-3/4" L • 208-230/460 V	206240012	962
	Defrost Heater	Drain Pan • 3000 Watt • 100" L • 208-230/460 V	200172048	942
ALL MODELS	Defrost Control	Non-Adjustable • 3 Wire	103079002	217
	Fan Guard	10" • Wire • Epoxy Coated • Black	08397002	157
	Fan Guard	10" • Wire • Epoxy Coated • White	08397053	157
	Motor Mount	Motor Mount for 16 Watt motor	10243000	157
	Motor	Shaded Pole • 16 Watt • 1550 RPM • 115 V • CCW	103104007	314
	Motor	Shaded Pole • 16 Watt • 1550 RPM • 230 V • CCW	103104008	314

* All 4 - 6 fan model drain pans must via common carrier only, no Fed-Ex.

OBSOLETE EQUIPMENT

CEILING TEMP

CTA // CTE Models

Model #	Part	Description	Part #	List Price (\$US)
ALL MODELS	Control	Defrost Termination • Single Pole Single Throw • open at 30°F, close at 60°F	08219273	217
		Fan Delay open at 45°F, close at 35°F	103079009	217
CTE34-48, CTE34-58, CTE34-65, CTE36-53, CTE36-62, CTE36-69	Defrost Heater	Core • 1037 Watt • 55" L • 208-230/460 V (2 required)	208579001	612
CTE44-72, CTE44-84, CTE44-95, CTE46-77, CTE46-90, CTE46-100	Defrost Heater	1490 Watt • 79" L • 208-230/460 V (2 required)	208579002	833
CTE54-115, CTE44-128, CTE44-152, CTE54-145, CTE64-173, CTE56-125, CTE46-140, CTE56-160, CTE66-218	Defrost Heater	1943 Watt • 103" L • 208-230/460 V (2 required)	208579003	917

SPECIFY DRAIN CONNECTION LOCATION WHEN ORDERING CTA/CTE DRAIN PANS, BOTTOM OR SIDE*

Model #	Part	Description	Part #	List Price (\$US)
ALL 3 FAN CTA/CTE MODELS	Drain Pan	58-1/2 L • Specify drain connection location	20860901	874
ALL 4 FAN CTA/CTE MODELS	Drain Pan	82-1/2 L • Specify drain connection location	20861001	1,113
EXCEPT AS FOLLOWS:				
CTA46-190, CTA48-210, CTE44-128, CTE46-140	Drain Pan	106-1/2 L • Specify drain connection location	20861101	1,282
ALL 5 FAN CTA/CTE MODELS	Drain Pan	106-1/2 L • Specify drain connection location	20861201	1,282
ALL 6 FAN CTA/CTE MODELS	Drain Pan	106-1/2 L • Specify drain connection location	20861301	1,330
ALL MODELS	Fan Blade	10" Diameter • 31° Pitch • CCW	204395018	85
ALL MODELS	Fan Guard	12" • Plastic • Black	119647000	157
ALL MODELS	Control	Heater Safety	103079003	203
Motor	Motor	Shaded Pole • 16 Watt • 1550 RPM • 115 V	103104007	314
Motor	Motor	Shaded Pole • 16 Watt • 1550 RPM • 230 V	103104008	314
Motor	Motor	PSC • 16 Watt • 1550 RPM • 115 V	107933001	638
Capacitor	Capacitor	5 MFD • 440 V	202163004	75
Motor	Motor	ECM • 16 Watt • 1550 RPM • 115 V	107933006	1,108
Motor	Motor	ECM • 16 Watt • 1550 RPM • 230 V	107933003	1,150
Motor Mount	Motor Mount	For 16 Watt Motor	10243000	157

* All Ceiling-Temp Drain Pans ship via common carrier only; no Fed-Ex.

OBSOLETE EQUIPMENT

FLOW TEMP

RWF Models

Model #	Part	Description	Part #	List Price (\$US)
RWF050, 100, 130, 160, 190, 220, 270, 340	Fan Blade	115/230 V • 10" Diameter • 31° Pitch • CCW	204395018	85
RWF - 075	Fan Blade	115/230 V • 10" Diameter • 20° Pitch • CCW	204395016	85
RWF-050, 100, 130, 160, 190, 220, 270, 340	Fan Blade	460 V • 10" Diameter • 28° Pitch • CCW	08221007	85
RWF - 075	Fan Blade	460 V - Fan Blade • 10" Diameter • 13° Pitch • CCW	08221005	85
All Models	Fan Guard	12" • Plastic • Black	119647000	157
	Motor Mount	Motor mount for 16 Watt motor	10243000	157
All Models - ECM MOTORS	Motor	ECM • 16 Watt • 1550 RPM • 115 V	107933006	1,108
	Motor	ECM • 16 Watt • 1550 RPM • 230 V	107933003	1,150
	Motor Mount	Motor mount for 16 Watt motor	10243000	157
All Models - PSC MOTORS (Optional)	Motor	PSC • 16 Watt • 1550 RPM • 115 V	107933001	638
	Capacitor	5 MFD • 440 V	202163004	75
	Motor	PSC • 16 Watt • 1550 RPM • 460 V	08216135	693
All Models - SHADED POLE MOTORS (Optional)	Motor	Motor • Shaded Pole • 16 Watt • 1550 RPM • 115 V	103104007	314
	Motor	Motor • Shaded Pole • 16 Watt • 1550 RPM • 230 V	103104008	314
RWF - 050	Drain Pan/Venturi Panel	1 fan	0852507601	736
RWF - 075, 100	Drain Pan/Venturi Panel	2 fan	0852507701	1,009
RWF - 130, 160	Drain Pan/Venturi Panel	3 fan	0852507801	1,117
RWF - 190, 220	Drain Pan/Venturi Panel	4 fan	0852507901	1,282
RWF - 270	Drain Pan/Venturi Panel	5 fan	0852508001	1,456
RWF - 340	Drain Pan/Venturi Panel	6 fan	0852508101	1,582

Continued on next page.

OBSOLETE EQUIPMENT

FLOW TEMP

RWF Models (continued)

Model #	Part	Description	Part #	List Price (\$US)
RWF - 050 (Optional)	Drain Pan/Venturi Panel	1 fan • White Painted	0852507607	1,099
RWF - 075, 100 (Optional)	Drain Pan/Venturi Panel	2 fan • White Painted	0852507707	1,387
RWF - 130, 160 (Optional)	Drain Pan/Venturi Panel	3 fan • White Painted	0852507807	1,687
RWF - 190, 220 (Optional)	Drain Pan/Venturi Panel	4 fan • White Painted	0852507907	1,700
RWF - 270 (Optional)	Drain Pan/Venturi Panel	5 fan • White Painted	0852508007	1,890
RWF - 050	Defrost Heater	545 Watt • 42" L • (2 required)	0821500901	566
RWF - 075, 100	Defrost Heater	545 Watt • 61" L • (2 required)	0821500902	606
RWF - 130, 160, 190, 220	Defrost Heater	1305 Watt • 79" L • (2 required)	0821500903	699
RWF - 270	Defrost Heater	2180 Watt • 90" L • (2 required)	0821500904	790
RWF - 340	Defrost Heater	2725 Watt • 114" L • (2 required)	0821500905	893
All Electric & Hot Gas Defrost Models	Control	Defrost Termination • Single Pole Single Throw • open at 30°F, close at 60°F	08219273	217
	Control	Defrost • Adjustable (optional)	204464037	584
	Control	Heater Safety (standard)	103079003	203

OBSOLETE EQUIPMENT

FLOW TEMP

FL // FL-E // FL-G // FL-H Models

Model #	Part	Description	Part #	List Price (\$US)
ALL MODELS	Defrost Control	Fan Delay open at 45°F, close at 35°F	103079009	217
ALL 2 FAN MODELS, FL36-100, FL36-135, FL46-180 MODELS	Fan Blade	10" Diameter • 20° Pitch • CCW	204395016	85
ALL FL36-160, FL46-220, FL46-265 AND FL56-370	Fan Blade	10" Diameter • 31° Pitch • CCW	204395018	85
ALL FL MODELS	Fan Guard	12" • Plastic • Black	119647000	157
ALL FL MODELS	Control	Heater Safety	103079003	203
ALL FL MODELS	Motor Mount	Motor Mount for 16 Watt Motor	10243000	157
ALL 2 FAN MODELS AND	Motor	Shaded Pole • 9 Watt • 1550 RPM • 115 V	103104004	263
ALL FL36-100 MODELS	Motor	Shaded Pole • 9 Watt • 1550 RPM • 230 V	103104005	263
FL36-135, FL36-160 MODELS	Motor	Shaded Pole • 16 Watt • 1550 RPM • 115 V	103104007	314
ALL 4 AND 5 FAN MODELS	Motor	Shaded Pole • 16 Watt • 1550 RPM • 230 V	103104008	314
"ALL FL MODELS (OPTIONAL) Permanent Split Capacitor Motors"	Motor	PSC • 16 Watt • 1550 RPM • 115 V	107933001	638
	Capacitor	5 MFD • 440 V	202163004	75
ALL MODELS	Motor	ECM • 16 Watt • 1550 RPM • 115 V	107933006	1,108
ECM MOTOR	Motor	ECM • 16 Watt • 1550 RPM • 230 V	107933003	1,150
FOLLOWING HEATERS ARE FOR UNITS PRODUCED BEFORE APRIL 1, 1988				
FL26-67E	Defrost Heater	Core • 1970 Watt • 48" L • 208-230 V • (2 required)	200172026	528
FL36-100E, FL36-135E, FL36-160E	Defrost Heater	Core • 1220 Watt • 30" L • 208-230 V • (2 required)	200172023	552
		Core • 1760 Watt • 42" L • 208-230 V • (2 required)	200172025	1,016
FL46-180E, FL46-220E, FL46-265E	Defrost Heater	Core • 1550 Watt • 38" L • 208-230 V • (2 required)	200172024	492
		Core • 2480 Watt • 60" L • 208-230 V • (2 required)	200172028	584

Continued on next page.

OBSOLETE EQUIPMENT

FLOW TEMP

FL // FL-E // FL-G // FL-H Models (continued)

Model #	Part	Description	Part #	List Price (\$US)
FOLLOWING HEATERS ARE FOR UNITS PRODUCED BETWEEN APRIL 1, 1988 & APRIL 1, 1994				
FL46-180E, FL46-220E †	Defrost Heater	Core • 1550 Watt • 38" L • 208-230 V • (2 required)	200172024	492
FL46-265E †	Defrost Heater	Core • 2480 Watt • 60" L • 208-230 V • (2 required)	200172028	584
FOLLOWING HEATERS ARE FOR UNITS PRODUCED AFTER APRIL 1, 1994				
FL46-180E, FL46-220E, FL46-265E	Defrost Heater	Core • 1550 Watt • 38" L • 208-230/460 V • (2 required)	200172024	492
		Core • 2480 Watt • 60" L • 208-230/460 V • (2 required)	200172028	584
FL56-370E	Defrost Heater	Core • 2480 Watt • 60" L • 208-230/460 V • (4 required)	200172028	584
FOLLOWING DRAIN PANS ARE FOR UNITS PRODUCED AFTER APRIL 1, 1991				
FL Models	Drain Pans	2 fan	10861406	1,009
		3 fan	10861407	1,117
		4 fan	10861403	1,282
		5 fan	10861408	1,456
		2 fan • White Painted	10861406W	1,769
		3 fan • White Painted	10861407W	2,128
		4 fan • White Painted	10861403W	2,429
		5 fan • White Painted	10861408W	2,678

OBSOLETE EQUIPMENT

INTER TEMP

ITA // ITE // ITG // ITH Models produced **BEFORE** March 1996

Model #	Part	Description	Part #	List Price (\$US)
ALL MODELS	Fan Blades	14" Diameter, 32° Pitch, CW	214100000	343
ALL ITE, ITG, ITH MODELS	Control	Defrost • Adjustable	204464037	584

Contact Factory for Hot Gas Drain Pan Pricing

Model #	Part	Description	Part #	List Price (\$US)
FOLLOWING MOTORS ARE FOR UNITS PRODUCED BEFORE JANUARY 1, 1994				
All 115 V Models	Capacitor	PSC • 10 MFD • 1/15 HP	08216063	78
All 230 V Models		5 MFD • 440 V	202163004	75
FOLLOWING MOTORS ARE FOR UNITS PRODUCED BETWEEN APRIL 30, 1994 & MARCH 1996				
All 115 V Models	Capacitor	PSC • 10 MFD • 1/15 HP	08216063	78
All 230 V Models		5 MFD • 440 V	202163004	75
All 460 V Models		PSC • 7.5 MFD • 1/8 HP	202163006	82

INTER TEMP

ITA // ITE // ITG // ITH Models produced **AFTER** March 1996

Model #	Part	Description	Part #	List Price (\$US)
ITA24-126,-169, ITA34-224,-287, ITA26-145,-191, ITA36-240,-305, ITA28-151,-210, ITA38-260,-320, ITE24-105, -140, ITE34-175, ITE26-130, -150, ITE36 -185	Fan Blade	14" • 32° Pitch • CW	214100000	343
	Fan Guard	14" • Wire • Epoxy Coated • Black	213626003	203
ITA24-340,-395, ITA34-465,-585, ITA26-370, ITA36-415, -490,-620, ITA28-410,-450, ITA38-540,-690, ITE24-230,-325, ITE34-390,-510, ITE26-270, ITE26-320, ITE36-385, ITE36-460, ITE36-520	Fan Blade	20" • 25° Pitch • CW	213456000	463
	Fan Guard	20" • Wire • Epoxy Coated	213484000	379
	Fan Guard	20" • Air Straightener	10692300	646
ITA24-126,-169, ITA26-145,-191, ITA28-151,-210, ITE24-105,-140, ITE26-130,-150	Drain Pan	55" L	11523801	1,368
ITA34-224,287, ITA36-240,-305, ITA38-260,-320, ITE34-175, ITE36-185	Drain Pan	76" L	11523901	1,510
ITA24-340,-395, ITA26-370, ITA28-410,-450, ITE24-230,-325, ITE26-270,-320	Drain Pan	76" L	11524001	1,510
ITA34-465,-585, ITA38-540,-690, ITA36-415,-490,-620, ITE34-390,-510, ITE36-385,-460,-520	Drain Pan	106" L	11524101	1,510

Continued on next page.

OBSOLETE EQUIPMENT

INTER TEMP

ITA // ITE // ITG // ITH Models produced **AFTER** March 1996 (continued)

Model #	Part	Description	Part #	List Price (\$US)
		Defrost Termination • Single Pole Single Throw • open at 30°F, close at 60°F	08219273	217
ALL ITE MODELS	Control	Fan Delay open at 45°F, close at 35°F	103079009	217
		Heater Safety	103079003	203
ITE24-105, ITE24-140, ITE26-130, ITE26-150	Defrost Heater	50" L • 240 V • 1693 W • (3 required)	206240022	537
		50" L • 460 V • 1555 W • (3 required)	206240021	841
		70" L • 240 V • 2458 W • (3 required)	206240004	708
ITE34-175, ITE24-230, ITE24-325, ITE36-185, ITE26-270, ITE26-320	Defrost Heater	70" L • 460 V • 2258 W • (3 required)	206240020	1,056
		70" L • 575 V • 2258 W • (3 required)	206240029	1,056
		100" L • 240 V • 3538 W • (3 required)	206240005	887
ITE34-390, ITE34-510, ITE36-385, ITE36-460, ITE36-520	Defrost Heater	100" L • 460 V • 3249 W • (3 required)	206240019	1,208
		100" L • 575 V • 3249 W • (3 required)	206240028	1,208
	Motor	PSC • 115 V • 1/8 HP • 1075 RPM (4 MFD cap. not included)	115248001	1,266
ITA24-126,-169, ITA34-224,-287, ITA26-145,-191, ITA36-240,-305, ITA28-151,-210, ITA38-260,-320	Capacitor	PSC • 4MFD • 1/8 HP (115 V, 230 V, 460 V)	202163012	78
	Motor	ECM • 115 V • 1/8 HP • 1075 RPM	08216128	1,540
	Motor	PSC • 115 V • 1/3 HP • 1075 RPM	205051005	1,223
ITA24-340,-395, ITA34-465,-585, ITA26-370, ITA36-415, -490,-620, ITA28-410,-450, ITA38-540,-690, ITA24-340,-395, ITA34-465,-585	Motor	PSC • 115 V • 1/3 HP • 1075 RPM • Lo-Grse (5 MFD cap. not included)	205051020	1,376
	Capacitor	5 MFD • 440 V	202163004	75
	Motor	ECM • 115 V • 1/3 HP • 1075 RPM	08216130	1,522

Continued on next page.

OBSOLETE EQUIPMENT

INTER TEMP

ITA // ITE // ITG // ITH Models produced **AFTER** March 1996 (continued)

Model #	Part	Description	Part #	List Price (\$US)
ITA24-126,-169, ITA34-224,-287, ITA26-145,-191, ITA36-240,-305, ITA28-151,-210, ITA38-260,-320, ITE24-105, ITE24-140, ITE34-175, ITE26-130, ITE26-150, ITE36-185	Motor	PSC • 230 V • 1/8 HP • 1075 RPM (4 MFD cap. not included)	115248002	1,266
	Capacitor	PSC • 4 MFD • 1/8 HP (115 V, 230 V, 460 V)	202163012	78
	Motor	ECM • 230v • 1/8 HP • 1075 RPM	08216129	1,597
ITA24-340,-395, ITA34-465,-585, ITA26-370,-415, ITA36-415,-490,-620, ITA28-410,-450, ITA38-540,-690, ITE24-230,-325, ITE34-390,-510, ITE26-270, ITE26-320, ITE36-385, ITE36-460, ITE36-520	Motor	PSC • 230 V • 1/3 HP • 1075 RPM	205051004	636
	Motor	PSC • 230 V • 1/3 HP • 1075 RPM • Lo-Grse (5.0 MFD cap. not included)	205051019	1,519
	Capacitor	5 MFD • 440 V	202163004	75
	Motor	ECM • 230v • 1/3 HP • 1075 RPM	08216131	1,856
ITA24-126,-169, ITA34-224,-287, ITA26-145,-191, ITA36-240,-305, ITA28-151,-210, ITA38-260,-320, ITE24-105, ITE24-140, ITE34-175, ITE26-130, ITE26-150, ITE36-185	Motor	PSC • 460 V • 1/8 HP • 1075 RPM (4 MFD Cap. Not Included)	115248003	1,345
	Capacitor	PSC • 4MFD • For 1/8 HP (115 V, 230 V, 460 V)	202163012	78
ITA24-340,-395, ITA34-465,-585, ITA26-370,-415, ITA36-490,-620, ITA28-410,-450, ITA38-540,-690, ITE24-230,-325, ITE34-390,-510, ITE26-270, ITE26-320, ITE36-385, ITE36-460, ITE36-520	Motor	Motor • PSC • 460 V • 1/3 HP • 1075 RPM (No Longer Available Use 205051021)	205051006	1,201
	Motor	Motor • PSC • 460 V • 1/3 HP • 1075 RPM • Lo-Grse (7.5 MFD Cap. Not Included)	205051021	1,675
	Motor	Motor • PSC • 575 V • 1/3 HP • 1075 RPM (7.5 MFD Cap. Not Included)	115950000	1,595
	Capacitor	Capacitor • 7.5 MFD • For 1/3 HP (230 V, 460 V) PSC Motor	202163006	82
MODELS WITH 14" FANS	Motor Mount	14"	214837000	213
MODELS WITH 20" FANS	Motor Mount	20"	210225000	372

* Inter-Temp Drain Pans must ship via common carrier; no Fed-Ex.

OBSOLETE EQUIPMENT

ULTRA TEMP

U*U // U*L // U*M // UAH Models

Model #	Part	Description	Part #	List Price (\$US)
ALL MODELS	Control	Defrost • Adjustable	204464037	584
ALL 1 FAN MODELS	Defrost Heater	Core • 1378 Watt • 40" L • 208-230/460 V • (4 required)	206240003	438
		Core • 1378 Watt • 40" L • 300 V • (4 required)	206240025	554
ALL 2 FAN MODELS	Defrost Heater	Core • 2458 Watt • 70" L • 208-230/460 V • (4 required)	206240004	708
		Core • 2458 Watt • 70" L • 300 V • (4 required)	206240026	896
ALL 3 FAN MODELS	Defrost Heater	Core • 3538 Watt • 100" L • 208-230/460 V • (4 required)	206240005	887
		Core • 3538 Watt • 100" L • 300 V • (4 required)	206240027	1,150
UEU4-711, UEL4-817, UEL4-722, UEM4-780, UEM4-882	Defrost Heater	Core • 2305 Watt • 132" L • 208-230/460 V • (8 required)	206240002	705
		Core • 2305 Watt • 132" L • 300 V • (8 required)	206240024	896
UEU4-851, UEU4-1080, UEL4-950, UEL4-1100, UEL4-1260, UEL4-1380, UEM4-1100, 'UEM4-1320, UEM4-1656	Defrost Heater	Core • 2305 Watt • 132" L • 208-230/460 V • (12 required)	206240002	705
		Core • 2305 Watt • 132" L • 300 V • (12 required)	206240024	896
UEU5-1350, UEL5-1575, UEL5-1725, UEM5-2065	Defrost Heater	Core • 2837 Watt • 162" L • 208-230/460 V • (12 required)	206240017	815
UEU6-1620, UEL6-1890, UEL6-2070, UEM6-2480	Defrost Heater	Core • 3369 Watt • 192" L • 208-230/460 V • (12 required)	206240018	977

Part	Model	Description	Part #	List Price (\$US)
FOLLOWING DRAIN PANS ARE FOR UNITS PRODUCED BEFORE JULY 31, 1995 (contact factory for Hot Gas Pans)				
Drain Pans	1 fan models	46-1/2" L	12270501	1,205
	2 fan models	76-1/2" L	12270502	1,354
	3 fan models	106-1/2" L	12270503	1,494
	4 fan models	136-1/2" L	12270504	1,642
	5 fan models	166-1/2" L	12270505	1,988
	6 fan models	196-1/2" L	21505600	2,463

Continued on next page.

OBSOLETE EQUIPMENT

ULTRA TEMP

U*U // U*L // U*M // UAH Models (continued)

Part	Model	Description	Part #	List Price (\$US)
FOLLOWING FAN BLADES ARE FOR UNITS PRODUCED BEFORE April 1, 1990				
	ALL 1, 2, & 3 FAN U*U, AND U*L, MODELS, AND U*U4-711, U*L4-722, U*L4-817	20" Diameter • 23° Pitch • CW • 1/2" Bore	202147008	527
Fan Blades	U*U4-851, U*U4-1080, U*L4-1100, U*L4-1380, U*M4-1320, U*M4-1656, UAH4-1452, UAH4-1821	24" Diameter • 32° Pitch • CW • 1/2" Bore	213455000	527
	ALL 1, 2, & 3 FAN U*M, & UAH, MODELS, AND U*M4-780, U*M4-822, UAH4-866, UAH4-980	20" Diameter • 25° Pitch • CW • 1/2" Bore	213456000	463

FOLLOWING FAN BLADES ARE FOR UNITS PRODUCED AFTER April 1, 1990

Model #	Part	Description	Part #	List Price (\$US)
U*U1-118, U*U2-236, U*L1-125, U*L1-152, U*L1-193, U*L2-240, U*L2-304	Fan Blade	20" Diameter • 23° Pitch • CCW • 1/2" Bore	202147008	527
U*U2-355, U*L2-361, U*L2-408, U*M4-1100, U*M4-1320, U*M4-1656, UAH4-1452, UAH4-1821, UAH5-2275, UAH6-2730, & ALL 3, 4, 5, & 6 FAN, U*U AND U*L MODELS	Fan Blade	24" Diameter • 32° Pitch • CW • 1/2" Bore • 3 Blades	213455000	527
U*M1-164, U*M1-209, U*M2-270, U*M2-239, UAH1-182, UAH1-232, UAH2-300, UAH2-365	Fan Blade	20" Diameter • 25° Pitch • CW • 1/2" Bore	213456000	463
U*M2-390, U*M2-441, UAH2-433, UAH2-490, ALL 3 FAN U*M, AND UAH MODELS, U*M4-780, U*M4-882, U*M5-2065, U*M6-2480, UAH4-866, UAH4-980, UAH4-1100	Fan Blade	24" Diameter • 14° Pitch • CW • 1/2" Bore	214041000	510
U*U1-118, U*U2-236, U*L1-125, U*L1-152, U*L1-193, U*L2-240, U*L2-304, U*L2-304, U*M1-164, U*M1-209, U*M2-270, U*M2-329, UAH1-182, UAH1-232, UAH2-300, UAH2-365	Fan Guard	20" • Wire • Epoxy Coated	213484000	379
		20" fans • Air Straightener	10692300	646
U*U2-355, U*L2-361, U*L2-408, U*M2-390, U*M2-441, UAH2-433, UAH2-490, AND ALL 3, 4, 5, & 6, FAN U*U, U*L, U*M, UAH MODELS	Fan Guard	24" • Wire • Epoxy Coated	202136005	774
		24" fans • Air Straightener	10709900	774

Continued on next page.

* No Drain Pan Heaters for 1 - 3 fan models (bottom core heater defrosts the drain pan)

OBSOLETE EQUIPMENT

ULTRA TEMP

U*U // U*L // U*M // UAH Models (continued)

FOLLOWING MOTORS ARE FOR UNITS PRODUCED **BEFORE** April 1, 1990

Model #	Description	Part #	List Price (\$US)
ALL 1, 2, & 3 FAN U*M, & UAH, & U*M4-780, U*M4-882, UAH4-866, UAH4-980, UAH4-1100	PSC • 115 V • 1/3 HP • 1075 RPM	205051005	1,223
	PSC • 115 V • 1/3 HP • 1075 RPM • Lo-Grse (5 MFD Cap. not included)	205051020	1,376
	PSC • 230 V • 1/3 HP • 1075 RPM	205051004	636
	PSC • 230 V • 1/3 HP • 1075 RPM • Lo-Grse (5 MFD Cap. not included)	205051019	1,519
	PSC • 460 V • 1/3 HP • 1075 RPM	205051006	1,201
	PSC • 460 V • 1/3 HP • 1075 RPM • Lo-Grse (7.5 MFD Cap. not included)	205051021	1,675
U*U4-851, U*U4-1080, U*L4-1100, U*L4-1380, U*M4-1320, U*M4-1656, UAH4-1452, UAH4-1821	PSC • 208-230 V • 3/4 HP • 1075 RPM	205051009	1,675
	PSC • 3/4 HP • 1075 RPM • 208-230/60/1 (5 MFD Cap. not included)	118187000	2,116
	PSC • 460 V (cap. not included) • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,845
	PSC • 3/4 HP • 1075 RPM • 460/60/1 (5 MFD Cap. not included)	118186000	2,419
ALL 1, 2, & 3 FAN U*U, AND U*L, MODELS, AND U*U4-711, U*L4-722, U*L4-817	PSC • 3/4 HP • 1625 RPM • 208-230/60/1 (7.5 MFD Cap. not included)	205051007	1,716
	PSC • 3/4 HP • 1625 RPM • 460/60/1 (7.5 MFD Cap. not included)	205051008	1,847
ALL MODELS	24" • 4 Leg • Wire	205269000	372

FOLLOWING MOTORS ARE FOR UNITS PRODUCED **AFTER** April 1, 1990

Model #	Part	Description	Part #	List Price (\$US)
ALL 1, 2, 3, FAN U*M, UAH MODELS, U*M4-780, U*M4-882, UAH4-866, UAH4-980, UAH4-1100	Motor	PSC • 115 V • 1/3 HP • 1075 RPM	205051005	1,223
	Motor	PSC • 115 V • 1/3 HP • 1075 RPM • LO-GRSE (5 MFD cap. not included)	205051020	1,376
	Motor	ECM • 115 V • 1/3 HP • 1075 RPM • CCW	08216130	1,522
	Motor	PSC • 230 V • 1/3 HP • 1075 RPM	205051004	636
	Motor	PSC • 230 V • 1/3 HP • 1075 RPM • LO-GRSE (5 MFD cap. not included)	205051019	1,519
	Motor	ECM • 230 V • 1/3 HP • 1075 RPM • CCW	08216131	1,856
	Motor	PSC • 460 V • 1/3 HP • 1075 RPM	205051006	1,201
	Motor	PSC • 460 V • 1/3 HP • 1075 RPM • LO-GRSE (7.5 MFD cap. not included)	205051021	1,675
	Motor	PSC • 575/60/1 V • 1/3 HP • 1075 RPM (7.5 MFD cap. not included)	115950000	1,595

Continued on next page.

OBSOLETE EQUIPMENT

ULTRA TEMP

U*U // U*L // U*M // UAH Models (continued)

FOLLOWING MOTORS ARE FOR UNITS PRODUCED **AFTER** April 1, 1990

Model #	Part	Description	Part #	List Price (\$US)
U*U2-355, U*L2-361, U*L2-408, AND ALL 3, 4, 5, & 6 FAN U*U, AND U*L MODELS, U*M4-1100, U*M4-1320, U*M4-1656, U*M5-2065, U*M6-2480, UAH4-1452, UAH4-1821, UAH5-2275, UAH6-2730	Motor	PSC • 208-230 V • 3/4 HP • 1075 RPM	205051009	1,675
		PSC • 208-230/60/1 V • 3/4 HP • 1075RPM (5 MFD cap. not included)	118187000	2,116
		PSC • 460 V (cap. not included) • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,845
		PSC • 460/60/1 V • 3/4 HP • 1075RPM (5 MFD cap. not included)	118186000	2,419
		PSC • 575/60/1 V • 1/2 HP • 1075RPM (5 MFD cap. not included)	115952000	1,510
		ECM • 230 V • 3/4 HP • 1075 RPM • CCW	08216132	2,048
U*U1-118, U*U2-236, U*L1-125, U*L1-152, U*L1-193, U*L2-240, U*L2-304	Motor	PSC • 208-230/60/1 V • 3/4 HP • 1625 RPM (7.5 MFD cap. not included)	205051007	1,716
		PSC • 460/60/1 V • 3/4 HP • 1625 RPM (7.5 MFD cap. not included)	205051008	1,847
		PSC • 575/60/1 V • 1/2 HP • 1075RPM (5 MFD cap. not included)	115952000	1,510
		ECM • 230 V • 3/4 HP • 1625 RPM • CCW	08216133	1,972
ALL MODELS	Motor Mount	24" • 4 Leg • Wire	205269000	372
ALL MODELS	Capacitor	5 MFD • 440 V	202163004	75
	Capacitor	PSC Only • 7.5 MFD • 230/1 V	202163006	82

OBSOLETE EQUIPMENT

FLEX TEMP

FT Models

Model #	Part	Description	Part #	List Price (\$US)
FT18-6, FT18-8	Drain Pan	Venturi	20985600	224
	Fan Blade	6" Diameter • 21° Pitch • CW • Plastic	105849001	93
	Fan Guard	6" • Plastic	205932000	145
	Motor	115 V • Shaded Pole • 43 Watt Input • 3000 RPM • Skeleton Frame	102249005	268
	Motor	230 V • Shaded Pole • 43 Watt Input • 3000 RPM • Skeleton Frame	102249007	268
FT28-12	Drain Pan	Venturi	20985500	294
	Fan Blade	6" Diameter • 21° Pitch • CW • Plastic	105849001	93
	Fan Guard	6" • Plastic	205932000	145
	Motor	115 V • Shaded Pole • 43 Watt Input • 3000 RPM • Skeleton Frame	102249005	268
	Motor	230 V • Shaded Pole • 43 Watt Input • 3000 RPM • Skeleton Frame	102249007	268
FT18-17	Drain Pan	Venturi	20985400	353
	Fan Blade	8" Diameter • 31° Pitch • CW	204395009	80
	Fan Guard	8" • Plastic	206569000	148
	Motor	115 V • Shaded Pole • 9 Watt • 1550 RPM	103104004	263
	Motor	230 V • Shaded Pole • 9 Watt • 1550 RPM	103104005	263
	Motor	ECM • 115 V • 16 Watt • 1550 RPM	107933006	1,108
	Motor	ECM • 230 V • 16 Watt • 1550 RPM	107933003	1,150
FT18-23, FT18-31	Drain Pan	Venturi	20985300	449
	Fan Blade	10" Diameter • 25° Pitch • CCW	214022000	85
	Motor	Shaded Pole • 115 V • 1/20 HP • 1550 RPM	08216072	340
	Motor	Shaded Pole • 208-230 V • 1/20 HP • 1550 RPM	08216071	340

OBSOLETE EQUIPMENT

HI TEMP

HI Models

Model #	Part	Description	Part #	List Price (\$US)
HI17-6	Fan Blade	6" Diameter • 20° Pitch • CW	105849001	93
HI17-9, HI17-12, HI17-15	Fan Blade	8" Diameter • 31° Pitch • CW	204395009	80
HI17-18, HI17-25	Fan Blade	10" Diameter • 20° Pitch • CW	204395015	85
HI18-55	Fan Blade	12" Diameter • 23° Pitch • CW • 5/16" Bore	215112000	252
HI17-6	Fan Guard	6" • Plastic	205932000	145
HI17-9, HI17-12, HI17-15	Fan Guard	8" • Plastic	206569000	148
HI17-18, HI17-25	Fan Guard	10" • Wire • Epoxy Coated	08397002	157
HI17-15, HI17-18, HI17-25	Motor	Shaded Pole • 115 V • 9 Watt • 1550 RPM	103104004	263
		Shaded Pole • 230 V • 9 Watt • 1550 RPM	103104005	263
HI17-35, HI17-45, HI18-55	Motor	Shaded Pole • 115 V • 1/20 HP • 1550 RPM	08216072	340
		Shaded Pole • 230 V • 1/20 HP • 1550 RPM	08216071	340
HI17-65, HI17-75, HI18-85,	Motor	Shaded Pole • 115 V • 1/12 HP • 1050 RPM	08216119	953

"D" STYLE AIR CONDENSING UNITS 3 THRU 22 HP

DC // DE // DL // DS Models

Model #	Part	Description	Part #	List Price (\$US)
3L22, 3L52, 3L44, 3L57, 4L22, 4L44, 4L57, 5L22, 5L52, 5L44, 5L57, 6M44, 6L22, 6L52, 6L44, 6L57, 7H22, 7M52, 7M44, 7M57, 8H22, 8M52, 8M44, 8M57, 8L22, 8L44, 8L57, 9L22, 9L52, 9L44, 9L57, 10L22, 10L52, 10L44, 10L57, 12L22, 12L52, 12L44, 12L57	Motor	PSC • 230 V • 1/3 HP • 1075 RPM • capacitor not included	205051004	636
	Motor	PSC • 460 V (cap. not included) • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,845
	Capacitor	7.5 MFD • 230/1 V PSC motors only	202163006	82
	Motor	ECM • 230V/1 • 1/3 HP • 1075 RPM • CCW	08216131	1,856

Continued on next page.

OBSOLETE EQUIPMENT

"D" STYLE AIR CONDENSING UNITS 3 THRU 22 HP

DC // DE // DL // DS Models (continued)

Model #	Part	Description	Part #	List Price (\$US)
5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57	Motor	PSC • 208-230 V • 3/4 HP • 1075 RPM • capacitor not included	205051009	1,675
	Motor	PSC • 460 V (cap. not included) • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,845
	Motor	PSC • 575/1/60 • 1/2 HP • 1075 RPM	115952000	1,510
	Capacitor	5 MFD • 440 V	202163004	75
	Motor	ECM • 230V/1 • 3/4 HP • 1075 RPM • CCW	08216132	2,048
All Models	Capacitor	5 MFD • 440 V	202163004	75
Voltage Codes C,D,E,F,G,M,N,Q	Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527
Voltage Codes C,D,E,F,G,M,N,Q	Motor Mount	Motor Mount / Fan Guard • 24" • Combination	204340000	417
Voltage Codes H, J	Motor Mount	24" • Wire • 3-leg	212837000	358
All Models	Control	Dual HI/LO • cap	204464041	959

"V" STYLE AIR CONDENSING UNITS 20 THRU 80 HP

VC // VL // VS Models

Model #	Part	Description	Part #	List Price (\$US)
All Models	Fan Blades	30" Diameter • 24° Pitch • CW • 5/8" Bore • replaced with part #8221151	210385000	196
	Fan Blades	30" Diameter • 24° Pitch • 4 Blade • CW • 5/8" Bore	08221151	838
	Fan Guard	30" • Wire • Epoxy Coated	202136011	303
	Motor	208-230/460/60/3 • 1-1/2 HP • 1140 RPM	110204000	2,683
	Motor	575/3 • 1-1/2 HP • 1140 RPM	118570001	4,004
	Motor Mount	30" • Knockdown Motor Mount Kit • VAC	125215001	740

RUSSETTE AIR CONDENSING UNITS 1/2 THRU 3 HP

RC // RE // RS Models

Model #	Part	Description	Part #	List Price (\$US)
All Models	Fan Blades	20" Diameter • 27° Pitch • CW • 1/2 " Bore	214040000	463
	Fan Guard	20" • Wire • Epoxy Coated • Black	213484000	379

OBSOLETE EQUIPMENT

RUSSCON AIR CONDENSING UNITS 5 THRU 30 HP

H // L // M // HE // LE // ME Models

Model #	Part	Description	Part #	List Price (\$US)
All Models	Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527
H31, M31, L35, M51, L55, H51, M61, L65, M81, L85, H81, H82, H101, M101, L105, L155, M61, L65	Motor	PSC • 230 V • 1/3 HP • 1075 RPM • capacitor not included	205051004	636
	Motor	PSC • 460 V (cap. not included) • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,845
	Capacitor	5 MFD • 440 V	202163004	75
H102, H151, H152, L205, L255, H202, I305	Motor	PSC • 208-230 V • 3/4 HP • 1075 RPM • capacitor not included	205051009	1,675
	Motor	PSC • 460 V (cap. not included) • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,845
	Capacitor	7.5 MFD • 230/1 V PSC motors only	202163006	82
All Models	Motor Mount / Fan Guard	24" • Combination • replaced with part #212837000	204340000	417
	Motor Mount	24" • Wire	212837000	358

MISCELLANEOUS SPARE PARTS

Part	Description	Part #	List Price (\$US)
Thermostat	Ambient Fan Cycle	204464002	740
Contactor	32 Amp, 3 Pole, 208-230/460	08219963	173
	40 Amp, 3 Pole, 208-230/460	08219965	213
	50 Amp, 3 Pole, 208-230/460	08219967	504
	75 Amp, 3 Pole, 208-230/460	08220037	1,262

OBSOLETE EQUIPMENT

HIGH SIERRA | LOW TEMP* RHH // RHS // RHD // RHO Models

Compressor	Model #	Part	Description	Part #	List Price (\$US)	
HERMETIC	All RHH Low Temp Models†	Valve	Reversing • 1/2 x 7/8 x 7/8	21012	1,011	
		Strainer	Cone • 1/2 • 100 M	123277001	46	
		Motor	SP • 230/1 • 1/20 HP • 1550 RPM	08216071	340	
		Fan Blade	12" Diameter • 24° Pitch • CCW	119103001	128	
		Low Cut Out Control	Low Cut Out Control	204464232	511	
		High Cut Out Control	High Cut Out Control	204464208	398	
		Thermostat	Ambient Fan Cycle	204464002	740	
		RHH100L44	Valve	TXV • 3/8 x 1/2 ODF • Sweat	SBFSE-AA-Z	730
		Filter	Liquid • Bi-Flo • 3/8 SW	104471048	164	
	RHH165L44	Valve	TXV • 3/8 x 1/2 ODF • Sweat	SBFSE-A-Z	730	
	RHH215L44	Valve	TXV • 3/8 x 1/2 • Sweat	SBFSE-B-Z	730	
	RHH165L44, RHH215L44	Filter	Liquid • Bi-Flo • 3/8 SW	104471049	274	
	RHH315L44	Valve	TXV • 3/8 x 1/2 FL	SBFSE-C-Z	933	
		Filter	Liquid • Bi-Flo • 1/2 SW • Ven. part #BFK 164S	104471046	278	
	SEMI-HERMETIC	All RHS Low Temp Models†	Valve	Reversing • 1/2 x 7/8 x 7/8	21012	1,011
			Strainer	Strainer • Cone • 1/2 • 100 M	123277001	46
			Motor	SP • 230/1 • 1/20 HP • 1550 RPM	08216071	340
			Fan Blade	12" Diameter • 24° Pitch • CCW	119103001	128
			Low Cut Out Control	Low Cut Out Control	204464232	511
High Cut Out Control			High Cut Out Control	204464208	398	
Thermostat			Ambient Fan Cycle	204464002	740	
RHS075L44			Valve	TXV • 3/8 x 1/2 ODF • Sweat	SBFSE-AA-Z	730
RHS075L44, RHS100L44		Filter	Liquid • Bi-Flo • 3/8 SW	104471048	164	
RHS100L44, RHS150L44		Valve	TXV • 3/8 x 1/2 ODF • Sweat	SBFSE-A-Z	730	
RHS150L44, RHS200L44		Filter	Liquid • Bi-Flo • 3/8 SW	104471049	274	
RHS200L44, RHS250L44		Valve	TXV • 3/8 x 1/2 Sweat	SBFSE-B-Z	730	
RHS250L44, RHS300L44		Filter	Liquid • Bi-Flo • 1/2 SW • Ven. part #BFK 164S	104471046	278	
RHS300L44		Valve	TXV • 3/8 X 1/2 FL	SBFSE-C-Z	933	

* Parts selection may vary based upon specific operating conditions

† All Low Temperature High Sierra Models with indicated Compressor type (Semi-Hermetic, Hermetic, Scroll or Discus) and Condensing unit.

OBSOLETE EQUIPMENT

HIGH SIERRA | LOW TEMP*

RHH // RHS // RHD // RHO Models (continued)

* Parts selection may vary based upon specific operating conditions

Compressor	Model #	Part	Description	Part #	List Price (\$US)
DISCUSS	All RHD Low Temp Models†	Valve	Reversing • 5/8 x 1-1/8	16506	1,212
		Strainer	Strainer • Cone • 5/8 • 40 M	123277002	46
		Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527
		Low Cut Out Control	Low Cut Out Control	204464232	511
		High Cut Out Control	High Cut Out Control	204464208	398
		Thermostat	Ambient Fan Cycle	204464002	740
	RHD300L44	Valve	TXV • 3/8 x 1/2 FL	SBFSE-C-Z	933
		Filter	Liquid • Bi-Flo • 1/2 SW • Ven. part #BFK 164S	104471046	278
	RHD400L44, RHD500L44	Valve	TXV • 5/8 x 7/8 ODF • Sweat	EBSSE-6-Z	933
		Filter	Liquid • Bi-Flo • 1/2 SW • Ven. part #BFK 304S	104471047	373
	All RHO Low Temp Models†	Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527
		Low Cut Out Control	Low Cut Out Control	204464232	511
		High Cut Out Control	High Cut Out Control	204464208	398
		Thermostat	Ambient Fan Cycle	204464002	740
	RHO200L44 - RHO400L44	Valve	Reversing • 1/2 x 7/8 x 7/8	21012	1,011
		Strainer	Strainer • Cone • 1/2 • 100 M	123277001	46
	RHO500L44 - RHO600L44	Valve	Reversing • 5/8 x 1-1/8	16506	1,212
		Strainer	Strainer • Cone • 5/8 • 40 M	123277002	46
	RHO200L44	Valve	TXV • 3/8 x 1/2 ODF • Sweat	SBFSE-A-Z	730
		Filter	Liquid • Bi-Flo • 3/8 SW	104471049	274
RHO250L44, RHO300L44	Valve	TXV • 3/8 x 1/2 Sweat	SBFSE-B-Z	730	
RHO250L44 - RHO301L44	Filter	Liquid • Bi-Flo • 1/2 SW • Ven. Part #BFK 164S	104471046	278	
RHO301L44, RHO400L44	Valve	TXV • 3/8 x 1/2 FI	SBFSE-C-Z	933	
RHO400L44 - RHO600L44	Filter	Liquid • Bi-Flo • 1/2 SW • Ven. Part #BFK 304S	104471047	373	
RHO500L44, RHO600L44	Valve	TXV • 5/8 x 7/8 ODF • Sweat	EBSSE-6-Z	933	

† All Low Temperature High Sierra Models with indicated Compressor type (Semi-Hermetic, Hermetic, Scroll or Discus) and Condensing unit.

OBSOLETE EQUIPMENT

HIGH SIERRA | LOW TEMP*

W/D-Series Condensing Unit // DHD // DHO Models

Compressor	Model #	Part	Description	Part #	List Price (\$US)	
DISCUSS	ALL DHD*L44 LOW TEMP. MODELS†	Motor	PSC • 230 V • 1/3 HP • 1075 RPM	205051004	636	
		Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527	
		Pressure Control	Hi-Lo	204464041	959	
		Thermostat	Ambient Fan Cycle	204464002	740	
	DHD5L44 - DH-D9L44	Valve	Reversing • 7/8 x 1-3/8 x 1-3/8	21054	1,999	
		Strainer	Cone • 7/8 • 40 M	123277003	56	
	DHD10L44 - DH-D15L44	Valve	Reversing • 1-1/8 x 1-5/8 x 1-5/8	21000	2,474	
		Strainer	Cone • 1-1/8 • 40 M	123277004	62	
	DHD5L44	Valve	TXV • 5/8 x 7/8 ODF • Sweat	EBSSE-6-Z	933	
	DHD6L44	Valve	TXV • 5/8 x 7/8 ODF • Sweat	EBSSE-7-1/2-Z	524	
	DHD5L44, DHD6L44	Filter	Liquid • Bi-Flo • 1/2 Sweat	104471047	373	
	DHD8L44, DHD9L44	Valve	TXV • 7/8 x 1-1/8 ODF • Sweat	EBSSE-10-Z	1,166	
		Filter	Liquid • Bi-Flo • 5/8 Sweat	104471066	387	
	DHD10L44, DH-D12L44	Valve	TXV • 7/8 x 1-3/8 ODF • Sweat	EBSSE-13-Z	1,166	
		Filter	Liquid • Bi-Flo • 5/8 Sweat	104471066	387	
	DHD15L44	Valve	TXV • 7/8 x 1-3/8 ODF • Sweat	EBSSE-13-Z	1,166	
	SCROLL	ALL DHO LOW TEMP. MODELS†	Motor	PSC • 230 V • 1/3 HP • 1075 RPM	205051004	636
			Fan Blade	Fan Blade • 24" Diameter • 28° Pitch • CCW	08221246	527
Pressure Control			Hi-Lo	204464041	959	
Thermostat			Ambient Fan Cycle	204464002	740	
DHO6L44		Filter	Liquid • Bi-Flo • 5/8 Sweat	104471066	387	
		Valve	Reversing • 5/8 x 1-1/8	16506	1,212	
DHO6L44, DHO8L44		Strainer	Strainer • Cone • 5/8 • 40 M	123277002	46	
		Valve	TXV • 5/8 x 7/8 ODF • Sweat	EBSSE-6-Z	933	
DHO8L44 - DHO13L44		Valve	Reversing • 7/8 x 1-3/8 x 1-3/8	21054	1,999	
		Strainer	Cone • 7/8 • 40 M	123277003	56	
DHO10L44, DHO13L44		Valve	TXV • 7/8 x 1-1/8 ODF • Sweat	EBSSE-10-Z	1,166	

* Parts selection may vary based upon specific operating conditions

† All Low Temperature High Sierra Models with indicated Compressor type (Semi-Hermetic, Hermetic, Scroll or Discus) and Condensing unit.

OBSOLETE EQUIPMENT

HIGH SIERRA | LOW TEMP*

W/V-Series Condensing Unit // VHD Models

Compressor	Model #	Part	Description	Part #	List Price (\$US)
DISCUSS	ALL VHD*L44 LOW TEMP. MODELST†	Motor	Non-Header End • 208-230/460/60/3 • 1-1/2 HP • 1075 RPM	110204000	2,683
		Fan Blade	30" Diameter • 24° Pitch • CW • 5/8" Bore	08221151	838
		Pressure Control	Hi-Lo	204464041	959
		Thermostat	Ambient Fan Cycle	204464002	740
	VHD15L44 - VHD44L44	Strainer	Cone • 1-3/8 • 40 M	123277005	67
	VHD54L44, VHD60L44	Strainer	Cone	CONTACT FACTORY	
	VHD15L44, VHD22L44	Valve	Reversing • 1-3/8 x 2-1/8 • Full	21049	7,893
		Valve	TXV • 1-1/8 x 1-3/8 Sweat	OSE-21-Z	1,166
		Filter Shell	Liquid • 7/8	104471021	933
	VHD27L44, VHD30L44	Valve	Reversing • 1-5/8 x 2-1/8 x 2-1/8	21055	9,315
		Valve	TXV • 1-1/8 x 1-3/8 Sweat	OSE-30-Z	1,166
		Filter Shell	Liquid • 7/8	104471021	933
	VHD44L44	Valve	Reversing • 1-5/8 x 2-1/8 x 2-1/8	21055	9,315
		Filter Shell	Liquid • 1-1/8	104471022	1,120
	VHD54L44, VHD60L44	Valve	TXV • 1-1/8 x 1-3/8 Sweat	(2) OSE-30-Z	1,166
Filter Shell		Liquid • 1-1/8	104471022	1,120	

* Parts selection may vary based upon specific operating conditions

† All Low Temperature High Sierra Models with indicated Compressor type (Semi-Hermetic, Hermetic, Scroll or Discus) and Condensing unit.

‡ V-Series filter is not Bi-Flow Design. Part number is for replaceable core filter (shell only). Core Part # 14471034 (may require more than one core).

OBSOLETE EQUIPMENT

HIGH SIERRA | MEDIUM TEMP^{1*}

W/R-Series Condensing Unit // RHH // RHS // RHD // RHO Models

Compressor	Model #	Part	Description	Part #	List Price (\$US)
HERMETIC R22 / R404A	All RHH*H22 Medium Temp Models†	Valve	Reversing • 1/2 x 7/8 x 7/8	21012	1011
		Strainer	Cone • 1/2 • 100 M	123277001	46
		Low Cut Out Control		204464232	511
		High Cut Out Control		204464208	398
		Thermostat	Ambient Fan Cycle	204464002	740
	RHH075H22 - RH-H301H22	Motor	Shaded Pole • 230/1 • 1/20 HP • 1550 RPM	08216071	340
		Fan Blade	12" Diameter • 24° Pitch • CCW	119103001	128
	RHH075H22, RH-H100H22	Filter	Liquid • Bi-Flo • 3/8 Sweat	104471048	164
	RHH151H22, RH-H201H22	Filter	Liquid • Bi-Flo • 3/8 Sweat	104471049	274
	RHH251H22, RH-H301H22	Filter	Liquid • Bi-Flo • 1/2 Sweat	104471046	278
	RHH401H22, RH-H500H22	Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527
		Low Cut Out Control		204464232	511
		High Cut Out Control		204464208	398
	All RHH*M44 Medium Temp Models	Thermostat	Ambient Fan Cycle	204464002	740
		Valve	Reversing • 1/2 x 7/8 x 7/8	21012	1,011
		RHH050M44 - RHH300M44	Strainer	Cone • 1/2 • 100 M	123277001
	Motor		Shaded Pole • 230/1 • 1/20 HP • 1550 RPM	08216071	340
	Fan Blade		12" Diameter • 24° Pitch • CCW	119103001	128
	RHH050M44, RHH075M44	Valve	TXV • 3/8 x 1/2 ODF • Sweat	SBFSE-A-C	730
		Filter	Liquid • Bi-Flo • 3/8 Sweat	104471048	164
RHH101M44	Filter	Liquid • Bi-Flo • 3/8 Sweat	104471048	164	

Continued on next page.

OBSOLETE EQUIPMENT

HIGH SIERRA | MEDIUM TEMP^{1*}

W/R-Series Condensing Unit // RHH // RHS // RHD // RHO Models (continued)

Compressor	Model #	Part	Description	Part #	List Price (\$US)	
HERMETIC R22 / R404A	RHH101M44, RHH150M44	Valve	TXV • 3/8 X 1/2 ODF • Sweat	SBFSE-B-C	730	
	RHH150M44, RHH201M44	Filter	Liquid • Bi-Flo • 3/8 SW	104471049	274	
	RHH201M44, RHH300M44	Valve	TXV • 3/8 X 1/2 ODF • Sweat	SBFSE-C-C	933	
	RHH300M44	Filter	Liquid • Bi-Flo • 1/2 SW • Ven. part #BFK 164S	104471046	278	
	RHH400M44	Valve	Reversing • 5/8 x 1-1/8		16506	1,212
		Strainer	Cone • 5/8 • 40 M		123277002	46
		Valve	TXV • 5/8 x 7/8 ODF • Sweat		EBSSE-6-C	933
		Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade		08221246	527
	SEMI-HERMETIC R22	All RHH*H22 Medium Temp Models†	Low Cut Out Control		204464232	511
			High Cut Out Control		204464208	398
Thermostat			Ambient Fan Cycle	204464002	740	
Valve			Reversing • 1/2 x 7/8 x 7/8	21012	1,011	
Strainer			Cone • 1/2 • 100 M	123277001	46	
RHS050H22 - RHS300H22		Fan Blade	12" Diameter • 24° Pitch • CCW		119103001	128
RHS050H22, RHS075H22		Filter	Liquid • Bi-Flo • 3/8 SW		104471048	164
RHS100H22		Filter	Liquid • Bi-Flo • 3/8 SW		104471048	164
RHS150H22, RHS200H22		Filter	Liquid • Bi-Flo • 3/8 SW		104471049	274
RHS300H22		Filter	Liquid • Bi-Flo • 1/2 SW • Ven. part #BFK 164S		104471046	278
RHS400H22	Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade		08221246	527	

OBSOLETE EQUIPMENT

HIGH SIERRA | MEDIUM TEMP^{1*}

W/R-Series Condensing Unit // RHH // RHS // RHD // RHO Models (continued)

* Parts selection may vary based upon specific operating conditions

† All Medium Temperature High Sierra Models with indicated Compressor type (Semi-Hermetic, Hermetic, Scroll or Discus) and Condensing unit.

¹ Medium Temperature models are only available for warm ambient locations.

HIGH SIERRA | MEDIUM TEMP^{1*}

W/R-Series Condensing Unit // RHS // RHO Models

Compressor	Model #	Part	Description	Part #	List Price (\$US)	
SEMI-HERMETIC R404A	All RHS*M44 Medium Temp Models†	Low Cut Out Control		204464232	511	
		High Cut Out Control		204464208	398	
		Thermostat	Ambient Fan Cycle	204464002	740	
	RHS050M44 - RHS300M44	Valve	Reversing • 1/2 x 7/8 x 7/8		21012	1,011
		Strainer	Cone • 1/2 • 100 M		123277001	46
		Motor	Motor • SP • 230/1 • 1/20 HP • 1550 RPM		08216071	340
	RHS050M44, RHS100M44	Fan Blade	12" Diameter • 24° Pitch • CCW		119103001	128
		Valve	TXV • 3/8 x 1/2 ODF • Sweat		SBFSE-A-C	730
	RHS200M44	Filter	Liquid • Bi-Flo • 3/8 SW		104471048	164
		Valve	TXV • 3/8 x 1/2 ODF • Sweat		SBFSE-B-C	576
	RHS300M44	Filter	Liquid • Bi-Flo • 3/8 SW		104471049	274
		Valve	TXV • 3/8 x 1/2 ODF • Sweat		SBFSE-C-C	576
	RHS400M44	Filter	Liquid • Bi-Flo • 1/2 SW • Ven. part #BFK 164S		104471046	278
		Valve	Reversing 5/8 x 1-1/8		16506	1,212
		Strainer	Cone • 5/8 • 40 M		123277002	46
		Valve	TXV • 5/8 x 7/8 ODF • Sweat		EBSSE-6-C	933
		Filter	Liquid • Bi-Flo • 1/2 SW • Ven. part #BFK 304s		104471047	373
			Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527

Continued on next page.

OBSOLETE EQUIPMENT

HIGH SIERRA | MEDIUM TEMP^{1*}

W/R-Series Condensing Unit // RHS // RHO Models (continued)

Compressor	Model #	Part	Description	Part #	List Price (\$US)
SCROLL R404A	All RHO*M44 Medium Temp Models†		Low Cut Out Control	204464232	511
			High Cut Out Control	204464208	398
		Thermostat	Ambient Fan Cycle	204464002	740
		Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527
	RHO200M44	Filter	Liquid • Bi-Flo • 3/8 SW	104471049	274
	RHO200M44 - RHO300M44	Valve	Reversing • 1/2 x 7/8 x 7/8	21012	1,011
		Strainer	Cone • 1/2 • 100 M	123277001	46
		Valve	TXV • 3/8 x 1/2 ODF • Sweat	SBFSE-C-C	576
	RHO250M44 - RHO301M44	Filter	Liquid • Bi-Flo • 1/2 SW • Ven. part #BFK 164S	104471046	278
	RHO301M44 - RHO500M44	Valve	Reversing 5/8 x 1-1/8	16506	1,212
		Strainer	Cone • 5/8 • 40 M	123277002	46
		Valve	TXV • 5/8 x 7/8 ODF • Sweat	EBSSE-6-C	933
	RHO400M44 - RHO600M44	Filter	Liquid • Bi-Flo • 1/2 SW • Ven. part #BFK 304S	104471047	373
	RHO600M44	Valve	Reversing • 7/8 x 1-3/8 x 1-3/8	21054	1,999
		Strainer	Cone • 7/8 • 40 M	123277003	56
		Valve	TXV • 5/8 x 7/8 ODF • Sweat	EBSSE-6-C	933
	RHO650M44	Valve	Reversing • 1-1/8 x 1-5/8 x 1-5/8	21000	2,474
		Strainer	Cone • 1-1/8 • 40 M	123277004	62
		Valve	TXV • 5/8 x 7/8 ODF • Sweat	EBSSE-7 1/2 -C	496
		Filter	Liquid • Bi-Flo • 5/8 SW	104471066	387

* Parts selection may vary based upon specific operating conditions

† All Medium Temperature High Sierra Models with indicated Compressor type (Semi-Hermetic, Hermetic, Scroll or Discus) and Condensing unit.

¹ Medium Temperature models are only available for warm ambient locations.

OBSOLETE EQUIPMENT

HIGH SIERRA | MEDIUM TEMP^{1*}

W/D-Series Condensing Unit // DHD // DHO Models

Compressor	Model #	Part	Description	Part #	List Price (\$US)
DISCUS R22 / R404A	ALL DHD*H22 Medium Temp Models†	Pressure Control	Hi-Lo	204464041	959
		Thermostat	Ambient Fan Cycle	204464002	740
		Motor	PSC • 230 V • 1/3 HP • 1075 RPM	205051004	636
		Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527
	DHD5H22	Valve	Reversing • 5/8 x 1-1/8	16506	1,212
		Strainer	Strainer • Cone • 5/8 • 40 M	123277002	46
		Valve	TXV • 5/8 x 7/8 ODF • Sweat	EBSVE-8-C	736
	DHD5H22 - DHD8H22	Filter	Liquid • Bi-Flo • 5/8 SW	104471066	387
	DHD7H22, DHD8H22	Valve	Reversing • 7/8 x 1-3/8 x 1-3/8	21054	1,999
		Strainer	Strainer • Cone • 7/8 • 40 M	123277003	56
		Valve	TXV • 5/8 x 7/8 ODF • Sweat	EBSVE-11-C	1,282
	DHD10H22	Valve	Reversing • 7/8 x 1-3/8 x 1-3/8	21054	1,999
Strainer		Strainer • Cone • 7/8 • 40 M	123277003	56	
DHD12H22	Valve	Reversing • 1-1/8 x 1-5/8 x 1-5/8	21000	2,474	
	Strainer	Strainer • Cone • 1-1/8 • 40 M	123277004	62	
DHD10H22, DHD12H22	Valve	TXV • 7/8 x 1-1/8 ODF • Sweat	EBSVE-15-C	1,282	
	Filter	Liquid • Bi-Flo • 7/8 SW	104471193	398	
All DHD*M44 Medium Temp Models†	Pressure Control	Hi-Lo Pressure Control	204464041	959	
	Thermostat	Ambient Fan Cycle	204464002	740	
	Motor	PSC • 230 V • 1/3 HP • 1075 RPM	205051004	636	
	Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527	
DHD5M44 - DHD7M44	Valve	Reversing • 7/8 x 1-3/8 x 1-3/8	21054	1,999	
	Strainer	Strainer • Cone • 7/8 • 40 M	123277003	56	
	Valve	TXV • 7/8 x 1-1/8 ODF • Sweat	EBSSE-10-C	1,282	
DHD5M44 - DHD8M44	Filter	Liquid • Bi-Flo • 5/8 SW	104471066	387	
DHD8M44, DHD10M44	Valve	Reversing • 1-1/8 x 1-5/8 X 1-5/8	21000	2,474	
	Strainer	Strainer • Cone • 1-1/8 • 40 M	123277004	62	
	Valve	TXV • 7/8 x 1-3/8 ODF • Sweat	EBSSE-13-C	1,282	
DHD10M44, DHD12M44	Filter	Liquid • Bi-Flo • 7/8 SW	104471193	398	
DHD12M44	Valve	Reversing • 1-3/8 x 2-1/8 • Full	21049	7,893	
	Strainer	Strainer • Cone • 1-3/8 • 40 M	123277005	67	
	Valve	TXV • 7/8 x 1-3/8 ODF • Sweat	EBSSE-13-C	1,282	

OBSOLETE EQUIPMENT

HIGH SIERRA | MEDIUM TEMP^{1*}

W/D-Series Condensing Unit // DHD // DHO Models (continued)

Compressor	Model #	Part	Description	Part #	List Price (\$US)
SCROLL R404A	All DHO*M44 Medium Temp Models†	Pressure Control	Hi-Lo	204464041	959
		Thermostat	Ambient Fan Cycle	204464002	740
		Motor	PSC • 230 V • 1/3 HP • 1075 RPM	205051004	636
		Fan Blade	24" Diameter • 28° Pitch • 1/2" Bore • CCW • 3 Blade	08221246	527
	DHO6M44	Valve	Reversing • 5/8 x 1-1/8	16506	1,212
		Strainer	Strainer • Cone • 5/8 • 40 M	123277002	46
		Valve	TXV • 5/8 x 7/8 ODF • Sweat	EBSSE-7 1/2-C	496
		Filter	Liquid • Bi-Flo • 1/2 SW • Ven. part #BFK 304S	104471047	373
	DHO7M44, DHO8M44	Valve	Reversing • 7/8 x 1-3/8 x 1-3/8	21054	1,999
		Strainer	Strainer • Cone • 7/8 • 40 M	123277003	56
		Valve	TXV • 7/8 x 1-1/8 ODF • Sweat	EBSSE-10-C	1,282
		Filter	Liquid • Bi-Flo • 5/8 SW	104471066	387
	DHO10M44, DHO13M44	Valve	Reversing • 1-1/8 x 1-5/8 x 1-5/8	21000	2,474
		Strainer	Strainer • Cone • 1-1/8 • 40 M	123277004	62
		Valve	TXV • 7/8 x 1-3/8 ODF • Sweat	EBSSE-13-C	1,282
		Filter	Liquid • Bi-Flo • 7/8 SW	104471193	398

* Parts selection may vary based upon specific operating conditions

† All Medium Temperature High Sierra Models with indicated Compressor type (Semi-Hermetic, Hermetic, Scroll or Discus) and Condensing unit.

¹ Medium Temperature models are only available for warm ambient locations.

OBSOLETE EQUIPMENT

HIGH SIERRA | MEDIUM TEMP^{1*}

W/V-Series Condensing Unit // VHD Models

Compressor	Model #	Part	Description	Part #	List Price (\$US)
DISCUSS R22 / R404A	All VHD*H22 Medium Temp Models†	Pressure Control	Hi-Lo	204464041	959
		Thermostat	Ambient Fan Cycle	204464002	740
		Motor	Non-Header End • 208-230/460/60/3 • 1-1/2 HP • 1075 RPM	110204000	2,683
		Fan Blades	30" Diameter • 24° Pitch • CW • 5/8" Bore (replaces part#210385000)	08221151	838
	VHD15H22	Strainer	Cone • 1-1/8 • 40 M	123277004	62
	VHD15H22, VHD20H22	Filter	Liquid • 7/8 §	104471021	933
	VHD20H22 - VHD30H22	Strainer	Cone • 1-3/8 • 40 M	123277005	67
	VHD25H22, VHD30H22	Valve	TXV • 1-1/8 x 1-3/8 • Sweat	OVE-30-C	1,282
	VHD25H22	Filter Shell	Liquid • 7/8 §	104471021	933
	VHD30H22	Filter Shell	Liquid • 1-1/8 §	104471022	1,120
	VHD35H22 - VHD50H22	Valve	Reversing • 1-5/8 x 2-1/8 x 2-1/8	21055	9,315
		Strainer	Cone • 1-3/8 • 40 M	123277005	67
		Filter Shell	Liquid • 1-1/8 §	104471031	1,621
	VHD50H22, VHD60H22‡	Valve	TXV • 1-1/8 x 1-3/8 • Sweat	(2) OVE-30-C	1,282
	VHD60H22‡	Filter Shell	Liquid • 1-3/8 §	104471032	2,014

Continued on next page.

OBSOLETE EQUIPMENT

HIGH SIERRA | MEDIUM TEMP^{1*}

W/V-Series Condensing Unit // VHD Models (continued)

Compressor	Model #	Part	Description	Part #	List Price (\$US)
DISCUSS R22 / R404A	All VHD*M44 Medium Temp Models	Pressure Control	Hi-Lo	204464041	959
		Thermostat	Ambient Fan Cycle	204464002	740
		Motor	Non-Header End • 208-230/460/60/3 • 1-1/2 HP • 1075 RPM	110204000	2,683
		Fan Blades	30" Diameter • 24° Pitch • CW • 5/8" Bore (replaces part #210385000)	08221151	838
	VHD15M44, VHD20M44	Strainer	Cone • 1-3/8 • 40 M	123277005	67
		Valve	TXV • 1-1/8 x 1-3/8 ODF • Sweat	OSE-21-C	1,282
		Filter Shell	Liquid • 7/8 §	104471021	933
	VHD25M44 - VHD35M44	Valve	Reversing • 1-5/8 x 2-1/8 x 2-1/8	21055	9,315
		Strainer	Cone • 1-3/8 • 40 M	123277005	67
		Valve	TXV • 1-1/8 x 1-3/8 • Sweat	OSE-30-C	1,282
	VHD25M44	Filter Shell	Liquid • 7/8 §	104471021	933
	VHD30M44	Filter Shell	Liquid • 1-1/8 §	104471022	1,120
	VHD35M44 - VHD50M44§	Filter Shell	Liquid • 1-1/8 §	104471031	1,621
	VHD60M44‡	Filter Shell	Liquid • 1-3/8 §	104471032	2,014
	VHD70M44‡	Valve	TXV • 1-1/8 x 1-3/8 • Sweat	(2) OSE-30-C	1,282

* Parts selection may vary based upon specific operating conditions

† All Medium Temperature High Sierra Models with indicated Compressor type (Semi-Hermetic, Hermetic, Scroll or Discus) and Condensing unit.

¹ Medium Temperature models are only available for warm ambient locations.

§ V-Series filter is not Bi-Flow Design. Part number is for replaceable core filter (shell only). Core Part # 14471034 (may require more than one core).

‡ Contact Factory for Reverse Valve Strainer

OBSOLETE EQUIPMENT

APEX REFRIGERATION SYSTEM

XN // XT Models

Model #	Part	Description	Part #	List Price (\$US)
XN026M THRU XN037M, XN018L	Motor: Condenser & Evap.	PSC • 115 V • 16 Watt • 1550 RPM	107933001	638
	Capacitor	5 MFD • 440 V	202163004	75
	Motor: Evaporator	SP • 115 V • 16 Watt • 1550 RPM	103104007	314
XN050M, XN024L	Motor: Evaporator	ECM • 115 V • 16 Watt • 1550 RPM	107933006	1,108
	Motor: Condenser & Evap.	PSC • 115 V • 1/20 HP • 1550 RPM	08216074	468
	Capacitor	3 MFD • 370 V	202163010	74
	Motor: Evaporator	SP • 115 V • 1/20 HP • 1550 RPM	08216072	340
X*050M THRU X*134M, X*024L THRU X*068L	Motor: Evaporator	ECM • 115 V • 50 Watt • 1550 RPM	08216124	1,039
	Motor: Condenser & Evap.	PSC • 208-230 V • 1/20 HP • 1550 RPM	08216073	530
	Capacitor	2 MFD • 370 V	202163009	82
XN026M THRU XN037M, XN018L	Motor: Evaporator	SP • 208-230 V • 1/20 HP • 1550 RPM	08216071	340
	Motor Mount	Condenser Motor Mount	10243000	157
X*050M THRU X*134M, X*024L THRU X*068L	Motor Mount	Evaporator Motor Mount	12003000	85
	Motor Mount	Condenser & Evaporator • SP & PSC motors	21062000	217
XN026M THRU XN037M, XN018L	Motor Mount	Condenser & Evaporator • Leg • ECM motors • x3 required per motor	08522938	69
	Fan	Condenser • 10" Diameter • 31° Pitch • CCW	204395018	85
X*050M THRU X*134M, X*024L THRU X*068L	Fan	Evaporator • 8" Diameter • 36° Pitch • CW	08221167	74
	Fan	Condenser • 12" Diameter • 23° Pitch • CCW	08221169	122
	Fan	Evaporator • 10" Diameter • 31° Pitch • CW • SP & PSC motors	08221168	80
	Fan	Evaporator • 10" Diameter • 30° Pitch • CW • ECM motors	08221174	80
All Models	Pressure Control	High Pressure Control • 400 PSIG	08219424	156
XT106M AND XT134M, XT051L AND 068L	Temperature Control	Condenser Motor Temperature Control	08219019	122
XN018L THRU X*068L	Control	Heater Safety	103079003	203
XN050M AND XN024L	Motor Relay: Evaporator	Evaporator Motor Relay • 115 V Coil	08218979	82
X*050M THRU X*134M, X*024L THRU X*068L	Motor Relay: Evaporator	Evaporator Motor Relay • 208-230 V Coil	08218181	86

Continued on next page.

OBSOLETE EQUIPMENT

APEX REFRIGERATION SYSTEM

XN // XT Models (continued)

Model #	Part	Description	Part #	List Price (\$US)
XN026M THRU XN037M, XN018L	Compressor Contactor	115 V Coil	08218979	82
X*050M THRU X*134M, X*024L THRU X*068L	Compressor Contactor	208-230 V Coil	08538312	93
All 115 V Freezers	Electronic Controller	Programmed - Low Temp	08522796	1,049
All 208-230 V Freezers	Electronic Controller	Programmed - Low Temp	08522797	1,049
All 115 V Coolers	Electronic Controller	Programmed - High Temp	08522798	1,049
All 208-230 V Coolers	Electronic Controller	Programmed - High Temp	08522799	1,049
	Sensor	Electronic Controller Box & Defrost Temperature	08219958	121
All Models	Latches	Evaporator Cover	08326021	40
	Gasket	Top & Bottom of Evaporator Section • Order / FT	08343051	31
XN026M THRU XN037M, XN018L	Coil	Defrost Heater • 120 V • 400 Watt • 22.5" L	08215137	432
XN050ME44A, XN024L	Coil	Defrost Heater • 120 V • 375 Watt • 26.5" L	08215144	396
X*050M THRU X*076M, X*024L THRU X*043L	Coil	Defrost Heater • 240 V • 375 Watt • 26.5" L	08215138	434
X*106M THRU X*134M, X*051L AND X*068L	Coil	Defrost Heater • 240 V • 600 Watt • 40.5" L	08215139	609
XN026M THRU XN037M, XN018L	Drain Pan: Heater	Defrost Heater • 120 V • 400 Watt • 19.5" L	08215140	398
XN050ME44A, XN024L	Drain Pan: Heater	Defrost Heater • 120 V • 500 Watt • 22" L	08215145	415
X*050M THRU X*076M, X*024L THRU X*043L	Drain Pan: Heater	Defrost Heater • 240 V • 500 Watt • 22" L	08215141	440
X*106M THRU X*134M, X*051L AND X*068L	Drain Pan: Heater	Defrost Heater • 240 V • 600 Watt • 35" L	08215142	527
XT050M THRU XT134M, XT024L THRU XT068L	Heater	Drain line	08215143	274
XT050M THRU XT134M, XT024L THRU XT068L	Control	Heater Safety	103079003	203

** Requires the purchase of a new Motor Mount (21062000) to fit the motor

OBSOLETE EQUIPMENT

WALL TEMP

WA Models

Model #	Part	Description	Part #	List Price (\$US)
WA17-6	Drain Pan	Venturi	105633001	252
	Fan Blade	8" Diameter • 20° Pitch • CCW	204395008	80
	Fan Guard	8" • Plastic	206569000	148
	Motor	ECM • 115 V • 16 Watt • 1550 RPM	107933006	1,108
WA17-9	Drain Pan	Venturi	105633001	252
	Fan Blade	8" Diameter • 20° Pitch • CCW	204395008	80
	Fan Guard	8" • Plastic	206569000	148
WA17-12, WA17-18	Drain Pan	Venturi	105633002	252
	Fan Blade	8" Diameter • 31° Pitch • CCW	204395010	80
	Fan Guard	8" • Plastic	206569000	148
WA17-9, WA17-12, WA17-18	Motor	Shaded Pole • 115 V • 9 Watt • 1550 RPM	103104004	263
	Motor	Shaded Pole • 230 V • 9 Watt • 1550 RPM	103104005	263
	Motor	ECM • 115 V • 16 Watt • 1550 RPM	107933006	1,108
	Motor	ECM • 230 V • 16 Watt • 1550 RPM	107933003	1,150
WA17-25, WA17-35	Drain Pan	Venturi	105633003	558
	Fan Blade	10" Diameter • 20° Pitch • CCW • 5/16" Bore	204395016	85
	Fan Guard	10" • Wire • Epoxy Coated • White	08397053	157
	Motor	115 V • Shaded Pole • 1/20 HP • 1550 RPM	08216072	340
	Motor	230 V • Shaded Pole • 1/20 HP • 1550 RPM	08216071	340
WA17-45	Drain Pan	Venturi	105633004	296
	Fan Blade	12" Diameter • 23° Pitch • CCW • 1/2" Bore	11860	256

** Requires the purchase of a new Motor Mount (21062000) to fit the motor

OBSOLETE EQUIPMENT

MULTI-CON COMPUTER ROOM AIR COOLED CONDENSER

CAC Models

Model #	Part	Description	Part #	List Price (\$US)
CAC 5 thru CAC 80	Fan Blades	24" Diameter • 30° Pitch • CW • 1/2" Bore (replaces part #213455000)	08221050	527
	Fan Guard	24" • Epoxy Coated • Wire • Black	202136005	774
	Motor	Header End • Variable Speed • PSC • 230 V • 3/4 HP • 1075 RPM	205051015	2,048
	Capacitor	15 MFD • for 208/230/1/60	08352607	82
	Motor	Non-Header End • PSC • 208-230 V • 3/4 HP • 1075 RPM	205051009	1,675
	Capacitor	5 MFD • 440 V	202163004	75
	Motor	Header End • Variable Speed • PSC • 460 V (cap. not included) • 3/4 HP • 1075 RPM • 15 MFD Capacitor	205051016	2,217
	Capacitor	15 MFD • for 460/1/60	08352607	82
	Motor	Non-Header End • PSC • 460 V (cap. not included) • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,845
	Motor Mount	24" • 4 Leg • Wire • All CAC models	205269000	372
CBC 27 thru CBC 164	Fan Blades	Header end only • 24" Diameter • 30° Pitch • CW • 1/2" Bore (replaces part #213455000)	08221050	527
		Non-header end • 30" Diameter • 24° Pitch • CW • 5/8 " Bore (replaces part #210385000)	08221151	838
	Fan Guard	24" • Wire • Epoxy Coated • Black	202136005	774
		30" • Wire • Epoxy Coated • Black	202136011	303
	Motor	Header End • Variable Speed • PSC • 230 V • 3/4 HP • 1075 RPM	205051015	2,048
		Non-Header End • 208-230/460/60/3 • 1-1/2 HP • 1075 RPM	110204000	2,683
	Motor Mount	Header End • Variable Speed • PSC • 460 V (cap. not included) • 3/4 HP • 1075 RPM • 15 MFD Capacitor	205051016	2,217
		Header End • 24" • 4 Leg • Wire	205269000	372
		Non-Header End • 30" • Knockdown Motor Mount Kit	125215001	740

- 1 Applicable Law and Terms of Sale: All orders shall be subject to the following terms and conditions notwithstanding any additional or contrary printed terms and conditions of Buyer. Such additional or contrary terms shall not bind Seller unless accepted in writing even though such terms do not materially alter the terms hereof. No oral statements, warranties, stipulations, representations or terms shall have any binding effect or be any part of the contract whatsoever.
- 2 Orders: All orders must be in writing and will be binding when our order acknowledgment is mailed. Orders are accepted subject to strikes, fires, accidents, and other causes beyond our reasonable control. Acceptance of your order is conditioned upon an agreement to hold us harmless by reason of delivery delays.
- 3 Prices: Subject to change without notice, and all quotations, unless otherwise specified, are binding only for immediate acceptance. Prices are based on material made to Seller's standard tolerances, unless otherwise specified.
- 4 Freight: All products are shipped FOB Point of Shipment with full freight allowed on single orders with a net price value of \$10,000.00 or more, except surface coils and parts, within the continental USA (excluding Alaska and Hawaii). Shipments to destinations outside the continental USA, that meet freight allowance requirements, will incur charges for the additional transport beyond the USA border. Seller reserves the choice of transportation mode, carrier, and shipping point. If special routing (dedicated/contract haul, flatbed delivery, appointment to meet a crane, etc.) is required/requested for a purchase order of \$10,000.00 or greater, Buyer will be assessed a special delivery charge per truck. Charges of \$80 per hour resulting from excessive unloading time, beyond the allotted "free time" (two hours per stop on partial loads and/or full truck loads), as defined by the carrier, is subject to being passed on to the customer. The responsibility of the Seller shall cease upon delivery of product in good condition to a common carrier (TL, LTL, FLATBED, ETC). Since all goods are shipped at Buyer's risk, they should be examined carefully before signing delivery receipt. If common carrier tenders delivery of goods in damaged condition or if packages delivered do not correspond with the number called for on the freight bill, Buyer should insist on common carrier's agent (DRIVER) making notation of the condition of shortages or damage on delivery receipt. The Buyer should never refuse freight from the common carrier. Filing freight claims are under the responsibility of the Buyer, and this will enable them to secure prompt payment of claim for damaged or lost material. Sometimes damage or loss is not readily apparent, so it is suggested that Buyer thoroughly inspect each shipment as soon as it is received for concealed loss or damage. Refer to HTPG's 2019 Freight Policy for further information.
- 5 Taxes: Any sales, use, excise, or similar tax payable by Seller which is or may be imposed by any taxing authority upon manufacture, sale or delivery of goods covered by any order or any increase in rate of any such tax now in force, shall be added to the sales price; if not collected at the time of payment of sales price, Buyer will hold Seller harmless.
- 6 Limited Warranty: Seller warrants against defect in materials and workmanship in products which it manufactures for (1) year from date of installation or up to (18) eighteen months from the date of shipment, whichever event occurs first, when properly installed and operated under normal use. This guarantee does not include any labor or other charges made outside of the Seller's factory for replacement or repair of defective parts unless specifically stated in the body of the Seller's invoice. On parts not manufactured by Seller, such as motors, controls, valves and compressors we extend to the Buyer the same warranties made to us by the manufacturer. Seller's only liability under this warranty or otherwise shall be the repair or replacement (at Seller's option) of non-conforming goods or parts. Seller assumes no liability for incidental or consequential damages such as injury to person or property, or lost profits.
- 7 THIS GUARANTEE SUPERSEDES AND IS IN LIEU OF ANY AND ALL OTHER WARRANTIES BY LAW OR CUSTOM, EITHER EXPRESSED OR IMPLIED INCLUDING, BUT NOT LIMITED BY THIS ENUMERATION, ANY GUARANTEE AS TO QUALITY OR FITNESS FOR ANY PARTICULAR PURPOSE, EXCEPT AS SET FORTH ABOVE. NO PERSON, AGENT, OR DEALER IS AUTHORIZED TO GIVE ANY WARRANTIES ON BEHALF OF SELLER NOR TO ASSUME FOR SELLER ANY OTHER LIABILITY IN CONNECTION WITH ANY OF THE SELLER'S PRODUCTS.
- 8 Delivery: Seller shall not be liable for any delays in or failure of delivery due to acts of God or public authority, labor disputes, accidents, fires, floods, extreme weather conditions, failure of and delays by carriers, shortages of material, delays of a supplier, and any other cause beyond Seller's control. In no event shall Seller be liable for consequential or special damages arising out of a delay in or failure of delivery. Failure to meet estimated ship dates will not be considered sufficient cause of cancellation of orders.
- 9 Cancellations and Returned Goods: Permission to return any part or product must be obtained from Seller and may be subject to a restocking charge. Credits for new material accepted for return will be at the original sales price or current market price, whichever is lower, less handling and restocking charges. Buyer must prepay all transportation charges. Any costs for putting material in condition for resale will be charged to the Buyer. Shipment of material returned without factory authorization or not properly tagged with a Return Material Authorization Number or not freight prepaid cannot be received by Seller. Obsolete products or material made to special order are not returnable.
- 10 Catalog Materials and Drawings: Seller is not responsible for typographical errors or other errors of omission in Seller's catalogs or drawings.
- 11 Late Charge Provision: Buyer agrees to pay a late charge of 1-1/2% per month (18% per year) for any invoice or bill not paid within (30) thirty days of the date of the billing invoice.
- 12 Choices of law, Disputes: This agreement and the performance of the parties hereunder shall be construed in accordance with and governed by the laws of the State of Georgia and shall be deemed made in the state. Buyer irrevocably consents to the exclusive jurisdiction of the courts of Fulton County, on all matters arising out of or relating to this sale and Buyer further irrevocably consents to service of process by certified mail, return receipt requested, at Buyer's address set forth in the order acknowledgment.

