




PARTS PRICE LIST

APRIL 23, 2025

COMMERCIAL REFRIGERATION



ORDERS

All orders are subject to a \$30.00 net minimum billing and subject to HTPG's Terms and Conditions of Sale. Warranty on all purchased parts is 1 year from date of invoice. If an exact part number is not available; model number, serial number, and voltage must be provided to determine the exact vintage of the unit.

All parts are shipped FOB point of shipping:

- Parts are typically shipped in cardboard cartons unless size or weight will not permit
- Any parts order requiring crating cannot be shipped by FedEx e.g. metal components such as venturi panels, drain pans, long defrost heaters
- Defrost heaters are coiled for shipment, heater hooks are sold separately
- PSC motors are shipped less their capacitors, unless specifically ordered.



256-259-7400
Customer Service

1-800-288-9488
Equipment Orders

1-855-HTPARTS (1-855-487-2787)
Parts Orders



equipment@htpg.com


parts@htpg.com



HTPG.com


VIEW TERMS & WARRANTY

From March 2005 to April 2019



For help on specific units or equipment produced prior to 2005, please contact
Parts Customer Service at 1-855-HTPARTS (1-855-487-2787)

January 2019 to present



STWZOO



REACH-IN UNIT COOLERS

MODEL NOMENCLATURE

Not all combinations of nomenclature are available. For specific offering, see following pages or consult with one of our sales representatives.

SL	A	1	5	9	RP	A	S
Product Line	Defrost Type	No. of Fans	Fins Per Inch (FPI)	Capacity	Coil Coating	Voltage	Motor Type
SL - Slim Temp WE - Wedge Temp FT - Flex Temp MUF - Mullion-Temp (Up flow) MDF - Mullion-Temp (Down flow) TT - T-Temp TW - Twin-Temp MTW - Mini Twin-Temp	Blank - Air A - Air E - Electric			# x 100 = BTUH	Blank - No Coating RP - Russ-Proof Coil Coating	A - 115/1/60 D - 230/1/60	E - EC P - PSC S - Shaded-Pole

MODELS

SLIM TEMP

 Part will not be restocked once depleted

SLA MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
SLA 17-10	Sheet Metals ∞ Drain Pan / Venturi	6" • Slim Temp SLA	20997400	298
SLA 17-13		Slim Temp SLA 17 • SLE 15	20997600	330
SLA27-17		Drain Pan / Venturi	20997800	388
SLA27-23		Slim Temp SLA	20996600	456
SLA 37-30		Slim Temp SLA 37	20996800	542
SLA 47-40		Slim Temp SLA	20997000	597
SLA 57-50		Slim Temp SLA 57	20997200	738

Model(s)	Part	Description	Part #	List Price (\$US)
All SLA Models	Fan Guards	6" • Plastic	205932000	160
	Motors	Shaded Pole • 115 Volt • 3000 RPM • Skeleton Frame	102249005	296
		Shaded Pole • 230 Volt • 3000 RPM • Skeleton Frame	102249007	296
	Motor Mounts	Motor Mount	12003600	88

SLE MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
All "SLE" Models	Controls	Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw	08219273	240
		Fan Delay • Open at 45°F, Close at 35°F	103079009	240
SLE 25-21 thru 45-54	Fan Blades	8" Diameter • 36° Pitch • Counterclockwise • Hubless	204395010	88
SLE 35-70		10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	93
SLE 15-9 thru 25-16	Fan Guards	6" • Plastic	205932000	160
SLE 25-21 thru 45-54		8" • Plastic	206569000	163
SLE 35-70		10" • Wire • White	08397053	173
SLE 15-12	Heaters	Defrost Heater • 115 Volt • 500 Watts • 14-1/4" Long	220150002	411
SLE 15-12		Defrost Heater • 230 Volt • 500 Watts • 14-1/4" Long	220150032	477
SLE 15-9		Defrost Heater • 115 Volt • 400 Watts • 10-1/4" Long	220150001	410
SLE 15-9		Defrost Heater • 230 Volt • 400 Watts • 10-1/4" Long	220150031	470

SLIM TEMP

 Part will not be restocked once depleted

SLE MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
SLE 25-16	Heaters ∞ Defrost Heaters	115 Volt • 700 Watts • 17-3/4" Long	220150003	476
SLE 25-16		230 Volt • 700 Watts • 17-3/4" Long	220150033	456
SLE 25-21		115 Volt • 700 Watts • 17-3/4" Long	220150003	476
SLE 25-21		230 Volt • 700 Watts • 17-3/4" Long	220150033	456
SLE 25-28		115 Volt • 900 Watts • 25-1/4" Long	220150004	523
SLE 25-28		230 Volt • 900 Watts • 25-1/4" Long	220150034	625
SLE 35-36		115 Volt • 1200 Watts • 32-1/4" Long	220150005	581
SLE 35-36		230 Volt • 1200 Watts • 32-1/4" Long	220150035	678
SLE 35-70		230 Volt • 2300 Watts • 69-1/4" Long	220150037	836
SLE 45-54		115 Volt • 1500 Watts • 42" Long	220150006	739
SLE 45-54		230 Volt • 1500 Watts • 42" Long	220150036	747
SLE 15-9 thru 25-16	Motor Mounts	Motor Mount	12003600	88
SLE 25-21 thru 45-54		SL	12003000	93
SLE 35-70		16 Watt Motors • ECM & Shaded Pole	10243000	173
SLE 15-9 thru 25-16	Motors	Shaded Pole • 115 Volt • 3000 RPM • Skeleton Frame	102249005	296
SLE 15-9 thru 25-16		Shaded Pole • 230 Volt • 3000 RPM • Skeleton Frame	102249007	296
SLE 25-21 thru 45-54		Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	290
SLE 25-21 thru 45-54		Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	103104005	290
SLE 25-21 thru 45-54		ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 	1,221
SLE 25-21 thru 45-54		ECM • 230 Volt • 16 Watt • 1550 RPM	107933003 	1,268
SLE 35-70		Shaded Pole • 115 Volt • 16 Watt • 1550 RPM	103104007	347
SLE 35-70		Shaded Pole • 230 Volt • 16 Watt • 1550 RPM	103104008	347
SLE 15-12	Sheet Metals ∞ Drain Pan / Venturi	Slim Temp SLA 17 • SLE 15	20997600	350
SLE 15-9		6" • Slim Temp SLA	20997400	316
SLE 25-16		Drain Pan / Venturi	20997800	411
SLE 25-21		2-Fan • 8"	20998000	483
SLE 25-28		2-Fan • 8" • Slim Temp SLE 25	20998200	591
SLE 35-36		3-Fan • 8" • Slim Temp SLE	20998400	659
SLE 35-70		Slim Temp SLE 35	20998800	900
SLE 45-54		4-Fan • 8" • Slim Temp SLE	20998600	815

FLEX TEMP

⊘ Part will not be restocked once depleted

FT MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
FT18-6, FT18-8	Fan Guards	6" • Plastic	205932000	160
	Motors	Shaded Pole • 115 Volt • 3000 RPM • Skeleton Frame	102249005	296
		Shaded Pole • 230 Volt • 3000 RPM • Skeleton Frame	102249007	296
FT28-12	Sheet Metals	Drain Pan / Venturi • Flex Temp	20985500	324
	Fan Guards	6" • Plastic	205932000	160
	Motors	Shaded Pole • 115 Volt • 3000 RPM • Skeleton Frame	102249005	296
		Shaded Pole • 230 Volt • 3000 RPM • Skeleton Frame	102249007	296
FT18-17	Sheet Metals	Drain Pan / Venturi • Flex Temp	20985400	389
	Fan Guards	8" • Plastic	206569000	163
	Motors	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	290
		Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	103104005	290
		ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,221
		ECM • 230 Volt • 16 Watt • 1550 RPM	107933003 ⊘	1,268
FT18-23, FT18-31	Sheet Metals	Drain Pan / Venturi • Flex Temp	20985300	495
	Fan Blades	10" Diameter • 25° Pitch • 5/16" Bore • Counterclockwise	214022000	93
	Motors	Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM	08216072	375
		Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	375

WEDGE TEMP

 Part will not be restocked once depleted

WE MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
WE17-12	Sheet Metals	Drain Pan	20193200	512
	Fan Blades	8" Diameter • 36° Pitch • Counterclockwise • Hubless	204395010	83
	Fan Guards	8" • Plastic	206569000	154
WE17-15	Sheet Metals	Drain Pan	20193200	512
	Fan Blades	8" Diameter • 36° Pitch • Counterclockwise • Hubless	204395010	83
	Fan Guards	8" • Plastic	206569000	154
	Motors	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	274
		Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	103104005	274
WE17-18	Fan Blades	8" Diameter • 36° Pitch • Counterclockwise • Hubless	204395010	83
	Fan Guards	8" • Plastic	206569000	154
	Motors	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	274
		Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	103104005	274
WE17-25	Fan Blades	10" Diameter • 20° Pitch • 1/4" Bore • Counterclockwise • Hubless	204395016	88
	Fan Guards	10" • Wire • White	08397053	163
	Motors	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	274
	Sheet Metals	Drain Pan Assembly • Wall Temp 17-25, 35	105633003	580
		Drain Pan	20192600	274
WE17-35	Sheet Metals	Drain Pan	20192400	580
	Fan Blades	10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	88
	Fan Guards	10" • Wire • White	08397053	163
	Motors	Shaded Pole • 115 Volt • 16 Watt • 1550 RPM	103104007	327
		Shaded Pole • 230 Volt • 16 Watt • 1550 RPM	103104008	327
WE17-12, -15, -18, -25, -35	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 	1,152
		ECM • 230 Volt • 16 Watt • 1550 RPM	107933003 	1,196
WE17-45, WE18-55	Sheet Metals	Drain Pan	20194000	622
	Fan Blades	12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors	08221169	127
	Motors	Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM	08216072	354
		Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	354
WE28-110	Fan Blades	12" Diameter • 19° Pitch • Counterclockwise	11860	266

TWIN TEMP

⊘ Part will not be restocked once depleted

TW MODELS

Part	Description	Model(s)	Part #	List Price (\$US)
Sheet Metals	Drain Pan / Venturi • 8"	TW17-9, TW17-12, TW17-18	20870100	282
	Drain Pan / Venturi	TW17-25, TW17-35	20873500	282
	Drain Pan / Venturi • 12"	TW17-45, TW17-55, TW18-65	20874600	543
	Venturi / Drain Pan Panel • 16"	TW17-75, 18-85, TW17-105, TW18-120	10574400	581
Fan Blades	8" Diameter • 22° Pitch • Counterclockwise • Hubless	TW17-9	204395008	88
	8" Diameter • 36° Pitch • Counterclockwise • Hubless	TW17-12, TW17-18	204395010	88
	10" Diameter • 20° Pitch • 1/4" Bore • Clockwise • Hubless	TW17-25, TW17-35	204395015	93
	12" Diameter • 18° Pitch • 5/16" Bore • Counterclockwise	TW17-45	214118000	282
	12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors	TW17-55, TW18-65	08221169	135
	16" Diameter • 19° Pitch • Counterclockwise	TW17-75, TW18-85, TW17-105, TW18-120	11904	382
Fan Guards	8" • Plastic	TW17-9, TW17-12, TW17-18	206569000	163
	10" • Wire • White	TW17-25, TW17-35	08397053	173

Part	Description	Model(s)	Part #	List Price (\$US)
Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	TW17-9, TW17-12	107933006 ⊘	1,221
	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	TW17-18, TW17-25, TW17-35	103104004	290
	Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	TW17-45, TW17-55, TW18-65	103104005	290
	ECM • 115 Volt • 16 Watt • 1550 RPM	TW17-75, TW18-85, TW17-105, TW18-120, TW27-240	107933006 ⊘	1,221
	ECM • 230 Volt • 16 Watt • 1550 RPM	TW17-75, TW18-85, TW17-105, TW18-120, TW27-240	107933003 ⊘	1,268
	Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM	TW17-45, TW17-55, TW18-65	08216072	375
	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	TW17-45, TW17-55, TW18-65	08216071	375
	Shaded Pole • 115-230 Volt • 1/12 HP • 1050 RPM	TW17-75, TW18-85, TW17-105, TW18-120, TW27-240	08216119	1,050
Motor Mounts	Specify unit model and serial numbers when ordering	TW17-18	10870202	1,221
		TW17-25	10873801	1,268
		TW17-35	10873802	134
		TW17-45	10874700	76
		TW17-55, TW18-65	10874800	230
		TW17-75 thru TW17-180	10019700	270

MINI-TWIN TEMP

 Part will not be restocked once depleted

MTW MODELS

Part	Description	Model(s)	Part #	List Price (\$US)
Sheet Metals	Drain Pan / Venturi	MTW18-8	20317800	316
		MTW28-13	20317900	421
		MTW28-18	20317900	421
		MTW38-27	20317600	432

Model(s)	Part	Description	Part #	List Price (\$US)
ALL MODELS	Fan Guards	6" • Plastic	205932000	160
	Shaded Pole Motors	115 Volt • 3000 RPM • Skeleton Frame	102249005	296
		230 Volt • 3000 RPM • Skeleton Frame	102249007	296
	Motor Mounts	Motor Mount	12003600	88

MULLION TEMP

⊘ Part will not be restocked once depleted

MUF // MDF MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
ALL 27-13, & 27-17 MODELS	Sheet Metals	Wraparound and Drain Pan	20782200	247
ALL 37-23 MODELS	Sheet Metals	Wraparound and Drain Pan	20988300	302
ALL MUF	Fan Blades	5" Diameter • 1/4" Bore • Counterclockwise • Plastic	105849004	76
ALL MDF MODELS	Fan Guards / Grilles	5" • Plastic	207824000	157
ALL MODELS	Shaded Pole Motors	115 Volt • 3000 RPM • Skeleton Frame	102249005	296
		230 Volt • 3000 RPM • Skeleton Frame	102249007	296

REACH-IN UNIT COOLER

T-TEMP

TT MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
TT18-8	Sheet Metals	Drain Pan / Venturi	20316400	316
TT28-13			20316501	350
TT28-17			20316502	411
ALL MODELS	Fan Guards	6" • Plastic	205932000	160
	Shaded Pole Motors	115 Volt • 3000 RPM • Skeleton Frame	102249005	296
		230 Volt • 3000 RPM • Skeleton Frame	102249007	296
	Motor Mounts	Motor Mount	12003600	88



MODEL NOMENCLATURE

Not all combinations of nomenclature are available. For specific offering, see following pages or consult with one of our sales representatives.

ASL	A	2	5	061	A	D	A
Product Line	Defrost Type	No. of Fans	Fins Per Inch (FPI)	Capacity	Voltage	Motor Type	Vintage
ASL - Slim Temp Display Case	A - Air E - Electric	2 to 6		# x 100 = BTUH	A - 115/1/60 D - 230/1/60	D - Dual Speed EC	

MODELS

14 STEP-IN UNIT COOLERS

⊘ Part will not be restocked once depleted

ASL MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
ASL25-46E	Heaters	Defrost Heater • Core • 230 Volt • 1300 Watts • 39" Long	205221013	543
	Sheet Metals	Drain Pan • 46" Long • ASL 25	20248901	815
ASL25-58E	Heaters	Defrost Heater • Core • 230 Volt • 1970 Watts • 48" Long (x2 required for each unit)	200172026	582
	Sheet Metals	Drain Pan • 46" Long • ASL 25	20248901	815
ASL35-70E	Heaters	Defrost Heater • Core • 230 Volt • 1850 Watts • 62" Long (x2 required for each unit)	205221016	853
	Sheet Metals	Drain Pan • 69" Long • ASL 35	20248902	977
ASL45-94E	Heaters	Defrost Heater • Core • 230 Volt • 1250 Watts • 42" Long (x2 required for each unit)	205221007	704
	Sheet Metals	Drain Pan • 92" Long • ASL 45	20248903	1,081
ASL55-117E	Heaters	Defrost Heater • Core • 230 Volt • 1600 Watts • 54" Long (x2 required for each unit)	205221010	805
	Sheet Metals	Drain Pan • 115" Long • ASL 55	20248904	1,186
ALL "ASL-E" MODELS	Controls	Defrost Termination & Fan Delay	103079002	240
	Controls	Heater Safety Switch	103079003	224
ALL "ASL" MODELS	Fan Blades	10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	93
	Fan Guards	10" • Wire • White	08397053	173
	Motor Mounts	Motor Mount for 16 Watt Motors • ECM & Shaded Pole	10243000	173
ALL "ASL" MODELS ∞ Shaded Pole Motors	Motors	Shaded Pole • 115 Volt • 16 Watt • 1550 RPM	103104007	347
	Motors	Shaded Pole • 230 Volt • 16 Watt • 1550 RPM	103104008	347
ALL "ASL" MODELS ∞ Permanent Split Capacitor Motors	Motors	PSC • 115 Volt • 16 Watt • 1550 RPM	107933001	704
ALL MODELS ∞ Electronically Commutated Motors	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,221
	Motors	ECM • 230 Volt • 16 Watt • 1550 RPM	107933003 ⊘	1,268

15 STEP-IN UNIT COOLERS

⊘ Part will not be restocked once depleted

ASLA & ASLE MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
ASLE 25-46	Heaters	Defrost Heater • Core • 230 Volt • 1300 Watts • 39" Long	205221013	543
	Drain Pan	46" Long • ASL 25	20248901	815
ASLE 25-58	Heaters	Defrost Heater • Core • 230 Volt • 1970 Watts • 48" Long (x2 required for each unit)	200172026	582
	Drain Pan	69" Long • ASL 35	20248902	977
ASLE 35-70	Heaters	Defrost Heater • Core • 230 Volt • 1850 Watts • 62" Long (x2 required for each unit)	205221016	853
	Drain Pan	92" Long • ASL 45	20248903	1,081
ASLE 45-94	Heaters	Defrost Heater • Core • 230 Volt • 1250 Watts • 42" Long (x2 required for each unit)	205221007	704
	Drain Pan	92" Long • ASL 45	20248903	1,081
ASLE55-117	Heaters	Defrost Heater • Core • 230 Volt • 1600 Watts • 54" Long (x2 required for each unit)	205221010	805
	Drain Pan	115" Long • ASL 55	20248904	1,186
ASLE 65-150	Heaters	Defrost Heater • Core • 230 Volt • 1850 Watts • 62" Long (x2 required for each unit)	205221016	853
	Drain Pan	6-Fan • Slim Temp ASL Models	22118700	977
ALL "ASLE" MODELS	Controls	Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw	08219273	240
		Fan Delay • Open at 45°F, Close at 35°F	103079009	240
		Heater Safety Switch	103079003	224
	Fan Blades	10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	93
	Fan Guards	10" • Wire • White	08397053	173
ALL "ASL" MODELS	Motor Mounts	Motor Mount for 16 Watt Motors • ECM & Shaded Pole	10243000	173

Model(s)	Part	Description	Part #	List Price (\$US)
ALL "ASL" MODELS	Shaded Pole Motors	115 Volt • 16 Watt • 1550 RPM	103104007	347
		230 Volt • 16 Watt • 1550 RPM	103104008	347
ALL "ASL" MODELS	Permanent Split Capacitor Motors	115 Volt • 16 Watt • 1550 RPM	107933001	704
ALL MODELS	Electronically Commutated Motors	115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,221
		230 Volt • 16 Watt • 1550 RPM	107933003 ⊘	1,268

WALK-IN UNIT COOLERS

MODEL NOMENCLATURE

Not all combinations of nomenclature are available. For specific offering, see following pages or consult with one of our sales representatives.

R	W	6	E	143	E	D	A
Brand	Style	Fins Per Inch (FPI)	Defrost Type	Capacity	Voltage	Motor Type	Vintage
R - Russell K - Kramer W - Witt	L - Low Profile U - Low Profile Reverse Connections E - Center Mount V - Low Velocity Center Mount M - Medium Profile H - Heavy Duty Y - Heavy Duty Reverse Connections W - Warehouse Z - Warehouse Reverse Connections	6 FPI 4 FPI	A - Air E - Electric H - Hot Gas 3-Pipe w/ Electric Drain Pan K - Hot Gas 3-Pipe w/Hot Gas Drain Pan G - Hot Gas Reverse w/ Electric Drain Pan L - Hot Gas Reverse w/ Hot Gas Drain Pan	# x 100 = BTUH <i>*multiply by 1,000 for Heavy Duty and Warehouse</i>	A - 115/1/60 D - 230/1/60 E - 208-230/3/60 F - 460/1/60 G - 460/3/60	D - Dual Speed EC T - 3 Phase H - 3 Phase + High- Static (Pressure Prop) Fan Blades	
Pre-Configuration Codes All-Temp Only							
				A	L		
				Refrigerant	Pre-Assembly Code		
				A - R404A R - EcoNet Approved Ref. S - R407A, R448A, R449A/B	C - Mounted TXV, LLSV & Electronic Thermostat E - EcoNet Control Package L - Mounted TXV, LLSV & Mechanical Thermostat		

MODELS

NEXT-GEN ALL-TEMP • LOW PROFILE

⊘ Part will not be restocked once depleted

*LA // *LE // *LH // *LG

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Part	Description	Part #	List Price (\$US)
Drain Pans	Drain Pan • 1-Fan • Air Defrost	0852833601	699
	Drain Pan • 2-Fan • Air Defrost	0852833701	782
	Drain Pan • 3-Fan • Air Defrost	0852833801	866
	Drain Pan • 4-Fan • Air Defrost	0852833901	1,204
	Drain Pan • 5-Fan • Air Defrost	0852834001	1,324
	Drain Pan • 6-Fan • Air Defrost	0852834101	1,425
	Drain Pan • 1-Fan • Electric Defrost	0852833602	699
	Drain Pan • 2-Fan • Electric Defrost	0852833702	782
	Drain Pan • Drain Pan Assembly • 3-Fan • Electric Defrost	0852833802	866
	Drain Pan • 4-Fan • Electric Defrost	0852833902	1,204
	Drain Pan • 5-Fan • Electric Defrost	0852834002	1,324
	Drain Pan • 6-Fan • Electric Defrost	0852834102	1,425
Venturi Panels	1-Fan Venturi Panel • Next-Gen Low Profile	08528313	585
	2-Fan Venturi Panel • Next-Gen Low Profile	08528314	631
	3-Fan Venturi Panel • Next-Gen Low Profile	08528315	659
	4-Fan Venturi Panel • Next-Gen Low Profile	08528316	699
	5-Fan Venturi Panel • Next-Gen Low Profile	08528317	734
	6-Fan Venturi Panel • Next-Gen Low Profile	08528318	763
	End Cover Door • Next-Gen Low Profile	08528319	269
Part	Description	Part #	List Price (\$US)
Relay Controls	Single Pole Single Throw • Normally Closed • 120 Volt Coil • Sealed	08218183	56
	Single Pole Single Throw • Normally Closed • 240 Volt Coil • Sealed	08218377	56
Motors ECM	115/230 Volt • 35 Watt • 2-Speed	08216211	1,375
	115/230 Volt • 35 Watt • 2-Speed	08216216	1,375
	115 Volt • 50 Watt • 1550 RPM • Counterclockwise	08216124 ⊘	1,146
Motors PSC	115 Volt • 1/20 HP • 1550 RPM • 3 MFD capacitor not included	08216074	516
	230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	584
	460 Volt • 1/15 HP • 1550 RPM • Capacitor is pre-mounted	08216135	764
Motor Mounts	Motor Mount • 4 Leg • Dual Speed Dual Voltage • Tall • ECM Motors	08321627	143
	Motor Mount • 4 Leg • Short • PSC Motors	08321628	135
Fan Blades	12" Diameter • 24° Pitch • 1/4" Bore • Clockwise • ECM Motors	08221175	134
	12" Diameter • 24° Pitch • 5/16" Bore • Clockwise • for use with Shaded Pole & PSC Motors	08221153	141
Fan Guards	12" • Black • Next-Gen-LP	08321626	246

NEXT-GEN ALL-TEMP • LOW PROFILE

⊘ Part will not be restocked once depleted

COMMON PARTS

Part	Description	Part #	List Price (\$US)
Controls	Defrost Termination & Fan Delay • Open at 35°F, Close at 55°F + Open at 55°F, Close at 35°F • Single Pole Double Throw	08219328	240
Refrigeration Components	Thermostat • 120/240 Volt • Single Pole Single Throw • -30° Open to 100° Close	08219008	544
	Electronic Thermostat • 120/240 Volt	08219588	451
	Electronic Thermostat with timer	08219608	488

DEFROST HEATERS | Electric Defrost ∞ *LE

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

# of Fans	Models	Description	Part #	List Price (\$US)
1	*L6E035, *L6E042, *L6E049, *L4E027, *L4E032, *L4E038	1-Fan Coil Heater • 230 Volt • 375 Watts • 20" Long* (x2 required for each unit) NOTE: Heater voltage will line up with the voltage code in the model number. Each unit will get 3 heaters (2 on the face of the coil & 1 in the drain pan). 460V units include (2) 230V face heaters wired in series. The drain pan contains a single 460V heater.	08215200	128
	*L6E035, *L6E042, *L6E049, *L4E027, *L4E032, *L4E038	Drain Pan • 230 Volt • 375 Watts • 22-1/2" Long	08215206	128
	*L6E035, *L6E042, *L6E049, *L4E027, *L4E032, *L4E038	Drain Pan • 460 Volt • 375 Watts • 22-1/2" Long	08215212	119
2	*L6E066, *L6E077, *L6E090, *L6E105, *L4E051, *L4E064, *L4E080	2-Fan Coil Heater • 230 Volt • 750 Watts • 36-1/2" Long*	08215201	153
	*L6E066, *L6E077, *L6E090, *L6E105, *L4E051, *L4E064, *L4E080	Drain Pan • 230 Volt • 750 Watts • 39" Long	08215207	146
	*L6E066, *L6E077, *L6E090, *L6E105, *L4E051, *L4E064, *L4E080	Drain Pan • 460 Volt • 750 Watts • 39" Long	08215213	171
3	*L6E121, *L4E094, *L6E142, *L4E110	3-Fan Coil Heater • 230 Volt • 1100 Watts • 53" Long*	08215202	196
	*L6E121, *L4E094, *L6E142, *L4E110	Drain Pan • 460 Volt • 1100 Watts • 55-1/2" Long	08215214	226

* (x2) required for each unit

Continued on next page

NEXT-GEN ALL-TEMP • LOW PROFILE

⊘ Part will not be restocked once depleted

DEFROST HEATERS (continued) | Electric Defrost ∞ *LE

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

# of Fans	Models	Description	Part #	List Price (\$US)
4	*L6E162, *L4E125, *L6E182, *L4E141	4-Fan Coil Heater • 230 Volt • 1475 Watts • 69-1/2" Long*	08215203	193
	*L6E162, *L4E125, *L6E182, *L4E141	Drain Pan • 230 Volt • 1475 Watts • 72" Long	08215209	194
	*L6E162, *L4E125, *L6E182, *L4E141	Drain Pan • 460 Volt • 1475 Watts • 72" Long	08215215	269
5	*L6E200, *L4E155	5-Fan Coil Heater • 230 Volt • 1850 Watts • 86" Long*	08215204	213
	*L6E200, *L4E155	Drain Pan • 230 Volt • 1850 Watts • 88-1/2" Long	08215210	200
	*L6E200, *L4E155	Drain Pan • 460 Volt • 1850 Watts • 88-1/2" Long	08215216	309
6	*L6E244, *L4E195, *L6E281, *L4E230	6-Fan Coil Heater • 230 Volt • 2225 Watts • 102-1/2" Long*	08215205	234
	*L6E244, *L4E195, *L6E281, *L4E230	Drain Pan • 230 Volt • 2225 Watts • 105" Long	08215211	217
	*L6E244, *L4E195, *L6E281, *L4E230	Drain Pan • 460 Volt • 2225 Watts • 105" Long	08215217	352

* (x2) required for each unit

DEFROST HEATERS | Hot Gas Defrost ∞ *LG // *LH

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

# of Fans	Models	Description	Part #	List Price (\$US)
1	*L6G035, *L6G042, *LG049, *L4G027, *L4G032, *L4G038, *L6H035, *L6H042, *LH049, *L4H027, *L4H032, *L4H038	Defrost Heater • Drain Pan • 1-Fan • 115 Volt • 375 Watts • 22-1/2" Long	08530726	134
	*L6G035, *L6G042, *LG049, *L4G027, *L4G032, *L4G038, *L6H035, *L6H042, *LH049, *L4H027, *L4H032, *L4H038	Defrost Heater • Drain Pan • 1-Fan • 230 Volt • 375 Watts • 22-1/2" Long	08215206	128
	*L6G035, *L6G042, *LG049, *L4G027, *L4G032, *L4G038, *L6H035, *L6H042, *LH049, *L4H027, *L4H032, *L4H038	Defrost Heater • Drain Pan • 1-Fan • 460 Volt • 375 Watts • 22-1/2" Long	08215212	119

Continued on next page

NEXT-GEN ALL-TEMP • LOW PROFILE

⊘ Part will not be restocked once depleted

DEFROST HEATERS (continued) | Hot Gas Defrost ∞ *LG // *LH * Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

# of Fans	Models	Description	Part #	List Price (\$US)
2	*L6G066, *L6G077, *L6G090, *L6G105, *L4G051, *L4G064, *L4G080, *L6H066, *L6H077, *L6H090, *L6H105, *L4H051, *L4H064, *L4H080	Defrost Heater • Drain Pan • 2-Fan • 115 Volt • 750 Watts • 39" Long	08530727	191
	*L6G066, *L6G077, *L6G090, *L6G105, *L4G051, *L4G064, *L4G080, *L6H066, *L6H077, *L6H090, *L6H105, *L4H051, *L4H064, *L4H080	Defrost Heater • Drain Pan • 2-Fan • 230 Volt • 750 Watts • 39" Long	08215207	146
	*L6G066, *L6G077, *L6G090, *L6G105, *L4G051, *L4G064, *L4G080, *L6H066, *L6H077, *L6H090, *L6H105, *L4H051, *L4H064, *L4H080	Defrost Heater • Drain Pan • 2-Fan • 460 Volt • 750 Watts • 39" Long	08215213	171
3	*L6G121, *L4G094, *L6G142, *L4G110, *L6H121, *L4H094, *L6H142, *L4H110	Defrost Heater • Drain Pan • 3-Fan • 115 Volt • 1100 Watts • 55-1/2" Long	08530728	263
	*L6G121, *L4G094, *L6G142, *L4G110, *L6H121, *L4H094, *L6H142, *L4H110	Defrost Heater • Drain Pan • 3-Fan • 460 Volt • 1100 Watts • 55-1/2" Long	08215214	226
4	*L6G162, *L4G125, *L6G182, *L4G141, *L6H162, *L4H125, *L6H182, *L4H141	Defrost Heater • Drain Pan • 4-Fan • 115 Volt • 1475 Watts • 72" Long	08530729	304
	*L6G162, *L4G125, *L6G182, *L4G141, *L6H162, *L4H125, *L6H182, *L4H141	Defrost Heater • Drain Pan • 4-Fan • 230 Volt • 1475 Watts • 72" Long	08215209	206
	*L6G162, *L4G125, *L6G182, *L4G141, *L6H162, *L4H125, *L6H182, *L4H141	Defrost Heater • Drain Pan • 4-Fan • 460 Volt • 1475 Watts • 72" Long	08215215	285
5	*L6G200, *L4G155, *L6H200, *L4H155	Defrost Heater • Drain Pan • 5-Fan • 115 Volt • 1850 Watts • 88-1/2" Long	08530730	354
	*L6G200, *L4G155, *L6H200, *L4H155	Defrost Heater • Drain Pan • 5-Fan • 230 Volt • 1850 Watts • 88-1/2" Long	08215210	212
	*L6G200, *L4G155, *L6H200, *L4H155	Defrost Heater • Drain Pan • 5-Fan • 460 Volt • 1850 Watts • 88-1/2" Long	08215216	328
6	*L6G244, *L4G195, *L6G281, *L4G230, *L6H244, *L4H195, *L6H281, *L4H230	Defrost Heater • Drain Pan • 6-Fan • 115 Volt • 2225 Watts • 105" Long	08530731	413
	*L6G244, *L4G195, *L6G281, *L4G230, *L6H244, *L4H195, *L6H281, *L4H230	Defrost Heater • Drain Pan • 6-Fan • 230 Volt • 2225 Watts • 105" Long	08215211	230
	*L6G244, *L4G195, *L6G281, *L4G230, *L6H244, *L4H195, *L6H281, *L4H230	Defrost Heater • Drain Pan • 6-Fan • 460 Volt • 2225 Watts • 105" Long	08215217	373

CENTER MOUNT • LOW HEIGHT & LOW VELOCITY

 Part will not be restocked once depleted

COMMON PARTS

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Part	Description	Part #	List Price (\$US)
Heaters	1-Fan • 230 Volt • 300 Watts • 23-3/8" Long	08532114	77
	2-Fan • 230 Volt • 600 Watts • 43-3/8" Long	08532115	99
	3-Fan • 230 Volt • 900 Watts • 63-3/8" Long	08532116	121
	4-Fan • 230 Volt • 1200 Watts • 83-3/8" Long	08532117	135
	5-Fan • 230 Volt • 1500 Watts • 103-3/8" Long	08532118	158
	5-Fan • Tall • 230 Volt • 2250 Watts • 103-3/8" Long	08532119	155
Defrost Heaters	Drain Pan • 1-Fan • 230 Volt • 75 Watts • 25-1/8" Long	08532326	98
	Drain Pan • 2-Fan • 230 Volt • 150 Watts • 45-1/8" Long	08532327	127
	Drain Pan • 3-Fan • 230 Volt • 225 Watts • 65-1/8" Long	08532328	136
	Drain Pan • 4-Fan • 230 Volt • 300 Watts • 85-1/8" Long	08532329	145
	Drain Pan • 5-Fan • 230 Volt • 375 Watts • 105-1/8" Long	08532330	169
	Drain Pan • 5-Fan Tall • 230 Volt • 560 Watts • 105-1/8" Long	08532331	165
Motor Harness	1-Fan • 3 Wire • Center Mount (CM) / Low Velocity CM	08532212	36
	2-Fan • 3 Wire • ASL / Center Mount (CM) / Low Velocity CM	08532213	57
	3-Fan • 3 Wire • Center Mount (CM) / Low Velocity CM	08532214	74
	4-Fan • 3 Wire • Center Mount (CM) / Low Velocity CM	08532215	93
	5-Fan • 3 Wire • Center Mount (CM) / Low Velocity CM	08532216	108
Motors	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216211	1,375
	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216216	1,375
Fan Blades	12" Diameter • 20° Pitch • 1/4" Bore • Counterclockwise • Aluminum • for use with ECM Motors	08221247	134
Fan Guards	12" • Black • Next-Gen-LP	08321626	246
Controls	Defrost Termination & Fan Delay • Open at 35°F, Close at 55°F + Open at 55°F, Close at 35°F • Single Pole Double Throw	08219328	240
	Heater Safety Switch	103079003	224
	Relay • 240 Volt Coil • Single Pole Double Throw • Sealed	08218514	25
Electrical	TB27	207757027	85
	TB28	207757028	76

CENTER MOUNT • LOW HEIGHT & LOW VELOCITY

⊘ Part will not be restocked once depleted

COMMON PARTS

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Part	Description	Part #	List Price (\$US)
Refrigeration Components ∞ Thermostat	120/240 Volt • Single Pole Single Throw • -30 Open to 100 Close	08219008	544
	Electronic Thermostat • 120/240 Volt	08219588	451
	Electronic Thermostat with timer	08219608	488
Heater Clips	Heater Clip for Coil • Stainless Steel • NEXGEN-LP	08321625	2
Sheet Metals ∞ Venturi	1-Fan • Embossed • Aluminum	08532332	246
	2-Fan • Embossed • Aluminum	08532333	366
	3-Fan • Embossed • Aluminum	08532334	587
	4-Fan • Embossed • Aluminum	08532335	772
	5-Fan • Embossed • Aluminum	08532336	1,413
Sheet Metals ∞ Drain Trough	1-Fan Drain Trough	08532555	155
	2-Fan Drain Trough	08532556	182
	3-Fan Drain Trough	08532111	214
	4-Fan Drain Trough	08532557	251
	5-Fan Drain Trough	08532558	296

MEDIUM PROFILE

⊘ Part will not be restocked once depleted

COMMON PARTS

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Part	Description	Part #	List Price (\$US)
Motors ∞ ECM	120 Volt • 1/3 HP • 825/425 RPM • Rigid Base Mount	08216214	1,541
	230 Volt • 1/3 HP • 825/425 RPM • Rigid Base Mount	08216212	1,868
	460 Volt • 1/3 HP • 825/425 RPM • Rigid Base Mount	08216213	2,650
Heaters	2-Fan Coil Heater • 230 Volt • 750 Watts • 36-1/2" Long* (x2 required for each unit)	08215201	153
	4-Fan Coil Heater • 230 Volt • 1475 Watts • 69-1/2" Long* (x2 required for each unit)	08215203	205
	6-Fan Coil Heater • 230 Volt • 2225 Watts • 102-1/2" Long* (x2 required for each unit)	08215205	248
Heater Clips	Heater Clip for Coil • Stainless Steel	08321625	2
Motor Harness	1-Fan • 230 Volt	08532761	52
	2-Fan • 230 Volt	08532762	99
	3-Fan • 230 Volt	08532763	146
	1-Fan • 460 Volt	08532764	73
	2-Fan • 460 Volt	08532765	148
	3-Fan • 460 Volt	08532766	222
Electrical ∞ Terminal Board (printed on terminal board)	TB7	207757007	191
	TB34 • Air Defrost	207757034	63
	TB35 • Electric & Hot Gas Defrost	207757035	105
	TB26 EcoNet®	207757026	64
	3-Pole Terminal • Black • 2-Speed	08218563	11
	3-Pole Terminal • Black • Heaters	08218564	11
Fan Blades	24" Diameter • 25° Pitch • 1/2" Bore • Clockwise	08221244	91
	24" Diameter • 18° Pitch • 1/2" Bore • Clockwise • 2 Blade	08221245	81
Fan Guards	24" • Wire • Black	202136005	853
Controls	Heater Safety Switch	103079003	224
	Defrost Termination & Fan Delay • Open at 35°F, Close at 55°F + Open at 55°F, Close at 35°F • Single Pole Double Throw	08219328	240
	Adjustable Defrost Control	204464037	643
Refrigeration Components ∞ Thermostat	120/240 Volt • Single Pole Single Throw • -30 Open to 100 Close	08219008	544
	Electronic Thermostat • 120/240 Volt	08219588	451
	Electronic Thermostat with timer	08219608	488

HEAVY DUTY & WAREHOUSE

 Part will not be restocked once depleted

COMMON PARTS

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Part	Description	Part #	List Price (\$US)
Motors	ECM • 230 Volt • 3/4 HP • 60/50 Hz	08532682	1,953
	ECM • 460 Volt • 3/4 HP • 60/50 Hz	08532683	2,625
	1 HP • 230/460 Volt • 3-Phase • 850 RPM • Inverter Duty • Base Mounted Motor • Low Temp	08533523	1,807
	230/460 Volt • 1.5 HP • 1140 RPM • Base Mounted Motor • 3-Phase	08216190	2,609
	2 HP • 575 Volt • 3-Phase • 1140 RPM • Base Mounted	08216217	3,435
Fan Blades	30" Diameter • 28° Pitch • 3 Blade	08533522	405
	30.26" Diameter • 25° Pitch • 3 Blade	08221238	925
Fan Guards	30" • Wire • Black	08528201	260
Heaters	1-Fan Heater • 240 Volt • 1000 Watts • 47-1/2" Long	08532696	267
	2-Fan Heater • 240 Volt • 2000 Watts • 87-1/2" Long	08532697	310
	3-Fan Heater • 240 Volt • 3000 Watts • 127-1/2" Long	08532698	354
	4-Fan Heater • 240 Volt • 4000 Watts • 167-1/2" Long	08532699	437
Motor Harness	1-Fan • 3 Wire • 230 Volt • Electric • ECM	08533495	60
	2-Fan • 3 Wire • 230 Volt • Electric • ECM	08533496	119
	3-Fan • 3 Wire • 230 Volt • Electric • ECM	08533497	251
	4-Fan • 3 Wire • 230 Volt • Electric • ECM	08533498	368
	1-Fan • 5 Wire • 460 Volt • Electric • ECM	08533499	90
	2-Fan • 5 Wire • 460 Volt • Electric • ECM	08533500	190
	3-Fan • 5 Wire • 460 Volt • Electric • ECM	08533501	230
	4-Fan • 5 Wire • 460 Volt • Electric • ECM	08533502	278
	1-Fan • 3 Wire • 230/460 Volt • 3 Phase • Electric • Daisy Chain	08533507	60
	2-Fan • 3 Wire • 230/460 Volt • 3 Phase • Electric • Daisy Chain	08533508	211
	3-Fan • 3 Wire • 230/460 Volt • 3 Phase • Electric • Daisy Chain	08533509	283
	4-Fan • 3 Wire • 230/460 Volt • 3 Phase • Electric • Daisy Chain	08533510	366

HEAVY DUTY & WAREHOUSE

⊘ Part will not be restocked once depleted

COMMON PARTS

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Part	Description	Part #	List Price (\$US)
Electrical ∞ Terminal Board (printed on terminal board)	TB29 EcoNet®	207757029	50
	TB34 • Air Defrost	207757034	63
	TB35 • Electric & Hot Gas Defrost	207757035	105
	TB26 EcoNet®	207757026	64
Refrigeration Components ∞ Thermostat	120/240 Volt • Single Pole Single Throw • -30 Open to 100 Close	08219008	544
	Electronic Thermostat • 120/240 Volt	08219588	451
	Electronic Thermostat with timer	08219608	488
Controls	Adjustable Defrost Control	204464037	643
	Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw	08219273	240
	Fan Delay • Open at 45°F, Close at 35°F	103079009	240
	Heater Safety Switch	103079003	224



AIR-COOLED CONDENSING UNITS

MODEL NOMENCLATURE

R	F	H	150	E	4S	D	A	NT
Brand	Style	Compressor	Horsepower	Temperature	Refrigerant	Voltage	Vintage ¹	Pre-Assembly Code
R - Russell K - Kramer W - Witt	E - Center Mount	H - Hermetic O - Scroll		E - Extended Medium L - Low M - Medium	44 - R404A Only 4S - Multiple Refrigerants	D - 230/1/60 E - 208-230/3/60 G - 460/3/60 M - 200-220/1/50 N - 200-220/3/50 Q - 380/3/50	A B	NT - No Defrost Timer /Kit

R	F	D	S	04	M	4S	E	A
Brand	Style	Compressor	Compressor Configuration	Horsepower	Temperature	Refrigerant	Voltage	Vintage [^]
R - Russell K - Kramer W - Witt	F - Flooded B - Non-Flooded	D - Discus O - Scroll B - Bitzer	S - Single		E - Extended Medium L - Low M - Medium	4S - Multiple Refrigerants	E - 208-230/3/60 G - 460/3/60 N - 200-220/3/50 Q - 380/3/50	A B

R	F	D	V	030	M	4S	G	A
Brand	Style	Compressor	Compressor Configuration	Horsepower	Temperature	Refrigerant	Voltage	Vintage [^]
R - Russell K - Kramer W - Witt	F - Flooded B - Non-Flooded	D - Discus B - Bitzer EcoLine	V - Single D - Dual P - Parallel Piped		L - Low M - Medium	4S - Multiple Refrigerants	E - 208-230/3/60 G - 460/3/60	A B

NEXT-GEN MINICON • 1/2 TO 6 HP

⊘ Part will not be restocked once depleted

*FH // *FO // *BH // *BO // *VH // *VO (built after November 2015)

Part	Description	Part #	List Price (\$US)
Capacitors	5 MFD • 440 Volt	202163004	83
Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	563
	High Pressure Control • Auto Reset • 400 PSI Gauge	08219424	172
	Contactors • 40 AMP • 3-Pole • 230 Volt	08219965 ⊘	235
Refrigeration Components	Thermostat Kit with clip • 3/8" Discharge Line	08352253	463
	Thermostat w/Clip • 1/2" Discharge Line	118431442	373
	Thermostat w/Clip • 5/8" Discharge Line	08352256	463
Electrical	Terminal Board • TB1 & TB2	207757015	84
Fan Blades	12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors	08221169	135
	12" Diameter • 24° Pitch • 1/4" Bore • Counterclockwise • Aluminum • ECM Motors	08221176	134
	12" Diameter • 24° Pitch • 1/4" Bore • Counterclockwise • Aluminum • ECM Motors	08221176	134
	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
Grilles	16.88" X 15.75" • Wire • Black	08397064	518
	16.88" X 27.75" • Wire • Black	08397065	581
	19.38" X 27.75" • Wire • Black	08397066	581
	33.14" X 30.13" • Wire • Black	08397067	668
Motor Mounts	12" Motor Mount	21062000	240
	12" Wire Motor Mount • 4 Leg	08397068	329
	12" Wire Motor Mount • 4 Leg	08397068	329
	24" Wire Motor Mount • 3 Leg	212837000	394
Motors	PSC • 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	584
	PSC • 460 Volt • 1/15 HP • 1550 RPM • Capacitor is pre-mounted	08216135	764
	ECM • 230 Volt • 1/15 HP • 1550 RPM	08216139	1,320
	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216216	1,375
	PSC • 230 Volt • 1/3 HP • 1075 RPM • capacitor not included	205051004	701
	PSC • 460 Volt • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	2,034
	ECM • 230 Volt • 3/4 HP • 1075 RPM • Counterclockwise	08216132	2,258
	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216211	1,375
	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216216	1,375
	ECM • 230 Volt • 3/4 HP • 1075/640 RPM	08216170	1,851
	ECM • 460 Volt • 3/4 HP • 1075/640 RPM	08216173	2,759

NEXT-GEN MINICON • 1/2 TO 6 HP

⊘ Part will not be restocked once depleted

STANDARD REPLACEMENT COILS ∞ COPPER TUBE / ALUMINUM FIN COILS (STANDARD)

Models	Description	Part #	List Price (\$US)
*O130E4S*B, *H100L44*A, *H150L44*A, *O100L4S*B, *O130L4S*B, *O160L4S*B, *O060M4S*B, *O080M4S*B, *O100M4S*B	FM1 • 2 Rows • 12 Fins Per Inch (*Replacement part specially crated for shipment)	08526726SVC	1,825
*H150E4S*A, *O150E4S*A, *H200E4S*A, *H125E4S*B, *O180E4S*A	FM2 • 2 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08526727SVC	2,431
*H250E4S*A, *H300E4S*A, *O200E4S*A, *O250E4S*A, *H300L44*A, *O250L4S*A, *O300L4S*A, *O350L4S*A	FM3 • 3 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08526728SVC	2,870
*H325E4S*B, *O300E4S*B, *O350E4S*B, *O400E4S*B, *O400L4S*B, *O500L4S*B, *O600L4S*B, *O400L4S*B, *O500L4S*B, *O600L4S*B	FM4 • 2 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08526729SVC	3,934
*O450E4S*B, *O500E4S*B, *O600E4S*B	FM4 • 3 Rows • 12 Fins Per Inch (*Replacement part specially crated for shipment)	08526730SVC	4,422
*H200L44*A, *O230L4S*A	FM2 • 2 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08527164SVC	2,407
*H055E4S*B, *H080E4S*B, *H100E4S*B	FM1 • 3 Rows • 14 Fins Per Inch (*Replacement part specially crated for shipment)	08533390SVC	2,007

NEXT-GEN II • 3 TO 22 HP

⊘ Part will not be restocked once depleted

*FD // *FO // *FB // *BD // *BO // *BB MODELS

Part	Description	Part #	List Price (\$US)
Motors	230 Volt • 3/4 HP • 1140 RPM • 48" Frame • 3-Phase	08216205	2,521
	460 Volt • 3/4 HP • 1140 RPM • 48" Frame • 3-Phase	08216206	2,143
	PSC • 575 Volt • 1/2 HP • 1075 RPM • 5 MFD cap. not included	115952000	1,664
Capacitors	7.5 MFD • 440 Volt • for 1/3 HP (230 Volt, 460 Volt) PSC Motor	202163006	90
Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
Motor Mounts	24" Wire Motor Mount • 3 Leg	212837000	394
Controls	Dual Control • High / Low • Flare	204464054 ⊘	1,249

QV-SERIES • 15 TO 100 HP

⊘ Part will not be restocked once depleted

COMMON PARTS

Part	Description	Part #	List Price (\$US)
Controls	Toggle Switch • 240 Volt • Single Pole Single Throw	104536004	18
	Control	08219546	1,342
	Expansion Module	08219547	755
	Temperature Sensor • 16.375'	08219615	630
	Transducer • High Pressure • 0-500 PSIG	08357521	142
	Transducer • Low Pressure • 0-200 PSIG	08357522	406
	Transducer • Transducer Harness • Low Pressure	08357524	129
	Contactors • 75 AMP • 3-Pole • 230 Volt	08220037 ⊘	1,391
	Contactors • 120 AMP • 208 Volt • 3-Pole • Compressor Contactor	104461124	1,741
	Contactors • 120-360 AMP • Normally Open / Normally Closed • Auxiliary • Compressor Contactor	104461122	398
	Contactors • 40 AMP • 3-Pole • 230 Volt	08219965 ⊘	235
	Contactors • 75 AMP • 3-Pole • 230 Volt	08220037 ⊘	1,391
Fan Blades	30" Diameter • 27° Pitch • 3 Blade	08221237	919
	30" Diameter • 29° Pitch • 4 Blade	08221239	780
	30" Diameter • 27° Pitch • 3 Blade	08221237	919
Fan Guards	30" • Wire • Black	08528201	260
Motors	230/460 Volt • 1.5 HP • 1140 RPM • Base Mounted Motor • 3-Phase	08216190	2,609
	230 Volt • 2-1/2 HP • 900-1200 RPM • Variable Speed • 3-Phase	08216209	8,777
	460 Volt • 2-1/4 HP • 900-1200 RPM • Variable Speed	08216210	8,850
	2 HP • 575 Volt • 3-Phase • 1140 RPM • Base Mounted	08216217	3,435
Receivers	Horizontal Receiver • Rotolock • 10" x 36"	08357329	5,791
	Horizontal Receiver • Rotolock • 10" x 48"	08357330	3,748
	Horizontal Receiver • Rotolock • 10" x 72"	08357331	5,330
	Horizontal Receiver • Rotolock • 10" X 94"	08357332	6,360
	Horizontal Receiver • Rotolock • 12" X 94"	08357333	12,296
	Horizontal Receiver • Rotolock • 14" X 94"	08357334	11,028
Refrigeration Components	Vertical Accumulator • 1-5/8"	08357335	2,255
	Vertical Accumulator • 2-1/8"	08357336	3,082
	Vertical Accumulator • 2-5/8"	08357337	3,447
	Vertical Accumulator • 3-1/8"	08357338	3,787
Transformer	Transformer • 120/240-24 Volt	08219548	389
Valves	Rotolock Valve • 1-3/4" R x 1-1/8" SW • Side	08357343	304
	Rotolock Valve • 1-3/4" R x 1-5/8" SW • Side	08357345	411



WATER-COOLED CONDENSING UNIT

MODEL NOMENCLATURE

R	W	O	500	M	4S	E	A
Brand	Style	Compressor	Horsepower	Temperature	Refrigerant	Voltage	Vintage
R - Russell K- Kramer W - Witt	F - Flooded B - Non-Flooded	D - Discus O - Scroll B - Bitzer		E - Extended Medium L - Low M - Medium	4S - Multiple Refrigerants	E - 208-230/3/60 G - 460/3/60 N - 200-220/3/50 Q - 380/3/50	A

MODELS

NEXT-GEN WC-SERIES • 1/2 TO 6 HP

⊘ Part will not be restocked once depleted

*FH // *FO // *BH // *BO // *VH // *VO (built after November 2015)

Part	Description	Part #	List Price (\$US)
Capacitors	5 MFD • 440 Volt	202163004	83
Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	563
	High Pressure Control • Auto Reset • 400 PSI Gauge	08219424	172
	Contactors • 40 AMP • 3-Pole • 230 Volt	08219965	235
Refrigeration Components	Thermostat Kit with clip • 3/8" Discharge Line	08352253	463
	Thermostat w/Clip • 1/2" Discharge Line	118431442	373
	Thermostat w/Clip • 5/8" Discharge Line	08352256	463
Electrical	Terminal Board • TB1 & TB2	207757015	84
Fan Blades	12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors	08221169	135
	12" Diameter • 24° Pitch • 1/4" Bore • Counterclockwise • Aluminum • ECM Motors	08221176	134
	12" Diameter • 24° Pitch • 1/4" Bore • Counterclockwise • Aluminum • ECM Motors	08221176	134
	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
Grilles	16.88" X 15.75" • Wire • Black	08397064	518
	16.88" X 27.75" • Wire • Black	08397065	581
	19.38" X 27.75" • Wire • Black	08397066	581
	33.14" X 30.13" • Wire • Black	08397067	668
Motor Mounts	12" Motor Mount	21062000	240
	12" Wire Motor Mount • 4 Leg	08397068	329
	12" Wire Motor Mount • 4 Leg	08397068	329
	24" Wire Motor Mount • 3 Leg	212837000	394
Motors	PSC • 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	584
	PSC • 460 Volt • 1/15 HP • 1550 RPM • Capacitor is pre-mounted	08216135	764
	ECM • 230 Volt • 1/15 HP • 1550 RPM	08216139	1,320
	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216216	1,375
	PSC • 230 Volt • 1/3 HP • 1075 RPM • capacitor not included	205051004	701
	PSC • 460 Volt • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	2,034
	ECM • 230 Volt • 3/4 HP • 1075 RPM • Counterclockwise	08216132	2,258
	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216211	1,375
	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216216	1,375
	ECM • 230 Volt • 3/4 HP • 1075/640 RPM	08216170	1,851
	ECM • 460 Volt • 3/4 HP • 1075/640 RPM	08216173	2,759

NEXT-GEN WC-SERIES • 1/2 TO 6 HP

⊘ Part will not be restocked once depleted

STANDARD REPLACEMENT COILS ∞ COPPER TUBE / ALUMINUM FIN COILS (STANDARD)

Models	Description	Part #	List Price (\$US)
*O130E4S*B, *H100L44*A, *H150L44*A, *O100L4S*B, *O130L4S*B, *O160L4S*B, *O060M4S*B, *O080M4S*B, *O100M4S*B	FM1 • 2 Rows • 12 Fins Per Inch (*Replacement part specially crated for shipment)	08526726SVC	1,825
*H150E4S*A, *O150E4S*A, *H200E4S*A, *H125E4S*B, *O180E4S*A	FM2 • 2 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08526727SVC	2,431
*H250E4S*A, *H300E4S*A, *O200E4S*A, *O250E4S*A, *H300L44*A, *O250L4S*A, *O300L4S*A, *O350L4S*A	FM3 • 3 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08526728SVC	2,870
*H325E4S*B, *O300E4S*B, *O350E4S*B, *O400E4S*B, *O400L4S*B, *O500L4S*B, *O600L4S*B, *O400L4S*B, *O500L4S*B, *O600L4S*B	FM4 • 2 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08526729SVC	3,934
*O450E4S*B, *O500E4S*B, *O600E4S*B	FM4 • 3 Rows • 12 Fins Per Inch (*Replacement part specially crated for shipment)	08526730SVC	4,422
*H200L44*A, *O230L4S*A	FM2 • 2 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08527164SVC	2,407
*H055E4S*B, *H080E4S*B, *H100E4S*B	FM1 • 3 Rows • 14 Fins Per Inch (*Replacement part specially crated for shipment)	08533390SVC	2,007

AIR-COOLED CONDENSERS & FLUID COOLERS

MODELS

R	D	D	087	G	D	3	A
Brand	Series	Width	MBTUH	Voltage	Motor	No. of Fans	Vintage
R - Russell	D - Condenser	S - Single Wide D - Double Wide		E - 208-230/3/60 G - 460/3/60 N - 200-220/3/50 Q - 380/3/50 X - Non-Catalogued	B - 1140 RPM, 1.5 HP D - 850 RPM, 1.5 HP L - 850 RPM, 1 HP E - 550 RPM, 1/3 HP G - 900 RPM Rail Mount Variable Speed EC K - 1200 RPM Rail Mount Variable Speed EC	1 - 7	

1	2	3	4	5	6	7	8	9	10	11	12	13
R	D	S	007	D	A	2	B	1	2	A	1	A

- | | | | |
|---|--|--|---|
| <p>1 Model Series
R - Russell</p> <p>2 Unit Type
D - Condenser</p> <p>3 Series
S - Single fan wide</p> <p>4 Capacity
3 Number Characters</p> <p>5 Voltage Code
D - 208-230/1/60
E - 208-230/3/60
F - 460/1/60
G - 460/3/60</p> | <p>6 Motor/Fan Type
A - 1075 RPM, 0.33 HP,
Metal Blade
C - 850 RPM, 0.25 HP,
Metal Blade
H^ - 1075 RPM, 0.5 HP
Totally Enclosed,
Metal Blade
T^ - 1075 RPM, 3/4 HP,
Metal Blade</p> <p>7 Length in Fans - 1 or 2</p> | <p>8 Coil Density
A - 8 FPI
B - 10 FPI
C - 12 FPI
D - 14 FPI</p> <p>9 Coil Material & Coating Options*
1 - Aluminum fins
2 - Copper fins
3 - Al + AST coating
6 - Al + Heresite</p> <p>10 Housing Material & Coatings*
2 - Galvanized</p> | <p>11 Unit Design Configuration
A - Vertical Fan Discharge,
Standard Legs
E - Vertical Fan Discharge,
30° Legs
N - Horizontal Fan
Discharge, Standard
Legs</p> <p>12 Circuit Splitting Options
1 - Full
2 - 50/50
X - Other</p> <p>13 Vintage Code
Single Alphanumeric Character
A - Initial Release</p> |
|---|--|--|---|

AIR-COOLED CONDENSERS & FLUID COOLERS

MODELS

FD	S	8	02	B	V	60	G
Series	Fan Motor	No. of Fans	Model Design	No. of Header Sets	Air Discharge	No. of Feeds	Electrical Code
FS - Single Fan Width FD - Double Fan Width	S - Std. Speed (1140 RPM) L - Low Speed (825 RPM) E - Extra Low Speed (550 RPM) EX - Flying Bird II w/550 RPM LX - Flying Bird II w/825 RPM, Single Fan Width DX - Flying Bird II w/825 RPM, Double Fan Width			A - (1) Inlet; (1) Outlet B - (2) Inlets; (2) Outlets C - (3) Inlets; (3) Outlets D - (4) Inlets; (4) Outlets	V - Vertical H - Horizontal B - Blow-Thru		E - 208-230/3/60 G - 460/3/60 J - 575/3/60 N - 200-220/3/50 Q - 380/3/50 C - 230/1/60

QUANTUM AIR™

⊘ Part will not be restocked once depleted

RDS & RDD MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
1140 RPM Models RDS009 thru RDD229	Capacitors	30 MFD • for motor 008216098 • for use with P-66 controller	08352555	133
	Fan Blades	30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	924
		30" Diameter • 21° Pitch • 5/8" Bore • Clockwise • 3 Blade • Only used with use P-66 controller	08221180	764
	Motor Mounts	30" Motor Mount Kit	08522568	816
	Motors	1.5 HP • 230/460 Volt • 3-Phase • 1140 RPM	110204000	2,957
		575 Volt • 1.5 HP • 1140 RPM • 3-Phase	118570001	4,414
		230/460 Volt • 1-1/2 HP • 1140 RPM • 3-Phase • Totally Enclosed	08216154	4,958
		1.0 HP • 230/460 Volt • WCS	08216098	4,121
550 RPM Models RDS008 thru RDD158	Fan Blades	30" Diameter • 31° Pitch • 5/8" Bore • Clockwise • 5 Blade	08221152	513
		30" Flying Bird II	121424000	1,297
	Fan Guards	30" • Wire • Black	08397044	381
	Motor Mounts	30" Motor Mount Kit	08522568	816
	Motors	230/460 Volt • 1/3 HP • 575 RPM • 3-Phase	119226000	2,283
850 RPM Models RDS009 thru RDD213	Fan Blades	30" Diameter • 31° Pitch • 5/8" Bore • Clockwise • 5 Blade	08221152	513
		30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	924
	Fan Guards	30" • Wire • Black	08397044	381
	Motor Mounts	30" Motor Mount Kit	08522568	816
	Motors	1.5 HP • 230/460 Volt • 3-Phase • 850 RPM	08216100	4,121
		1.0 HP • 230/460 Volt • 3-Phase • 850 RPM • Inverter Duty	114105000	4,121

MULTI-CON

⊘ Part will not be restocked once depleted

COMMON PARTS

Part	Description	Part #	List Price (\$US)
Controls ∞ Disconnect Kit	30 AMP • Pistol Style Handle • Thru The Door	08218990	1,001
	60 AMP • Pistol Style Handle • Thru The Door	08218991	1,195
	80 AMP • Pistol Style Handle • Thru The Door	08218992	1,578
	100 AMP • Pistol Style Handle • Thru The Door	08218993	1,691
	30 AMP • Dial Handle	08218379	791
Controls ∞ Contactor	25 AMP • 460 Volt • 3-Pole	08219012	192
Controls ∞ Pressure Control	100-400 PSI • Single Pole Single Throw • w/differential	08219003	688
Controls ∞ Fan Speed	Speed Control • Single Tap • P-66	08219427	2,031
	Speed Control • Dual Tap • P66	08219429	3,178
	Speed Control • Single Tap • P66	08219461	2,817
Thermostat	120/240 Volt • Single Pole Single Throw • Open 20° / Close 90°	08219006	306
Valves	Shut Off Valve • 1/4" • Flare • Blue Handle	08356559	307

ACE MODELS

Part	Description	Part #	List Price (\$US)
Fan Blades	30" Diameter • 31° Pitch • 5/8" Bore • Clockwise • 5 Blade	08221152	513
	30" Flying Bird II	121424000 ⊘	1,297
Fan Guards	30" • Wire • Black	08397044	381
Motor Mounts: Kit	30" Motor Mount Kit	08522568	816
Motors	230/460 Volt • 1/3 HP • 575 RPM • 3-Phase	119226000	2,283

ACS // ACL MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
ACL 001 thru 011	Motors	REV • Shaded Pole • 230/460 Volt • 1/4 HP • 825 RPM • 5/8 Shaft • 3-Phase	08216075	2,149
		PSC • 230/460 Volt • 1/4 HP • 850 RPM • 5/8 Shaft	08216076	1,819
ACS // ACL Models	Controls	Pressure Control • 100-400 PSI • Single Pole Single Throw • w/differential	08219003	688
		Fan Speed Control • Single Tap • P-66	08219427	2,031
		Fan Speed Control • Dual Tap • P66	08219429	3,178
		Contactor • 25 AMP • 460 Volt • 3-Pole	08219012	192
	Fan Blades	22" Diameter • 28° Pitch • 1/2" Bore • Clockwise	08221154	235

MULTI-CON

⊘ Part will not be restocked once depleted

ACS // ACL MODELS (continued)

Model(s)	Part	Description	Part #	List Price (\$US)
All Models	Motor Mounts	18" to 22" Fans • Small Air Cooled Condensing Unit	08397056	366
	Thermostats	120/240 Volt • Single Pole Single Throw • Open 20° / Close 90°	08219006	306
	Transformers	208-230 to 24 Volt (50 VA)	08218258	120
		480 to 24 Volt	08218259	127
ACS 001 thru 012	Motors ∞ PSC	230 Volt • 1/3 HP • 1075 RPM • capacitor not included	205051004	701
		230 Volt • 1/3 HP • 1075 RPM • 3-Phase • CW (7.5 MFD Cap required)	08216106	918
		460/3/60/50 • 1/3 HP • 1075 RPM • CW	08216107 ⊘	1,522
		230-460 Volt • 50-60 Hz compatible • 1/2 HP • 1075 RPM • 3-Phase • Clockwise	08216068	2,062
		575 Volt • 1/2 HP • 1075 RPM • Clockwise	08216036	1,626
		230/460 Volt • 50-60 Hz compatible • 1/2 HP • 1075 RPM	08216006	1,382
ACS, ACL 001 thru 002	Fan Guards	18" • Wire	08397011	226
	Motor Rails	28" Motor Rail for 18" Fans	08519022	366
ACS, ACL 003 thru 012	Fan Guards	22" • Wire	08397012	269
	Motor Rails	33" Motor Rail for 22" Fans	08519019	366

RAC // FRAC MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
RAC & FRAC 1-1/2 thru 3	Fan Blades	<i>No longer available: 20" Diameter • 27° Pitch • CW • 1/2" Bore</i>	Contact Engineering	
RAC & FRAC 3/4 thru 1		16" Diameter • 19° Pitch • Clockwise	11905	350

RDS MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
Models 001 & 002	Fan Blades	18" Diameter • 34° Pitch • 5/8" Bore • Clockwise	08221022	239
		18" Diameter • 34° Pitch • 1/2" Bore • Clockwise	08221076	231
Models 001 thru 011	Capacitors	15 MFD Capacitor	08352607	90
		15 MFD Capacitor	08352607	90
		15 MFD Capacitor	08352607	90
		5 MFD • 440 Volt	202163004	83

Continued on next page

MULTI-CON

⊘ Part will not be restocked once depleted

RDS MODELS (continued)

Model(s)	Part	Description	Part #	List Price (\$US)
Models 001 thru 011	Fan Blades	22" Diameter • 28° Pitch • 1/2" Bore • Clockwise	08221154	235
	Fan Guards	18" • Wire	08397011	226
		22" • Wire	08397012	269
	Motor Mounts	18" to 22" Fans	08397056	366
	Motor Rails	33" Motor Rail for 22" Fans	08519019	366
		28" Motor Rail for 18" Fans	08519022	366
	Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • 3-Phase • CW (7.5 MFD Cap required)	08216106	918
		PSC • 230 Volt • 1/3 HP • 1075 RPM • capacitor not included	205051004	701
		PSC • 230 Volt • 1/3 HP • 1140 RPM • for use with P-66	08216008	1,138
		PSC • 460/3/60/50 • 1/3 HP • 1075 RPM • CW	08216107 ⊘	1,522
		PSC • 460 Volt • 1/3 HP • 1140 RPM • for use with P-66	08216009	1,169
		REV • Shaded Pole • 230/460 Volt • 1/4 HP • 825 RPM • 5/8 Shaft • 3-Phase	08216075	2,149
		PSC • 230/460 Volt • 1/4 HP • 850 RPM • 5/8 Shaft	08216076	1,819
Models 003 thru 009	Fan Blades	22" Diameter • 28° Pitch • 5/8" Bore • Clockwise	08221023	235
Models 003 thru 011	Fan Blades	22" Diameter • 28° Pitch • 1/2" Bore • Clockwise	08221154	235

TD // FTD MODELS

Part	Description	Part #	List Price (\$US)
Capacitors	5 MFD • 440 Volt	202163004	83
Fan Blades	24" Diameter • 26° Pitch • 1/2" Bore • Clockwise • 3 Blade	08221050	581
Motor Mount	24" • 4-Leg • Wire Motor Mount	205269000	410
Motors	PSC • 208-230 Volt • 3/4 HP • 1075 RPM • capacitor not included	205051009	1,847
	PSC • 460 Volt • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	2,034

SMALL CONDENSERS & FLUID COOLERS


⊘ Part will not be restocked once depleted

VAC // VEQ (1 - 4) MODELS

Part	Model(s)	Description	Part #	List Price (\$US)
Fan Blades	VAC 1 - 2 & VEQ 1 - 2	18" Diameter • 34° Pitch • 5/8" Bore • Clockwise	08221022	239
	VAC 4 & VEQ 3	22" Diameter • 28° Pitch • 5/8" Bore • Clockwise	08221023	235
		24" Diameter • 32° Pitch • 1/2" Bore • Clockwise • 3 Blade	213455000	581
Fan Guards	VAC 4 & VEQ 3	22" • Wire	08397012	269
Motors	VAC 1 - 4	PSC • 230/460 Volt • 50-60 Hz compatible • 1/2 HP • 1075 RPM	08216006	1,382
	VEQ 1 & 3	PSC • 230/460 Volt • 1/4 HP • 850 RPM • 5/8 Shaft	08216076	1,819
	VEQ 2 & 3	REV • Shaded Pole • 230/460 Volt • 1/4 HP • 825 RPM • 5/8 Shaft • 3-Phase	08216075	2,149

VAC // VEQ // FVAC MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
VAC & FVAC 5 thru 19	Capacitors	7.5 MFD • 440 Volt • for 1/3 HP (230 Volt, 460 Volt) PSC Motor	202163006	90
		5 MFD • 440 Volt	202163004	83
VAC & FVAC 22 thru 216	Fan Blades	30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	924
		30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	924
	Fan Guards	30" • Wire • Black	202136011	334
	Motor Mounts	24" • 4-Leg • Wire Motor Mount	205269000	410
		30" Knockdown Motor Mount Kit • VAC	125215001	816
	Motors	230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase	110204000	2,957
		575 Volt • 1.5 HP • 1140 RPM • 3-Phase	118570001	4,414
		230/460 Volt • 1.0 HP • 850 RPM • 3-Phase • Inverter Duty	114105000	4,121
VAC & FVAC 5 thru 19	Motors	PSC • 208-230 Volt • 3/4 HP • 1075 RPM • capacitor not included	205051009	1,847
		PSC • 460 Volt • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	2,034
		230/460 Volt • 3/4 HP • 1140 RPM • 3-Phase	205051012	3,032
		PSC • 575 Volt • 1/2 HP • 1075 RPM • 5 MFD cap. not included	115952000	1,664



MODEL NOMENCLATURE

H	P	H	050	M	48	A	B
Brand	Product	Compressor	Horsepower	Temperature	Refrigerant	Voltage	Vintage
H - HTPG	Packaged Refrigeration System	H - Hermetic O - Scroll		M - Medium L - Low D - Medium Electric Defrost	48 - R-448A	A - 115/1/60 D - 230/1/60	B

MODEL

42 PACKAGED REFRIGERATION SYSTEM

⊘ Part will not be restocked once depleted

COMMON PARTS

Part	Description	Part #	List Price (\$US)
Box Components	Slide Latch	08323272	16
	Evaporator Cover • APEX • #8335-02	08326021	45
Controls	High Pressure Control • Auto Reset • 400 PSI Gauge	08219424	172
	Pressure Control • Encapsulated • Open Rise • 180 PSI Gauge	08537183	58
	Pressure Transducer • 0-150 PSIA	08219621	196
Controls ∞ EcoNet®	EcoNet® Control Board	08219624	1,119
	EcoNet® Space Temperature Thermistor Assembly • 10KOHMS	08219623	117
	EcoNet® Evap Temp • Flush Mount Thermistor • 10K OHM • EcoNet®	08219636	77
EcoNet® EEV	SER-AA-3X4 ODF • No Cable	08219543	1,508
	SER-A-3X4 ODF • No Cable	08219544	1,532
	SER-B-3X4 ODF • No Cable	08219540	999
Fan Blades	12" Diameter • 24° Pitch • 1/4" Bore • Clockwise • ECM Motors	08221175	134
Grilles	16.88" X 15.75" • Wire • Black	08397064	518
Motor Mounts	12" Wire Motor Mount • 4 Leg	08397068	329
Motors	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216216	1,375

SHEET METALS

Cabinet	Part	Part #	List Price (\$US)	Cabinet	Part	Part #	List Price (\$US)
Large	Hail Guard	08537722	4,399	Small	Hail Guard	08537721	1,974
	Roof Kit	08537720	5,935		Roof Kit	08537719	2,878

ELECTRICAL:: 70" POWER CORD KITS

MTA - Medium Temp **AIR** • MTE - Medium Temp **ELECTRIC** • LTE - Low Temp **ELECTRIC**

	Model	Volt	AMP	NEMA Receptacle	Part #	List Price (\$US)
MTA	HPO080M4CAA	125	20	5-20R	08538541	215
	HPO080M4CDA, HPO100M4CDA, HPO120M4CDA	250	15	6-15R	08538542	215
	HPO100M4CAA, HPO120M4CAA	-	-	-	-	-
	HPO150M4CDA	250	20	6-20R	08538543	215
MTE	HPO080D4CDA, HPO100D4CDA, HPO120D4CDA	250	15	6-15R	08538542	215
	HPO150D4CDA	250	20	6-20R	08538543	215
LTE	HPO150L4CDA	250	15	6-15R	08538542	215
	HPO250L4CDA	250	20	6-20R	08538543	215
	HPO300L4CDA, HPO350L4CDA	-	-	-	-	-

LEGACY EQUIPMENT

Available parts for equipment no longer manufactured

COMPRESSORIZED PRODUCTS

» Air-Cooled Condensing Units

"D" Style	44
"V" Style	45
Next-Gen R-Series MiniCon	48
Russcon	48
Russette	49

» Packaged System

APEX	49
High Sierra	52

CONDENSERS & FLUID COOLERS

» Condensers

Multi-Con Computer Room	57
-----------------------------------	----

REFRIGERATION PARTS

Misc. Spare Parts	58
-----------------------------	----

UNIT COOLERS

» Reach-In

Flex Temp	58
Wall Temp	59

» Walk-In

Ceiling Temp	60
Flow Temp	61
HI Temp	64
All-Temp B Vintage	64

 Part will not be restocked once depleted
COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units**"D" Style Air Condensing Units 3 thru 22 HP**

DC // DE // DL // DS Models

Model(s)	Part	Description	Part #	List Price (\$US)
5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57	Capacitors	5 MFD • 440 Volt	202163004	83
All Models	Capacitors	5 MFD • 440 Volt	202163004	83
3L22, 3L52, 3L44, 3L57, 4L22, 4L44, 4L57, 5L22, 5L52, 5L44, 5L57, 6M44, 6L22, 6L52, 6L44, 6L57, 7H22, 7M52, 7M44, 7M57, 8H22, 8M52, 8M44, 8M57, 8L22, 8L44, 8L57, 9L22, 9L52, 9L44, 9L57, 10L22, 10L52, 10L44, 10L57, 12L22, 12L52, 12L44, 12L57	Capacitors	7.5 MFD • 440 Volt • for 1/3 HP (230 Volt, 460 Volt) PSC Motor	202163006	90
Voltage Codes C,D,E,F,G,M,N,Q	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
Voltage Codes H, J	Motor Mounts	24" • 3-Leg • Wire	212837000	394
Voltage Codes C,D,E,F,G,M,N,Q	Motor Mounts / Fan Guards	24" Wire Motor Mount & Fan Guard Combination	204340000	460
3L22, 3L52, 3L44, 3L57, 4L22, 4L44, 4L57, 5L22, 5L52, 5L44, 5L57, 6M44, 6L22, 6L52, 6L44, 6L57, 7H22, 7M52, 7M44, 7M57, 8H22, 8M52, 8M44, 8M57, 8L22, 8L44, 8L57, 9L22, 9L52, 9L44, 9L57, 10L22, 10L52, 10L44, 10L57, 12L22, 12L52, 12L44, 12L57	Motors	ECM • 230 Volt • 1/3 HP • 1075 RPM • Counterclockwise	08216131	2,046
5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57	Motors	ECM • 230 Volt • 3/4 HP • 1075 RPM • Counterclockwise	08216132	2,258
3L22, 3L52, 3L44, 3L57, 4L22, 4L44, 4L57, 5L22, 5L52, 5L44, 5L57, 6M44, 6L22, 6L52, 6L44, 6L57, 7H22, 7M52, 7M44, 7M57, 8H22, 8M52, 8M44, 8M57, 8L22, 8L44, 8L57, 9L22, 9L52, 9L44, 9L57, 10L22, 10L52, 10L44, 10L57, 12L22, 12L52, 12L44, 12L57	Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	701
5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57	Motors	PSC • 575 Volt • 1/2 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	115952000	1,664
5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57	Motors	PSC • 440 Volt • 5 MFD • 1075 RPM • capacitor not included	205051009	1,847

Continued on next page

45 LEGACY EQUIPMENT

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units

"D" Style Air Condensing Units 3 thru 22 HP (continued)

DC // DE // DL // DS Models

Model(s)	Part	Description	Part #	List Price (\$US)
3L22, 3L52, 3L44, 3L57, 4L22, 4L44, 4L57, 5L22, 5L52, 5L44, 5L57, 6M44, 6L22, 6L52, 6L44, 6L57, 7H22, 7M52, 7M44, 7M57, 8H22, 8M52, 8M44, 8M57, 8L22, 8L44, 8L57, 9L22, 9L52, 9L44, 9L57, 10L22, 10L52, 10L44, 10L57, 12L22, 12L52, 12L44, 12L57	Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051002	2,034
5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57	Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051002	2,034

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units

"V" Style Air Condensing Units 20 thru 80 HP

VC // VL // VS Models

Model(s)	Part	Description	Part #	List Price (\$US)
ALL	Fan Blades	30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	924
	Fan Guards	30" • Wire • Black	202136011	334
	Motor Mount Kits	30" Knockdown Motor Mount Kit • VAC	125215001	816
	Motors	230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase	110204000	2,957
	Motors	575 Volt • 1.5 HP • 1140 RPM • 3-Phase	118570001	4,414

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units

Next-Gen R-Series MiniCon (after 11-2015) ∞ 1/2 thru 3-1/2 HP Models with 12" fans

RFH // RFO // RBH // RBO // RVH // RVO Models

Part	Description	Part #	List Price (\$US)
Fan Blades	12" Diameter • 24° Pitch • 1/4" Bore • Counterclockwise • Aluminum • ECM Motors	08221176	134
	12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors	08221169	135
	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581

Continued on next page

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units
Next-Gen R-Series MiniCon (after 11-2015) ∞ 1/2 thru 3-1/2 HP Models with 12" fans (continued)

RFH // RFO // RBH // RBO // RVH // RVO Models

Part	Description	Part #	List Price (\$US)
Grilles	16.88" X 15.75" • Wire • Black	08397064	518
	19.38" X 27.75" • Wire • Black	08397066	581
	16.88" X 27.75" • Wire • Black	08397065	581
Motor Mounts	Motor Mount • 12"	21062000	240
	Motor Mount • 12" • 4-Leg • Wire	08397068	329
	Motor Mount • 24" • 3-Leg • Wire	212837000	394
Motors	PSC • 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	584
	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	701
	PSC • 460 Volt • 1/15 HP • 1550 RPM • Capacitor is pre-mounted	08216135	764
Refrigeration Components ∞ Thermostat	Thermostat w/Clip • 1/2" Discharge Line	118431442	373
	Thermostat Kit with clip • 3/8" Discharge Line	08352253	463

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units
Next-Gen R-Series MiniCon (after 11-2015) ∞ 3 thru 6 HP Models with 24" fans

RFH // RFO // RBH // RBO // RVH // RVO Models

Part	Description	Part #	List Price (\$US)
Capacitors	5 MFD • 440 Volt	202163004	83
Grilles	33.14" X 30.13" • Wire • Black	08397067	668
Motors	ECM • 230 Volt • 3/4 HP • 1075 RPM • Counterclockwise	08216132	2,258
Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051002	2,034
Refrigeration Components ∞ Thermostat	Thermostat w/Clip • 5/8" Discharge Line	08352256	463

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units
Next-Gen R-Series MiniCon (after 11-2015) ∞ ALL MODELS

RFH // RFO // RBH // RBO // RVH // RVO Models

Part	Description	Part #	List Price (\$US)
Pressure Control	High Pressure Control • Auto Reset • 400 PSI Gauge	08219424	172
	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	563

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units

Next-Gen MiniCon (before 10-2002) ∞ 1/2 thru 2 HP Models

M*H // M*S // M*O // M*D // R*H // R*S // R*O // R*D Models

Part	Description	Part #	List Price (\$US)
Fan Blades	12" Diameter • 24° Pitch • 5/16" Bore • Clockwise • for use with Shaded Pole & PSC motors	08221153	141
Fan Guards	12" • Wire	08397040	204
Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	375

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units

Next-Gen R-Series MiniCon 1/2 thru 3 HP Models (after 10-2002) ∞ 2 thru 3 HP Scrolls (after April 2003)

M*H // M*S // M*O // M*D // R*H // R*S // R*O // R*D Models

Part	Description	Part #	List Price (\$US)
Capacitors	2 MFD • 370 Volt	202163009	90
Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	439
Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	563
Fan Blades	12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise	119103001	141
Motor Mounts	Motor Mount • 12"	21062000	240
Motors	Shaded Pole • 460 Volt • 1/20 HP • 1550 RPM	08216034	551
Motors	ECM • 230 Volt • 1/8 HP • 1075 RPM • Counterclockwise	08216129	1,761
Motors	PSC • 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	584

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units

Next-Gen R-Series MiniCon 4 thru 6 HP Models ∞ 2 thru 3 HP & Scrolls (before April 2003)

M*H // M*S // M*O // M*D // R*H // R*S // R*O // R*D Models

Part	Description	Part #	List Price (\$US)
Capacitors	5 MFD • 440 Volt	202163004	83
Fan Blades	20" Diameter • 30° Pitch • 1/2" Bore • Clockwise	213156000	511
	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
Fan Guards	20" • Wire • Black	213484000	418
Grilles	30" X 34" • Wire • Black	124027000	581
Motor Mounts	24" • 3-Leg • Wire	212837000	394
	20" • 3-Leg • Wire	210225000	410

Continued on next page

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units
Next-Gen R-Series MiniCon 4 thru 6 HP Models ∞ 2 thru 3 HP & Scrolls (before April 2003) - (continued)

M*H // M*S // M*O // M*D // R*H // R*S // R*O // R*D Models

Part	Description	Part #	List Price (\$US)
Motors	ECM • 230 Volt • 1/3 HP • 1075 RPM • Counterclockwise	08216131	2,046
	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	701
	PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051002	2,034

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units
Next-Gen MiniCon ∞ 1/2 thru 6 HP (All Models)

M*H // M*S // M*O // M*D // R*H // R*S // R*O // R*D Models

Part	Description	Part #	List Price (\$US)
Pressure Control	High Pressure Control • Manual Reset • Encapsulated	204464208	439
Relay	230 Volt • 90-second Relay • Interval	104799010	225
	208/240 Volt • 30 AMP • Dual Pole Double Throw	104799020	424
Thermostat	Thermostat w/Clip • 1/2" Discharge Line	118431442	373

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units
Russcon ∞ 3 thru 30 HP

H // L // M // HE // LE // ME Models

Model(s)	Part	Description	Part #	List Price (\$US)
H31, M31, L35, M51, L55, H51, M61, L65, M81, L85, H81, H82, H101, M101, L105, L155, M61, L65	Capacitors	5 MFD • 440 Volt	202163004	83
H102, H151, H152, L205, L255, H202, I305	Capacitors	7.5 MFD • 440 Volt • for 1/3 HP (230 Volt, 460 Volt) PSC Motor	202163006	90
All Models	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
All Models	Motor Mounts	Motor Mount • 24" • 3-Leg • Wire	212837000	394
All Models	Motor Mounts / Fan Guards	24" Wire Motor Mount & Fan Guard Combination	204340000	460

Continued on next page

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units**Russcon ∞ 3 thru 30 HP (continued)**

H // L // M // HE // LE // ME Models

Model(s)	Part	Description	Part #	List Price (\$US)
H31, M31, L35, M51, L55, H51, M61, L65, M81, L85, H81, H82, H101, M101, L105, L155, M61, L65	Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	701
H102, H151, H152, L205, L255, H202, I305	Motors	PSC • 440 Volt • 5 MFD • 1075 RPM • capacitor not included	205051009	1,847
H31, M31, L35, M51, L55, H51, M61, L65, M81, L85, H81, H82, H101, M101, L105, L155, M61, L65	Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051002	2,034
H102, H151, H152, L205, L255, H202, I305	Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051002	2,034

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units**Russette ∞ 1/2 thru 3 HP**

RC // RE // RS Models

Model(s)	Part	Description	Part #	List Price (\$US)
ALL	Fan Guards	20" • Wire • Black	213484000	418

COMPRESSORIZED PRODUCTS | Packaged System**APEX Refrigeration System**

XN // XT Models

Model(s)	Part	Description	Part #	List Price (\$US)
All Models	Box Components	Latch • Evaporator Cover	08326021	45
X*050M thru X*134M, X*024L thru X*068L	Capacitors	2 MFD • 370 Volt	202163009	90
XN026M thru XN037M, XN018L		5 MFD • 440 Volt	202163004	83
XN050M, XN024L		3 MFD • 370 Volt	202163010	82
All 115 V Coolers	Controls ∞ Electronic Controllers	120 Volt • Programmable Control • Medium Temp Air	08522798	1,156
All 115 V Freezers		120 Volt • Programmable Control • Low Temp Electric	08522796	1,156
All 208-230 V Coolers		230 Volt • Programmable Control • Medium Temp Air	08522799	1,156
All 208-230 V Freezers		230 Volt • Programmable Control • Low Temp Electric	08522797	1,156

Continued on next page

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Packaged System
APEX Refrigeration System (continued)

XN // XT Models

Model(s)	Part	Description	Part #	List Price (\$US)
All Models	Pressure Control	High Pressure Control • Auto Reset • 400 PSI Gauge	08219424	172
All Models	Sensor	Temperature Sensor	08219958	134
X*050M thru X*134M, X*024L thru X*068L	Contactor	32 AMP • 3-Pole • 230 Volt	08538312	105
XN018L thru X*068L	Heater Safety	Heater Safety Switch	103079003	224
XT050M thru XT134M, XT024L thru XT068L		Heater Safety Switch	103079003	224
XN026M thru XN037M, XN018L	Relay	Evaporator Motor Relay • Single Pole Double Throw • 115 Volt Coil	08218979	90
XN050M, XN024L		Evaporator Motor Relay • Single Pole Double Throw • 115 Volt Coil	08218979	90
X*050M thru X*134M, X*024L thru X*068L		Evaporator Motor Relay • 208-230 Volt • Coil • Single Pole Double Throw	08218181 ⊘	94
X*050M thru X*134M, X*024L thru X*068L		10" Diameter • 31° Pitch • 5/16" Bore • Clockwise • SP & PSC motors	08221168 ⊘	88
X*050M thru X*134M, X*024L thru X*068L		10" Diameter • 30° Pitch • 1/4" Bore • Clockwise • Aluminum • ECM Motors	08221174	88
X*050M thru X*134M, X*024L thru X*068L	Fan Blades	12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors	08221169	135
XN026M thru XN037M, XN018L		10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	93
X*050M thru X*076M, X*024L thru X*043L		Defrost Heater • Drain Pan • 240 Volt • 500 Watts • 22" Long • 1/4" OD	08215141 ⊘	485
X*106M thru X*134M, X*051L AND X*068L	Defrost Heaters	Defrost Heater • Drain Pan • 240 Volt • 600 Watts • 35" Long • 1/4" OD	08215142 ⊘	581
X*106M thru X*134M, X*051L AND X*068L		Defrost Coil Heater • 240 Volt • 600 Watts • 1/4" OD • 40.5" Long	08215139 ⊘	671
XN026M thru XN037M, XN018L		Defrost Heater • Drain Pan • 120 Volt • 400 Watts • 19-1/2" Long • 1/4" OD	08215140 ⊘	439
XN026M thru XN037M, XN018L		Defrost Coil Heater • 120 Volt • 1/4" OD • 400 Watts • 22.5" Long	08215137	476
XN050ME44A, XN024L		Defrost Coil Heater • 120 Volt • 500 Watts • 1/4" OD • 26.5" Long	08215144	437
XN050ME44A, XN024L		Defrost Heater • Drain Pan • 120 Volt • 500 Watts • 22" Long • 1/4" OD	08215145 ⊘	458

Continued on next page

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Packaged System
APEX Refrigeration System (continued)

XN // XT Models

Model(s)	Part	Description	Part #	List Price (\$US)
XT050M thru XT134M, XT024L thru XT068L	Heaters	Drain line • 240 Volt • 25 Watts	08215143	302
X*050M thru X*134M, X*024L thru X*068L	Motor Mounts	1-Leg • x3 required per motor • ECM motors	08522938	76
X*050M thru X*134M, X*024L thru X*068L		12"	21062000	240
XN026M thru XN037M, XN018L		SL	12003000	93
XN026M thru XN037M, XN018L		16 Watt Motors • ECM & Shaded Pole	10243000	173
X*050M thru X*134M, X*024L thru X*068L	Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	375
X*050M thru X*134M, X*024L thru X*068L		PSC • 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	584
XN026M thru XN037M, XN018L		ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,221
XN026M thru XN037M, XN018L		PSC • 115 Volt • 16 Watt • 1550 RPM	107933001	704
XN026M thru XN037M, XN018L		Shaded Pole • 115 Volt • 16 Watt • 1550 RPM	103104007	347
XN050M, XN024L		Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM	08216072	375
XN050M, XN024L		ECM • 115 Volt • 50 Watt • 1550 RPM • Counterclockwise	08216124 ⊘	1,146
XN050M, XN024L		PSC • 115 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216074	516

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Packaged System
High Sierra Refrigeration System ∞ 1/2 thru 30 HP
 RHH // RHS // RHD // RHO Models

Model(s)		Part	Description	Part #	List Price (\$US)
LOW TEMP ∞ DISCUSS	All RHD Low Temp Modelst†	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	439
		Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	563
		Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
	RHD300L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-C-Z	1,028
LOW TEMP ∞ HERMETIC	All RHH Low Temp Modelst†	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	439
		Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	563
		Fan Blades	12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise	119103001	141
		Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	375
		Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,114
	RHH100L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-AA-Z	805
	RHH165L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-A-Z	805
	RHH215L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-B-Z	805
	RHH315L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-C-Z	1,028
LOW TEMP ∞ SCROLL	All RHO Low Temp Modelst†	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	439
		Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	563
		Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
	RHO200L44 - RHO400L44	Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,114
	RHO200L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-A-Z	805
	RHO250L44, RHO300L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-B-Z	805
	RHO301L44, RHO400L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-C-Z	1,028
LOW TEMP ∞ SEMI-HERMETIC	All RHS Low Temp Modelst†	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	439
		Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	563
		Fan Blades	12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise	119103001	141
		Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	375
		Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,114
	RHS075L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-AA-Z	805
	RHS100L44, RHS150L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-A-Z	805
	RHS200L44, RHS250L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-B-Z	805
	RHS300L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-C-Z	1,028

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Packaged System
High Sierra Refrigeration System ∞ 1/2 thru 30 HP
 W/D-Series Condensing Unit: DHD // DHO Models

	Model(s)	Part	Description	Part #	List Price (\$US)
LOW TEMP ∞ DISCUSS	All DHD*L44 Low Temp Models†	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
		Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	701
	DHD5L44 - DHD9L44	Valves	Reversing Valve • 7/8" x 1-3/8" x 1-3/8"	21054	2,204
	DHD6L44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-7-1/2-Z	555
LOW TEMP ∞ SCROLL	All DHO Low Temp Models†	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
		Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	701
	DHO8L44 - DHO13L44	Valves	Reversing Valve • 7/8" x 1-3/8" x 1-3/8"	21054	2,204
MEDIUM TEMP ∞ DISCUSS R22 / R404A	All DHD*H22†	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
	All DHD*M44†	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
	All DHD*H22†	Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	701
	All DHD*M44†	Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	701
	DHD7H22, DHD8H22	Valves	Reversing Valve • 7/8" x 1-3/8" x 1-3/8"	21054	2,204
	DHD10H22	Valves	Reversing Valve • 7/8" x 1-3/8" x 1-3/8"	21054	2,204
	DHD5M44 - DHD7M44	Valves	Reversing Valve • 7/8" x 1-3/8" x 1-3/8"	21054	2,204
	DHD5H22	Valves	Thermostatic Expansion Valve (TXV)	EBSVE-8-C	811
	DHD7H22, DHD8H22	Valves	Thermostatic Expansion Valve (TXV)	EBSVE-11-C	1,413
	DHD10H22, DHD12H22	Valves	Thermostatic Expansion Valve (TXV)	EBSVE-15-C	1,413
	DHD5M44 - DHD7M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-10-C	1,413
	DHD8M44, DHD10M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-13-C	1,413
	DHD12M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-13-C	1,413
MEDIUM TEMP ∞ SCROLL R404A	All DHO*M44†	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
		Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	701
	DHO7M44, DHO8M44	Valves	Reversing Valve • 7/8" x 1-3/8" x 1-3/8"	21054	2,204
	DHO7M44, DHO8M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-10-C	1,413
	DHO10M44, DHO13M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-13-C	1,413
	DHO6M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-7-1/2-C	547

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Packaged System
High Sierra Refrigeration System ∞ 1/2 thru 30 HP

W/R-Series Condensing Unit: RHH // RHS // RHD // RHO Models

	Model(s)	Part	Description	Part #	List Price (\$US)
MEDIUM TEMP ∞ HERMETIC R22 / R404A	All RHH*H22†	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	439
		Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	563
		Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,114
	All RHH*M44	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	439
		Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	563
	RHH050M44 - RHH300M44	Fan Blades	12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise	119103001	141
		Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	375
		Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,114
	RHH075H22 - RHH301H22	Fan Blades	12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise	119103001	141
		Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	375
	RHH400M44	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
	RHH400M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-6-C	1,028
MEDIUM TEMP ∞ SEMI-HERMETIC R22	RHH401H22, RHH500H22	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
	All RHH*H22	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	439
	All RHH*H22	Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	563
	All RHH*H22	Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,114
	RHS050H22 - RHS300H22	Fan Blades	12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise	119103001	141
	RHS400H22	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Packaged System
High Sierra Refrigeration System ∞ 1/2 thru 30 HP
 W/R-Series Condensing Unit: RHS // RHO Models

	Model(s)	Part	Description	Part #	List Price (\$US)
MEDIUM TEMP ∞ SCROLL R404A	All RHO*M44†	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	439
	All RHO*M44†	Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	563
	All RHO*M44†	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
	RHO200M44 - RHO300M44	Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,114
	RHO600M44	Valves	Reversing Valve • 7/8" x 1-3/8" x 1-3/8"	21054	2,204
	RHO301M44 - RHO500M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-6-C	1,028
	RHO600M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-6-C	1,028
	RHO650M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-7- 1/2-C	547
MEDIUM TEMP ∞ SEMI-HERMETIC R404A	All RHS*M44†	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	439
	All RHS*M44†	Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	563
	RHS050M44 - RHS300M44	Fan Blades	12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise	119103001	141
	RHS400M44	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	581
	RHS050M44 - RHS300M44	Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	375
	RHS050M44 - RHS300M44	Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,114
	RHS400M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-6-C	1,028

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Packaged System
High Sierra Refrigeration System ∞ 1/2 thru 30 HP
 W/V-Series Condensing Unit: VHD Models

	Model(s)	Part	Description	Part #	List Price (\$US)
LOW TEMP ∞ DISCUSS	All VHD*L44 Low Temp Models†	Fan Blades	30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	924
	VHD15L44, VHD22L44	Filters	Filter Shell • Liquid Filter • 7/8"	104471021	1,028
	VHD27L44, VHD30L44	Filters	Filter Shell • Liquid Filter • 7/8"	104471021	1,028
	VHD44L44	Filters	Filter Shell • Liquid Filter • 1-1/8" • C489G • 10-15 Ton	104471022	1,235
	VHD54L44, VHD60L44	Filters	Filter Shell • Liquid Filter • 1-1/8" • C489G • 10-15 Ton	104471022	1,235
	All VHD*L44 Low Temp Models†	Motors	230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase	110204000	2,957
MEDIUM TEMP ∞ DISCUSS R22 / R404A	All VHD*H22†	Fan Blades	30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	924
	All VHD*M44	Fan Blades	30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	924
	VHD15H22, VHD20H22	Filters	Filter Shell • Liquid Filter • 7/8"	104471021	1,028
	VHD25H22	Filters	Filter Shell • Liquid Filter • 7/8"	104471021	1,028
	VHD15M44, VHD20M44	Filters	Filter Shell • Liquid Filter • 7/8"	104471021	1,028
	VHD25M44	Filters	Filter Shell • Liquid Filter • 7/8"	104471021	1,028
	VHD30H22	Filters	Filter Shell • Liquid Filter • 1-1/8" • C489G • 10-15 Ton	104471022	1,235
	VHD30M44	Filters	Filter Shell • Liquid Filter • 1-1/8" • C489G • 10-15 Ton	104471022	1,235
	VHD35H22 - VHD50H22	Filters	Filter Shell • Liquid Filter • 1-1/8" • C969G • 16-29 Ton	104471031	1,787
	VHD35M44 - VHD50M44§	Filters	Filter Shell • Liquid Filter • 1-1/8" • C969G • 16-29 Ton	104471031	1,787
	All VHD*H22†	Motors	230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase	110204000	2,957
	All VHD*M44	Motors	230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase	110204000	2,957
	VHD25M44 - VHD35M44	Valves	Thermostatic Expansion Valve (TXV)	OSE-30-C	1,413
	VHD70M44‡	Valves	Thermostatic Expansion Valve (TXV)	OSE-30-C	1,413

⊘ Part will not be restocked once depleted

CONDENSERS & FLUID COOLERS | Condenser

Multi-Con Computer Room Air-Cooled Condenser

CAC Models

Model(s)	Part	Description	Part #	List Price (\$US)
CAC 5 thru CAC 80	Capacitors	5 MFD • 440 Volt	202163004	83
	Capacitors	15 MFD Capacitor	08352607	90
	Capacitors	15 MFD Capacitor	08352607	90
	Fan Blades	24" Diameter • 26° Pitch • 1/2" Bore • Clockwise • 3 Blade	08221050	581
	Fan Guards	24" • Wire • Black	202136005	853
	Motor Mounts	Motor Mount • 24" • 4-Leg • Wire	205269000	410
	Motors	PSC • 440 Volt • 5 MFD • 1075 RPM • capacitor not included	205051009	1,847
	Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051002	2,034
	Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Variable Speed • Capacitor 08352607 required (15 UF • 370 VAC)	205051016	2,444
CBC 27 thru CBC 164	Fan Blades	24" Diameter • 26° Pitch • 1/2" Bore • Clockwise • 3 Blade	08221050	581
	Fan Blades	30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	924
	Fan Guards	30" • Wire • Black	202136011	334
	Fan Guards	24" • Wire • Black	202136005	853
	Motor Mounts	Motor Mount • 24" • 4-Leg • Wire	205269000	410
	Motor Mounts	30" Knockdown Motor Mount Kit • VAC	125215001	816
	Motors	230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase	110204000	2,957
	Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Variable Speed • Capacitor 08352607 required (15 UF • 370 VAC)	205051016	2,444

⊘ Part will not be restocked once depleted

REFRIGERATION PARTS

Miscellaneous Spare Parts

Part	Description	Part #	List Price (\$US)
Contactor	40 AMP • 3-Pole • 230 Volt	08219965 ⊘	235
	75 AMP • 3-Pole • 230 Volt	08220037 ⊘	1,391

UNIT COOLERS | Reach-In

Flex Temp

FT Models

Model(s)	Part	Description	Part #	List Price (\$US)
FT18-17	Fan Guards	8" • Plastic	206569000	163
	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,221
	Motors	ECM • 230 Volt • 16 Watt • 1550 RPM	107933003 ⊘	1,268
	Motors	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	290
	Motors	Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	103104005	290
	Sheet Metals	Drain Pan / Venturi • Flex Temp	20985400	389
FT18-23, FT18-31	Fan Blades	10" Diameter • 25° Pitch • 5/16" Bore • Counterclockwise	214022000	93
	Motors	Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM	08216072	375
	Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	375
	Sheet Metals	Drain Pan / Venturi • Flex Temp	20985300	495
FT18-6, FT18-8	Fan Guards	6" • Plastic	205932000	160
	Motors	Shaded Pole • 115 Volt • 3000 RPM • Skeleton Frame	102249005	296
	Motors	Shaded Pole • 230 Volt • 3000 RPM • Skeleton Frame	102249007	296
	Sheet Metals	Drain Pan / Venturi • Flex Temp	20985600	247
FT28-12	Fan Guards	6" • Plastic	205932000	160
	Motors	Shaded Pole • 115 Volt • 3000 RPM • Skeleton Frame	102249005	296
	Motors	Shaded Pole • 230 Volt • 3000 RPM • Skeleton Frame	102249007	296
	Sheet Metals	Drain Pan / Venturi • Flex Temp	20985500	324

⊘ Part will not be restocked once depleted

UNIT COOLERS | Reach-In
Wall Temp
 WA Models

Model(s)	Part	Description	Part #	List Price (\$US)
WA17-12, WA17-18	Fan Blades	8" Diameter • 36° Pitch • Counterclockwise • Hubless	204395010	88
	Fan Guards	8" • Plastic	206569000	163
	Sheet Metals	Drain Pan Assembly • Wall Temp 17-12, 8	105633002	278
WA17-25, WA17-35	Fan Blades	10" Diameter • 20° Pitch • 1/4" Bore • Counterclockwise • Hubless	204395016	93
	Fan Guards	10" • Wire • White	08397053	173
	Motors	Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM	08216072	375
	Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	375
	Sheet Metals	Drain Pan Assembly • Wall Temp 17-25, 35	105633003	615
WA17-45	Fan Blades	12" Diameter • 19° Pitch • Counterclockwise	11860	282
	Sheet Metals	Drain Pan Assembly • Wall Temp 17-45	105633004	326
WA17-6	Fan Blades	8" Diameter • 22° Pitch • Counterclockwise • Hubless	204395008	88
	Fan Guards	8" • Plastic	206569000	163
	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,221
	Sheet Metals	Drain Pan Assembly • Wall Temp 17-6, 9	105633001	278
WA17-9	Fan Blades	8" Diameter • 22° Pitch • Counterclockwise • Hubless	204395008	88
	Fan Guards	8" • Plastic	206569000	163
	Sheet Metals	Drain Pan Assembly • Wall Temp 17-6, 9	105633001	278
WA17-9, WA17-12, WA17-18	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,221
	Motors	ECM • 230 Volt • 16 Watt • 1550 RPM	107933003 ⊘	1,268
	Motors	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	290
	Motors	Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	103104005	290

⊘ Part will not be restocked once depleted

UNIT COOLERS | Walk-In
Center Mount ∞ Ceiling Temp

CTA // CTE Models

Model(s)	Part	Description	Part #	List Price (\$US)
Permanent Split Capacitor Motors	Capacitors	5 MFD • 440 Volt	202163004	83
All Models	Controls	Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw	08219273	240
		Fan Delay • Open at 45°F, Close at 35°F	103079009	240
		Heater Safety Switch	103079003	224
	Fan Blades	10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	93
	Fan Guards	12" • Plastic • Black	119647000	173
CTE34-48, CTE34-58, CTE34-65, CTE36-53, CTE36-62, CTE36-69	Defrost Heaters	Defrost Heater • Core • 230 Volt • 1037 Watts • 55" Long (x2 required for each unit)	208579001	674
CTE44-72, CTE44-84, CTE44-95, CTE46-77, CTE46-90, CTE46-100		Defrost Heater • 230 Volt • 1490 Watts • 79" Long (x2 required for each unit)	208579002	918
CTE54-115, CTE44-128, CTE44-152, CTE54-145, CTE64-173, CTE56-125, CTE46-140, CTE56-160, CTE66-218		Defrost Heater • 230 Volt • 1943 Watts • 103" Long	208579003	1,011
All Models	Motor Mounts	Motor Mount • 16 Watt Motors • ECM & Shaded Pole	10243000	173
All Models	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,221
EC Motors		ECM • 230 Volt • 16 Watt • 1550 RPM	107933003 ⊘	1,268
All Models (optional)		PSC • 115 Volt • 16 Watt • 1550 RPM	107933001	704
All Models (optional)		Shaded Pole • 115 Volt • 16 Watt • 1550 RPM	103104007	347
Shaded Pole Motors		Shaded Pole • 230 Volt • 16 Watt • 1550 RPM	103104008	347
All 4 Fan CTA/CTE Models	Sheet Metals ∞ Drain Pan / Venturi	4-Fan • Aluminum • 82-1/2" Long	20861001	1,227
CTA46-190, CTA48-210, CTE44-128, CTE46-140		4-Fan • Aluminum • 106-1/2" Long	20861101	1,413
All 5 Fan CTA/CTE Models		5-Fan • Embossed Aluminum • 106-1/2" Long	20861201	1,413
All 6 Fan CTA/CTE Models		6-Fan • Embossed Aluminum • 106-1/2" Long	20861301	1,466

Specify drain connection location when ordering CTA/CTE Drain Pans (bottom or side*)

⊘ Part will not be restocked once depleted

UNIT COOLERS | Walk-In
Low Velocity ∞ Flow Temp

FL // FL-E // FL-G // FL-H Models

Model(s)	Part	Description	Part #	List Price (\$US)
All 2 Fan Models	Motors	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	290
All 2 Fan Models: FL36-100, FL36-135, FL46-180	Fan Blades	10" Diameter • 20° Pitch • 1/4" Bore • Counterclockwise • Hubless	204395016	93
All 4 & 5 Fan Models	Motors	Shaded Pole • 230 Volt • 16 Watt • 1550 RPM	103104008	347
All FL Models (optional) Permanent Split Capacitor Motors	Capacitors	5 MFD • 440 Volt	202163004	83
	Motors	PSC • 115 Volt • 16 Watt • 1550 RPM	107933001	704
All Models	Controls	Fan Delay • Open at 45°F, Close at 35°F	103079009	240
	Controls	Heater Safety Switch	103079003	224
	Fan Guards	12" • Plastic • Black	119647000	173
	Motor Mounts	Motor Mount • 16 Watt Motors • ECM & Shaded Pole	10243000	173
	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,221
EC Motor	Motors	ECM • 230 Volt • 16 Watt • 1550 RPM	107933003 ⊘	1,268
FL26-67E	Heaters	Defrost Heater • Core • 230 Volt • 1970 Watts • 48" Long (x2 required for each unit)	200172026	582
FL36-100	Motors	Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	103104005	290
FL36-100E, FL36-135E, FL36-160E	Defrost Heaters	Core • 230 Volt • 1220 Watts • 30" Long (x2 required each unit)	200172023	608
FL36-135, FL36-160	Motors	Shaded Pole • 115 Volt • 16 Watt • 1550 RPM	103104007	347
FL36-160, FL46-220, FL46-265, FL56-370	Fan Blades	10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	93
FL46-180E, FL46-220E, FL46-265E	Defrost Heaters	Core • 230 Volt • 1550 Watts • 38" Long (x2 required for each unit)	200172024	543
FL46-180E, FL46-220E, FL46-265E, FL56-370E*	Defrost Heaters	Core • 230 Volt • 2480 Watts • 60" Long (x2 required for each unit)	200172028	643

* (x4) defrost heaters required for each unit

⊘ Part will not be restocked once depleted

UNIT COOLERS | Walk-In
Low Velocity ∞ Flow Temp
 All Models

Part	Description	Part #	List Price (\$US)
Sheet Metals ∞ Drain Pans: units produced AFTER April 1, 1991	Weld Assembly • Venturi / Drain Pan • 2-Fan • Aluminum	10861406	1,112
	Weld Assembly • Venturi / Drain Pan • 3-Fan • Aluminum	10861407	1,232
	4-Fan	10861403	1,413
	5-Fan	10861408	1,605
	2-Fan • White Painted	10861406W	1,950
	3-Fan • White Painted	10861407W	2,346
	4-Fan • White Painted	10861403W	2,678
	5-Fan • White Painted	10861408W	2,952

UNIT COOLERS | Walk-In
Low Velocity ∞ Flow Temp
 RWF Models

Model(s)	Part	Description	Part #	List Price (\$US)
All Electric & Hot Gas Defrost Models	Controls	Adjustable Defrost Control	204464037	643
	Controls	Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw	08219273	240
	Controls	Heater Safety Switch	103079003	224
All Models	Fan Guards	12" • Plastic • Black	119647000	173
	Motor Mounts	16 Watt Motors	10243000	173
All Models - ECM Motors	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,221
	Motors	ECM • 230 Volt • 16 Watt • 1550 RPM	107933003 ⊘	1,268
All Models - PSC Motors (optional)	Capacitors	5 MFD • 440 Volt	202163004	83
	Motors	PSC • 115 Volt • 16 Watt • 1550 RPM	107933001	704
	Motors	PSC • 460 Volt • 1/15 HP • 1550 RPM • Capacitor is pre-mounted	08216135	764
All Models - Shaded Pole Motors (optional)	Motors	Shaded Pole • 115 Volt • 16 Watt • 1550 RPM	103104007	347
	Motors	Shaded Pole • 230 Volt • 16 Watt • 1550 RPM	103104008	347

Continued on next page

⊘ Part will not be restocked once depleted

UNIT COOLERS | Walk-In
Low Velocity ∞ Flow Temp (continued)
 RWF Models

Model(s)	Part	Description	Part #	List Price (\$US)
RWF - 050	Defrost Heaters	240 Volt • 545 Watts • 42" Long (x2 required for each unit)	0821500901	624
	Sheet Metals	Drain Pan / Venturi • 1-Fan	0852507601	811
		Drain Pan / Venturi • 1-Fan • White Painted	0852507607*	1,212
RWF - 075	Fan Blades	10" Diameter • 20° Pitch • 1/4" Bore • Counterclockwise • Hubless	204395016	93
		10" Diameter • 13° Pitch • 5/16" Bore • Counterclockwise	08221005	93
RWF - 075, 100	Defrost Heaters	240 Volt • 545 Watts • 61" Long (x2 required for each unit)	0821500902	668
	Sheet Metals	Drain Pan / Venturi • 2-Fan	0852507701	1,112
		Drain Pan / Venturi • 2-Fan • White Painted	0852507707*	1,529
RWF - 130, 160	Sheet Metals	Drain Pan / Venturi • 3-Fan	0852507801	1,232
		Drain Pan / Venturi • 3-Fan • White Painted	0852507807*	1,859
RWF - 130, 160, 190, 220	Defrost Heaters	240 Volt • 1305 Watts • 79" Long (x2 required for each unit)	0821500903	771
RWF - 190, 220	Sheet Metals	Drain Pan / Venturi • 4-Fan	0852507901	1,413
		Drain Pan / Venturi • 4-Fan • White Painted	0852507907*	1,874
RWF - 270	Defrost Heaters	240 Volt • 2180 Watts • 90" Long (x2 required for each unit)	0821500904	871
	Sheet Metals	Drain Pan / Venturi • 5-Fan	0852508001	1,605
		Drain Pan / Venturi • 5-Fan • White Painted	0852508007*	2,003
RWF - 340	Defrost Heaters	240 Volt • 2725 Watts • 114" Long (x2 required for each unit)	0821500905	985
	Sheet Metals	Drain Pan / Venturi • 6-Fan	0852508101	1,744
RWF-050, 100, 130, 160, 190, 220, 270, 340	Fan Blades	10" Diameter • 28° Pitch • 5/16" Bore • Counterclockwise	08221007	93
		10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	93

* Optional

⊘ Part will not be restocked once depleted

UNIT COOLERS | Walk-In
HI Temp
 HI Models

Part	Model(s)	Description	Part #	List Price (\$US)
Fan Blades	HI17-18, HI17-25	10" Diameter • 20° Pitch • 1/4" Bore • Clockwise • Hubless	204395015 ⊘	93
	HI18-55	12" Diameter • 23° Pitch • 5/16" Bore • Clockwise	215112000	278
Fan Guards	HI17-6	6" • Plastic	205932000	160
	HI17-9, HI17-12, HI17-15	8" • Plastic	206569000	163
	HI17-18, HI17-25	10" • Wire • Black	08397002	173
Motors ∞ Shaded Pole	HI17-35, HI17-45, HI18-55	115 Volt • 1/20 HP • 1550 RPM	08216072	375
		230 Volt • 1/20 HP • 1550 RPM	08216071	375
	HI17-15, HI17-18, HI17-25	115 Volt • 9 Watt • 1550 RPM	103104004	290
		230 Volt • 9 Watt • 1550 RPM	103104005	290
	HI17-65, HI17-75, HI18-85,	115-230 Volt • 1/12 HP • 1050 RPM	08216119	1,050

UNIT COOLERS | Walk-In
Low Profile ∞ All-Temp B Vintage

AA-B // AE-B // AG-B // AH-B Models (built after October 1, 1991)

Model(s)	Part	Description	Part #	List Price (\$US)
1 - 6 Fan AE Models	Controls	Heater Safety Switch	103079003	224
1 Fan • AA & AE Models	Sheet Metals	Drain Pan • 27" L	08533740	699
3 Fan • AA & AE Models		Drain Pan • 63" L	08533743	866
4 Fan • AA & AE Models*		Drain Pan • 81" L	08533744	1,204
5 Fan • AA & AE Models*		Drain Pan • 99" L	08533745	1,321
6 Fan • AA & AE Models*		Drain Pan • 117" L	08533746	1,425
AA28-106B, -134B, AA26-115B, AE26-92B, AE24-72B, -85B		Drain Pan • 45" L	08533742	782
AA28-76B, -97B, -122B, AA26-70B, -87B, AE26-60B, 26-75B		Drain Pan • 41" L	08533741	782

Continued on next page

⊘ Part will not be restocked once depleted

UNIT COOLERS | Walk-In**Low Profile ∞ All-Temp B Vintage (continued)**

AA-B // AE-B // AG-B // AH-B Models (built after October 1, 1991)

Model(s)	Part	Description	Part #	List Price (\$US)
AE14-37B, AE16-36B, AE16-41B, AE16-46B	Defrost Heaters	Drain Pan • 1-Fan • 230 Volt • 500 Watts • 21" Long	200172042	523
AE14-37B, AE16-36B, AE16-41B, AE16-46B		Core • 230 Volt • 500 Watts • 26-1/4" Long	206240006	678
AE24-72B, AE24-85B, AE26-92B		Drain Pan • 2-Fan • 230 Volt • 1000 Watts • 39" Long	200172044	543
AE24-72B, AE24-85B, AE26-92B		Core • 230 Volt • 1000 Watts • 44-1/4" Long	206240008 ⊘	582
AE26-60B, AE26-75B		Drain Pan • 2-Fan • 230 Volt • 800 Watts • 35" Long	200172043	523
AE26-60B, AE26-75B		Core • 230 Volt • 800 Watts • 40-1/4" Long	206240007	543
AE34-105B, AE36-120B, AE36-140B		Drain Pan • 3-Fan • 230 Volt • 1500 Watts • 57" Long	200172045	643
AE34-105B, AE36-120B, AE36-140B		Core • 230 Volt • 1500 Watts • 62-1/4" Long	206240009	677
AE44-140B, AE46-164B, AE46-185B		Drain Pan • 4-Fan • 230 Volt • 2000 Watts • 75" Long	200172046	822
AE44-140B, AE46-164B, AE46-185B		Core • 230 Volt • 2000 Watts • 80-1/4" Long	206240010	861
AE54-180B, AE56-210B		Core • 230 Volt • 2500 Watts • 97-3/4" Long	206240011	1,001
AE64-215B, AE66-245B, AE66-280B		Drain Pan • 6-Fan • 230 Volt • 3000 Watts • 111" Long	200172048	1,039
AE64-215B, AE66-245B, AE66-280B		Core • 230 Volt • 2750 Watts • 115-3/4" Long	206240012	1,060
All "AE" Models	Controls	Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw	08219273	240
		Fan Delay • Open at 45°F, Close at 35°F	103079009	240
All Models	Fan Guards	12" • Plastic • Black	119647000	173
		12" • Plastic • High Throw	205925001*	246
All-Temp Models (SP & PSC)	Motor Mounts	12"	21062000	240
All Models	Fan Blades	12" Diameter • 24° Pitch • 5/16" Bore • Clockwise • for use with Shaded Pole & PSC motors	08221153	141

* Optional

Continued on next page

⊘ Part will not be restocked once depleted

UNIT COOLERS | Walk-In**Low Profile ∞ All-Temp B Vintage (continued)**

AA-B // AE-B // AG-B // AH-B Models (built after October 1, 1991)

Model(s)	Part	Description	Part #	List Price (\$US)
B Models ∞ ECM	Motor Mounts	1-Leg • x3 required per motor	08522938	76
	Motors	115 Volt • 50 Watt • 1550 RPM • Counterclockwise	08216124 ⊘	1,146
		230 Volt • 1/15 HP • 1550 RPM	08216139	1,320
B Models ∞ PSC	Capacitors	3 MFD • 370 Volt	202163010	82
	Fan Blades	12" Diameter • 24° Pitch • 1/4" Bore • Clockwise	08221175	134
	Motor Mounts	12"	21062000	240
	Motors	115 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216074	516
		230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	584
B Models ∞ Shaded Pole	Motor Mounts	12"	21062000	240
	Motors	115 Volt • 1/20 HP • 1550 RPM	08216072	375
		230 Volt • 1/20 HP • 1550 RPM	08216071	375
		460 Volt • 1/20 HP • 1550 RPM	08216034	551

- 1 Applicable Law and Terms of Sale: All orders shall be subject to the following terms and conditions notwithstanding any additional or contrary printed terms and conditions of Buyer. Such additional or contrary terms shall not bind Seller unless accepted in writing even though such terms do not materially alter the terms hereof. No oral statements, warranties, stipulations, representations or terms shall have any binding effect or be any part of the contract whatsoever.
- 2 Orders: All orders must be in writing and will be binding when our order acknowledgment is mailed. Orders are accepted subject to strikes, fires, accidents, and other causes beyond our reasonable control. Acceptance of your order is conditioned upon an agreement to hold us harmless by reason of delivery delays.
- 3 Prices: Subject to change without notice, and all quotations, unless otherwise specified, are binding only for immediate acceptance. Prices are based on material made to Seller's standard tolerances, unless otherwise specified.
- 4 Freight: All products are shipped FOB Point of Shipment with full freight allowed on single orders with a net price value of \$10,000.00 or more, except surface coils and parts, within the continental USA (excluding Alaska and Hawaii). Shipments to destinations outside the continental USA, that meet freight allowance requirements, will incur charges for the additional transport beyond the USA border. Seller reserves the choice of transportation mode, carrier, and shipping point. If special routing (dedicated/contract haul, flatbed delivery, appointment to meet a crane, etc.) is required/requested for a purchase order of \$10,000.00 or greater, Buyer will be assessed a special delivery charge per truck. Charges of \$80 per hour resulting from excessive unloading time, beyond the allotted "free time" (two hours per stop on partial loads and/or full truck loads), as defined by the carrier, is subject to being passed on to the customer. The responsibility of the Seller shall cease upon delivery of product in good condition to a common carrier (TL, LTL, FLATBED, ETC). Since all goods are shipped at Buyer's risk, they should be examined carefully before signing delivery receipt. If common carrier tenders delivery of goods in damaged condition or if packages delivered do not correspond with the number called for on the freight bill, Buyer should insist on common carrier's agent (DRIVER) making notation of the condition of shortages or damage on delivery receipt. The Buyer should never refuse freight from the common carrier. Filing freight claims are under the responsibility of the Buyer, and this will enable them to secure prompt payment of claim for damaged or lost material. Sometimes damage or loss is not readily apparent, so it is suggested that Buyer thoroughly inspect each shipment as soon as it is received for concealed loss or damage. Refer to HTPG's 2019 Freight Policy for further information.
- 5 Taxes: Any sales, use, excise, or similar tax payable by Seller which is or may be imposed by any taxing authority upon manufacture, sale or delivery of goods covered by any order or any increase in rate of any such tax now in force, shall be added to the sales price; if not collected at the time of payment of sales price, Buyer will hold Seller harmless.
- 6 Limited Warranty: Seller warrants against defect in materials and workmanship in products which it manufactures for (1) year from date of installation or up to (18) eighteen months from the date of shipment, whichever event occurs first, when properly installed and operated under normal use. This guarantee does not include any labor or other charges made outside of the Seller's factory for replacement or repair of defective parts unless specifically stated in the body of the Seller's invoice. On parts not manufactured by Seller, such as motors, controls, valves and compressors we extend to the Buyer the same warranties made to us by the manufacturer. Seller's only liability under this warranty or otherwise shall be the repair or replacement (at Seller's option) of non-conforming goods or parts. Seller assumes no liability for incidental or consequential damages such as injury to person or property, or lost profits.
- 7 THIS GUARANTEE SUPERSEDES AND IS IN LIEU OF ANY AND ALL OTHER WARRANTIES BY LAW OR CUSTOM, EITHER EXPRESSED OR IMPLIED INCLUDING, BUT NOT LIMITED BY THIS ENUMERATION, ANY GUARANTEE AS TO QUALITY OR FITNESS FOR ANY PARTICULAR PURPOSE, EXCEPT AS SET FORTH ABOVE. NO PERSON, AGENT, OR DEALER IS AUTHORIZED TO GIVE ANY WARRANTIES ON BEHALF OF SELLER NOR TO ASSUME FOR SELLER ANY OTHER LIABILITY IN CONNECTION WITH ANY OF THE SELLER'S PRODUCTS.
- 8 Delivery: Seller shall not be liable for any delays in or failure of delivery due to acts of God or public authority, labor disputes, accidents, fires, floods, extreme weather conditions, failure of and delays by carriers, shortages of material, delays of a supplier, and any other cause beyond Seller's control. In no event shall Seller be liable for consequential or special damages arising out of a delay in or failure of delivery. Failure to meet estimated ship dates will not be considered sufficient cause of cancellation of orders.
- 9 Cancellations and Returned Goods: Permission to return any part or product must be obtained from Seller and may be subject to a restocking charge. Credits for new material accepted for return will be at the original sales price or current market price, whichever is lower, less handling and restocking charges. Buyer must prepay all transportation charges. Any costs for putting material in condition for resale will be charged to the Buyer. Shipment of material returned without factory authorization or not properly tagged with a Return Material Authorization Number or not freight prepaid cannot be received by Seller. Obsolete products or material made to special order are not returnable.
- 10 Catalog Materials and Drawings: Seller is not responsible for typographical errors or other errors of omission in Seller's catalogs or drawings.
- 11 Late Charge Provision: Buyer agrees to pay a late charge of 1-1/2% per month (18% per year) for any invoice or bill not paid within (30) thirty days of the date of the billing invoice.
- 12 Choices of law, Disputes: This agreement and the performance of the parties hereunder shall be construed in accordance with and governed by the laws of the State of Georgia and shall be deemed made in the state. Buyer irrevocably consents to the exclusive jurisdiction of the courts of Fulton County, on all matters arising out of or relating to this sale and Buyer further irrevocably consents to service of process by certified mail, return receipt requested, at Buyer's address set forth in the order acknowledgment.



ENGINEERED FOR COOL.™

HTPG.com

Main 256-259-7400

Equipment Orders 800-288-9488 or equipment@htpg.com

Parts 855-HTPARTS (1-855-487-2787) or parts@htpg.com