




COLDZ[®]NE



PARTS PRICE LIST

APRIL 2025

COMMERCIAL REFRIGERATION



ORDERS

All orders are subject to a \$30.00 net minimum billing and subject to HTPG's Terms and Conditions of Sale. Warranty on all purchased parts is 1 year from date of invoice. If an exact part number is not available; model number, serial number, and voltage must be provided to determine the exact vintage of the unit.

All parts are shipped FOB point of shipping:

- Parts are typically shipped in cardboard cartons unless size or weight will not permit
- Any parts order requiring crating cannot be shipped by FedEx e.g. metal components such as venturi panels, drain pans, long defrost heaters
- Defrost heaters are coiled for shipment, heater hooks are sold separately
- PSC motors are shipped less their capacitors, unless specifically ordered.



256-259-7400
Customer Service

1-800-288-9488
Equipment Orders

1-855-HTPARTS (1-855-487-2787)
Parts Orders



equipment@htpg.com


parts@htpg.com



HTPG.com


VIEW TERMS & WARRANTY

From March 2005 to April 2019



For help on specific units or equipment produced prior to 2005, please contact
Parts Customer Service at 1-855-HTPARTS (1-855-487-2787)

January 2019 to present





ST N E T N O C



REACH-IN UNIT COOLERS

MODEL NOMENCLATURE

Not all combinations of nomenclature are available. For specific offering, see following pages or consult with one of our sales representatives.

SL	A	1	5	9	RP	A	S
Product Line	Defrost Type	No. of Fans	Fins Per Inch (FPI)	Capacity	Coil Coating	Voltage	Motor Type
SL - Slim Temp WE - Wedge Temp FT - Flex Temp MUF - Mullion-Temp (Up flow) MDF - Mullion-Temp (Down flow) TT - T-Temp TW - Twin-Temp MTW - Mini Twin-Temp	Blank - Air A - Air E - Electric			# x 100 = BTUH	Blank - No Coating RP - Russ-Proof Coil Coating	A - 115/1/60 D - 230/1/60	E - EC P - PSC S - Shaded-Pole

MODELS

SLIM TEMP

SLA MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
SLA 17-10	Sheet Metals ∞ Drain Pan / Venturi	6" • Slim Temp SLA	20997400	287
SLA 17-13		Slim Temp SLA 17 • SLE 15	20997600	317
SLA27-17		Drain Pan / Venturi	20997800	373
SLA27-23		Slim Temp SLA	20996600	438
SLA 37-30		Slim Temp SLA 37	20996800	521
SLA 47-40		Slim Temp SLA	20997000	574
SLA 57-50		Slim Temp SLA 57	20997200	710

Model(s)	Part	Description	Part #	List Price (\$US)
All SLA Models	Fan Guards	6" • Plastic	205932000	145
	Motors	Shaded Pole • 115 Volt • 3000 RPM • Skeleton Frame	102249005	268
		Shaded Pole • 230 Volt • 3000 RPM • Skeleton Frame	102249007	279
	Motor Mounts	Motor Mount	12003600	80

SLE MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
All "SLE" Models	Controls	Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw	08219273	226
		Fan Delay • Open at 45°F, Close at 35°F	103079009	217
SLE 25-21 thru 45-54	Fan Blades	8" Diameter • 36° Pitch • Counterclockwise • Hubless	204395010	80
SLE 35-70		10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	85
SLE 15-9 thru 25-16	Fan Guards	6" • Plastic	205932000	145
SLE 25-21 thru 45-54		8" • Plastic	206569000	148
SLE 35-70		10" • Wire • White	08397053	157
SLE 15-12	Heaters	Defrost Heater • 115 Volt • 500 Watts • 14-1/4" Long	220150002	373
SLE 15-12		Defrost Heater • 230 Volt • 500 Watts • 14-1/4" Long	220150032	433
SLE 15-9		Defrost Heater • 115 Volt • 400 Watts • 10-1/4" Long	220150001	372
SLE 15-9		Defrost Heater • 230 Volt • 400 Watts • 10-1/4" Long	220150031	426

SLIM TEMP

SLE MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
SLE 25-16	Heaters ∞ Defrost Heaters	115 Volt • 700 Watts • 17-3/4" Long	220150003	432
SLE 25-16		230 Volt • 700 Watts • 17-3/4" Long	220150033	413
SLE 25-21		115 Volt • 700 Watts • 17-3/4" Long	220150003	432
SLE 25-21		230 Volt • 700 Watts • 17-3/4" Long	220150033	413
SLE 25-28		115 Volt • 900 Watts • 25-1/4" Long	220150004	474
SLE 25-28		230 Volt • 900 Watts • 25-1/4" Long	220150034	567
SLE 35-36		115 Volt • 1200 Watts • 32-1/4" Long	220150005	527
SLE 35-36		230 Volt • 1200 Watts • 32-1/4" Long	220150035	615
SLE 35-70		230 Volt • 2300 Watts • 69-1/4" Long	220150037	759
SLE 45-54		115 Volt • 1500 Watts • 42" Long	220150006	670
SLE 45-54		230 Volt • 1500 Watts • 42" Long	220150036	678
SLE 15-9 thru 25-16	Motor Mounts	Motor Mount	12003600	80
SLE 25-21 thru 45-54		SL	12003000	85
SLE 35-70		16 Watt Motors • ECM & Shaded Pole	10243000	157
SLE 15-9 thru 25-16	Motors	Shaded Pole • 115 Volt • 3000 RPM • Skeleton Frame	102249005	268
SLE 15-9 thru 25-16		Shaded Pole • 230 Volt • 3000 RPM • Skeleton Frame	102249007	279
SLE 25-21 thru 45-54		Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	263
SLE 25-21 thru 45-54		Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	103104005	263
SLE 25-21 thru 45-54		ECM • 115 Volt • 16 Watt • 1550 RPM	107933006	1,108
SLE 25-21 thru 45-54		ECM • 230 Volt • 16 Watt • 1550 RPM	107933003	1,196
SLE 35-70		Shaded Pole • 115 Volt • 16 Watt • 1550 RPM	103104007	327
SLE 35-70		Shaded Pole • 230 Volt • 16 Watt • 1550 RPM	103104008	314
SLE 15-12	Sheet Metals ∞ Drain Pan / Venturi	Slim Temp SLA 17 • SLE 15	20997600	317
SLE 15-9		6" • Slim Temp SLA	20997400	287
SLE 25-16		Drain Pan / Venturi	20997800	373
SLE 25-21		2-Fan • 8"	20998000	438
SLE 25-28		2-Fan • 8" • Slim Temp SLE 25	20998200	537
SLE 35-36		3-Fan • 8" • Slim Temp SLE	20998400	598
SLE 35-70		Slim Temp SLE 35	20998800	816
SLE 45-54		4-Fan • 8" • Slim Temp SLE	20998600	739

FLEX TEMP

FT MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
FT18-6, FT18-8	Fan Guards	6" • Plastic	205932000	151
	Motors	Shaded Pole • 115 Volt • 3000 RPM • Skeleton Frame	102249005	279
		Shaded Pole • 230 Volt • 3000 RPM • Skeleton Frame	102249007	279
FT28-12	Sheet Metals	Drain Pan / Venturi • Flex Temp	20985500	306
	Fan Guards	6" • Plastic	205932000	151
	Motors	Shaded Pole • 115 Volt • 3000 RPM • Skeleton Frame	102249005	279
		Shaded Pole • 230 Volt • 3000 RPM • Skeleton Frame	102249007	279
FT18-17	Sheet Metals	Drain Pan / Venturi • Flex Temp	20985400	367
	Fan Guards	8" • Plastic	206569000	154
	Motors	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	274
		Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	103104005	274
		ECM • 115 Volt • 16 Watt • 1550 RPM	107933006	1,152
		ECM • 230 Volt • 16 Watt • 1550 RPM	107933003	1,196
FT18-23, FT18-31	Sheet Metals	Drain Pan / Venturi • Flex Temp	20985300	467
	Fan Blades	10" Diameter • 25° Pitch • 5/16" Bore • Counterclockwise	214022000	88
	Motors	Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM	08216072	354
		Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	354

WEDGE TEMP

WE MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
WE17-12	Sheet Metals	Drain Pan	20193200	512
	Fan Blades	8" Diameter • 36° Pitch • Counterclockwise • Hubless	204395010	83
	Fan Guards	8" • Plastic	206569000	154
WE17-15	Sheet Metals	Drain Pan	20193200	512
	Fan Blades	8" Diameter • 36° Pitch • Counterclockwise • Hubless	204395010	83
	Fan Guards	8" • Plastic	206569000	154
	Motors	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	274
		Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	103104005	274
WE17-18	Fan Blades	8" Diameter • 36° Pitch • Counterclockwise • Hubless	204395010	83
	Fan Guards	8" • Plastic	206569000	154
	Motors	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	274
		Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	103104005	274
WE17-25	Fan Blades	10" Diameter • 20° Pitch • 1/4" Bore • Counterclockwise • Hubless	204395016	88
	Fan Guards	10" • Wire • White	08397053	163
	Motors	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	274
	Sheet Metals	Drain Pan Assembly • Wall Temp 17-25, 35	105633003	580
		Drain Pan	20192600	274
WE17-35	Sheet Metals	Drain Pan	20192400	580
	Fan Blades	10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	88
	Fan Guards	10" • Wire • White	08397053	163
	Motors	Shaded Pole • 115 Volt • 16 Watt • 1550 RPM	103104007	327
		Shaded Pole • 230 Volt • 16 Watt • 1550 RPM	103104008	327
WE17-12, -15, -18, -25, -35	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006	1,152
		ECM • 230 Volt • 16 Watt • 1550 RPM	107933003	1,196
WE17-45, WE18-55	Sheet Metals	Drain Pan	20194000	622
	Fan Blades	12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors	08221169	127
	Motors	Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM	08216072	354
		Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	354
WE28-110	Fan Blades	12" Diameter • 19° Pitch • Counterclockwise	11860	266

TWIN TEMP

TW MODELS

Part	Description	Model(s)	Part #	List Price (\$US)
Sheet Metals	Drain Pan / Venturi • 8"	TW17-9, TW17-12, TW17-18	20870100	266
	Drain Pan / Venturi	TW17-25, TW17-35	20873500	266
	Drain Pan / Venturi • 12"	TW17-45, TW17-55, TW18-65	20874600	512
	Venturi / Drain Pan Panel • 16"	TW17-75, 18-85, TW17-105, TW18-120	10574400	548
Fan Blades	8" Diameter • 22° Pitch • Counterclockwise • Hubless	TW17-9	204395008	83
	8" Diameter • 36° Pitch • Counterclockwise • Hubless	TW17-12, TW17-18	204395010	83
	10" Diameter • 20° Pitch • 1/4" Bore • Clockwise • Hubless	TW17-25, TW17-35	204395015	88
	12" Diameter • 18° Pitch • 5/16" Bore • Counterclockwise	TW17-45	214118000	266
	12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors	TW17-55, TW18-65	08221169	127
	16" Diameter • 19° Pitch • Counterclockwise	TW17-75, TW18-85, TW17-105, TW18-120	11904	360
Fan Guards	8" • Plastic	TW17-9, TW17-12, TW17-18	206569000	154
	10" • Wire • White	TW17-25, TW17-35	08397053	163

Part	Description	Model(s)	Part #	List Price (\$US)
Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	TW17-9, TW17-12	107933006	1,152
	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	TW17-18, TW17-25, TW17-35	103104004	274
	Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	TW17-45, TW17-55, TW18-65	103104005	274
	ECM • 115 Volt • 16 Watt • 1550 RPM	TW17-75, TW18-85, TW17-105, TW18-120, TW27-240	107933006	1,152
	ECM • 230 Volt • 16 Watt • 1550 RPM	TW17-75, TW18-85, TW17-105, TW18-120, TW27-240	107933003	1,196
	Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM	TW17-45, TW17-55, TW18-65	08216072	354
	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	TW17-45, TW17-55, TW18-65	08216071	354
	Shaded Pole • 115-230 Volt • 1/12 HP • 1050 RPM	TW17-75, TW18-85, TW17-105, TW18-120, TW27-240	08216119	991
Motor Mounts	Specify unit model and serial numbers when ordering	TW17-18	10870202	1,152
		TW17-25	10873801	1,196
		TW17-35	10873802	126
		TW17-45	10874700	72
		TW17-55, TW18-65	10874800	217
		TW17-75 thru TW17-180	10019700	255

MINI-TWIN TEMP

MTW MODELS

Part	Description	Model(s)	Part #	List Price (\$US)
Sheet Metals	Drain Pan / Venturi	MTW18-8	20317800	298
		MTW28-13	20317900	397
		MTW28-18	20317900	397
		MTW38-27	20317600	408

Model(s)	Part	Description	Part #	List Price (\$US)
ALL MODELS	Fan Guards	6" • Plastic	205932000	151
	Shaded Pole Motors	115 Volt • 3000 RPM • Skeleton Frame	102249005	279
		230 Volt • 3000 RPM • Skeleton Frame	102249007	279
	Motor Mounts	Motor Mount	12003600	83

MULLION TEMP

MUF // MDF MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
ALL 27-13, & 27-17 MODELS	Sheet Metals	Wraparound and Drain Pan	20782200	233
ALL 37-23 MODELS	Sheet Metals	Wraparound and Drain Pan	20988300	285
ALL MUF	Fan Blades	5" Diameter • 1/4" Bore • Counterclockwise • Plastic	105849004	72
ALL MDF MODELS	Fan Guards / Grilles	5" • Plastic	207824000	148
ALL MODELS	Shaded Pole Motors	115 Volt • 3000 RPM • Skeleton Frame	102249005	279
		230 Volt • 3000 RPM • Skeleton Frame	102249007	279

REACH-IN UNIT COOLER

T-TEMP

TT MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
TT18-8	Sheet Metals	Drain Pan / Venturi	20316400	298
TT28-13			20316501	330
TT28-17			20316502	388
ALL MODELS	Fan Guards	6" • Plastic	205932000	151
	Shaded Pole Motors	115 Volt • 3000 RPM • Skeleton Frame	102249005	279
		230 Volt • 3000 RPM • Skeleton Frame	102249007	279
	Motor Mounts	Motor Mount	12003600	83



MODEL NOMENCLATURE

Not all combinations of nomenclature are available. For specific offering, see following pages or consult with one of our sales representatives.

ASL	A	2	5	061	A	D	A
Product Line	Defrost Type	No. of Fans	Fins Per Inch (FPI)	Capacity	Voltage	Motor Type	Vintage
ASL - Slim Temp Display Case	A - Air E - Electric	2 to 6		# x 100 = BTUH	A - 115/1/60 D - 230/1/60	D - Dual Speed EC	

MODELS

ASL MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
ASL25-46E	Heaters	Defrost Heater • Core • 230 Volt • 1300 Watts • 39" Long	205221013	512
	Sheet Metals	Drain Pan • 46" Long • ASL 25	20248901	769
ASL25-58E	Heaters	Defrost Heater • Core • 230 Volt • 1970 Watts • 48" Long (x2 required for each unit)	200172026	549
	Sheet Metals	Drain Pan • 46" Long • ASL 25	20248901	769
ASL35-70E	Heaters	Defrost Heater • Core • 230 Volt • 1850 Watts • 62" Long (x2 required for each unit)	205221016	805
	Sheet Metals	Drain Pan • 69" Long • ASL 35	20248902	922
ASL45-94E	Heaters	Defrost Heater • Core • 230 Volt • 1250 Watts • 42" Long (x2 required for each unit)	205221007	664
	Sheet Metals	Drain Pan • 92" Long • ASL 45	20248903	1,020
ASL55-117E	Heaters	Defrost Heater • Core • 230 Volt • 1600 Watts • 54" Long (x2 required for each unit)	205221010	759
	Sheet Metals	Drain Pan • 115" Long • ASL 55	20248904	1,119
ALL "ASL-E" MODELS	Controls	Defrost Termination & Fan Delay	103079002	226
	Controls	Heater Safety Switch	103079003	211
ALL "ASL" MODELS	Fan Blades	10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	88
	Fan Guards	10" • Wire • White	08397053	163
	Motor Mounts	Motor Mount for 16 Watt Motors • ECM & Shaded Pole	10243000	163
ALL "ASL" MODELS ∞ Shaded Pole Motors	Motors	Shaded Pole • 115 Volt • 16 Watt • 1550 RPM	103104007	327
	Motors	Shaded Pole • 230 Volt • 16 Watt • 1550 RPM	103104008	327
ALL "ASL" MODELS ∞ Permanent Split Capacitor Motors	Motors	PSC • 115 Volt • 16 Watt • 1550 RPM	107933001	664
ALL MODELS ∞ Electronically Commutated Motors	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006	1,152
	Motors	ECM • 230 Volt • 16 Watt • 1550 RPM	107933003	1,196

ASLA & ASLE MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
ASLE 25-46	Heaters	Defrost Heater • Core • 230 Volt • 1300 Watts • 39" Long	205221013	512
	Drain Pan	46" Long • ASL 25	20248901	769
ASLE 25-58	Heaters	Defrost Heater • Core • 230 Volt • 1970 Watts • 48" Long (x2 required for each unit)	200172026	549
	Drain Pan	69" Long • ASL 35	20248902	922
ASLE 35-70	Heaters	Defrost Heater • Core • 230 Volt • 1850 Watts • 62" Long (x2 required for each unit)	205221016	805
	Drain Pan	92" Long • ASL 45	20248903	1,020
ASLE 45-94	Heaters	Defrost Heater • Core • 230 Volt • 1250 Watts • 42" Long (x2 required for each unit)	205221007	664
	Drain Pan	92" Long • ASL 45	20248903	1,020
ASLE55-117	Heaters	Defrost Heater • Core • 230 Volt • 1600 Watts • 54" Long (x2 required for each unit)	205221010	759
	Drain Pan	115" Long • ASL 55	20248904	1,119
ASLE 65-150	Heaters	Defrost Heater • Core • 230 Volt • 1850 Watts • 62" Long (x2 required for each unit)	205221016	805
	Drain Pan	6-Fan • Slim Temp ASL Models	22118700	922
ALL "ASLE" MODELS	Controls	Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw	08219273	226
		Fan Delay • Open at 45°F, Close at 35°F	103079009	226
		Heater Safety Switch	103079003	211
	Fan Blades	10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	88
	Fan Guards	10" • Wire • White	08397053	163
ALL "ASL" MODELS	Motor Mounts	Motor Mount for 16 Watt Motors • ECM & Shaded Pole	10243000	163

Model(s)	Part	Description	Part #	List Price (\$US)
ALL "ASL" MODELS	Shaded Pole Motors	115 Volt • 16 Watt • 1550 RPM	103104007	327
		230 Volt • 16 Watt • 1550 RPM	103104008	327
ALL "ASL" MODELS	Permanent Split Capacitor Motors	115 Volt • 16 Watt • 1550 RPM	107933001	664
ALL MODELS	Electronically Commutated Motors	115 Volt • 16 Watt • 1550 RPM	107933006	1,152
		230 Volt • 16 Watt • 1550 RPM	107933003	1,196

WALK-IN UNIT COOLERS

MODEL NOMENCLATURE

Not all combinations of nomenclature are available. For specific offering, see following pages or consult with one of our sales representatives.

R	W	6	E	143	E	D	A
Brand	Style	Fins Per Inch (FPI)	Defrost Type	Capacity	Voltage	Motor Type	Vintage
R - Russell K - Kramer W - Witt	L - Low Profile U - Low Profile Reverse Connections E - Center Mount V - Low Velocity Center Mount M - Medium Profile H - Heavy Duty Y - Heavy Duty Reverse Connections W - Warehouse Z - Warehouse Reverse Connections	6 FPI 4 FPI	A - Air E - Electric H - Hot Gas 3-Pipe w/ Electric Drain Pan K - Hot Gas 3-Pipe w/Hot Gas Drain Pan G - Hot Gas Reverse w/ Electric Drain Pan L - Hot Gas Reverse w/ Hot Gas Drain Pan	# x 100 = BTUH <i>*multiply by 1,000 for Heavy Duty and Warehouse</i>	A - 115/1/60 D - 230/1/60 E - 208-230/3/60 F - 460/1/60 G - 460/3/60	D - Dual Speed EC T - 3 Phase H - 3 Phase + High- Static (Pressure Prop) Fan Blades	
Pre-Configuration Codes All-Temp Only							
				A	L		
				Refrigerant	Pre-Assembly Code		
				A - R404A R - EcoNet Approved Ref. S - R407A, R448A, R449A/B	C - Mounted TXV, LLSV & Electronic Thermostat E - EcoNet Control Package L - Mounted TXV, LLSV & Mechanical Thermostat		

MODELS

NEXT-GEN ALL-TEMP • LOW PROFILE

*LA // *LE // *LH // *LG

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Part	Description	Part #	List Price (\$US)
Drain Pans	Drain Pan • 1-Fan • Air Defrost	0852833601	659
	Drain Pan • 2-Fan • Air Defrost	0852833701	738
	Drain Pan • 3-Fan • Air Defrost	0852833801	817
	Drain Pan • 4-Fan • Air Defrost	0852833901	1,136
	Drain Pan • 5-Fan • Air Defrost	0852834001	1,249
	Drain Pan • 6-Fan • Air Defrost	0852834101	1,344
	Drain Pan • 1-Fan • Electric Defrost	0852833602	659
	Drain Pan • 2-Fan • Electric Defrost	0852833702	738
	Drain Pan • Drain Pan Assembly • 3-Fan • Electric Defrost	0852833802	817
	Drain Pan • 4-Fan • Electric Defrost	0852833902	1,136
	Drain Pan • 5-Fan • Electric Defrost	0852834002	1,249
	Drain Pan • 6-Fan • Electric Defrost	0852834102	1,344
Venturi Panels	1-Fan Venturi Panel • Next-Gen Low Profile	08528313	552
	2-Fan Venturi Panel • Next-Gen Low Profile	08528314	595
	3-Fan Venturi Panel • Next-Gen Low Profile	08528315	622
	4-Fan Venturi Panel • Next-Gen Low Profile	08528316	659
	5-Fan Venturi Panel • Next-Gen Low Profile	08528317	692
	6-Fan Venturi Panel • Next-Gen Low Profile	08528318	720
	End Cover Door • Next-Gen Low Profile	08528319	254
Part	Description	Part #	List Price (\$US)
Relay Controls	Single Pole Single Throw • Normally Closed • 120 Volt Coil • Sealed	08218183	53
	Single Pole Single Throw • Normally Closed • 240 Volt Coil • Sealed	08218377	53
Motors ECM	115/230 Volt • 35 Watt • 2-Speed	08216211	1,297
	115/230 Volt • 35 Watt • 2-Speed	08216216	1,297
	115 Volt • 50 Watt • 1550 RPM • Counterclockwise	08216124	1,081
Motors PSC	115 Volt • 1/20 HP • 1550 RPM • 3 MFD capacitor not included	08216074	487
	230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	551
	460 Volt • 1/15 HP • 1550 RPM • Capacitor is pre-mounted	08216135	721
Motor Mounts	Motor Mount • 4 Leg • Dual Speed Dual Voltage • Tall • ECM Motors	08321627	135
	Motor Mount • 4 Leg • Short • PSC Motors	08321628	127
Fan Blades	12" Diameter • 24° Pitch • 1/4" Bore • Clockwise • ECM Motors	08221175	126
	12" Diameter • 24° Pitch • 5/16" Bore • Clockwise • for use with Shaded Pole & PSC Motors	08221153	133
Fan Guards	12" • Black • Next-Gen-LP	08321626	232

NEXT-GEN ALL-TEMP • LOW PROFILE

COMMON PARTS

Part	Description	Part #	List Price (\$US)
Controls	Defrost Termination & Fan Delay • Open at 35°F, Close at 55°F + Open at 55°F, Close at 35°F • Single Pole Double Throw	08219328	226
Refrigeration Components	Thermostat • 120/240 Volt • Single Pole Single Throw • -30° Open to 100° Close	08219008	513
	Electronic Thermostat • 120/240 Volt	08219588	425
	Electronic Thermostat with timer	08219608	460

DEFROST HEATERS | Electric Defrost ∞ *LE

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

# of Fans	Models	Description	Part #	List Price (\$US)
1	*L6E035, *L6E042, *L6E049, *L4E027, *L4E032, *L4E038	1-Fan Coil Heater • 230 Volt • 375 Watts • 20" Long* (x2 required for each unit) NOTE: Heater voltage will line up with the voltage code in the model number. Each unit will get 3 heaters (2 on the face of the coil & 1 in the drain pan). 460V units include (2) 230V face heaters wired in series. The drain pan contains a single 460V heater.	08215200	121
	*L6E035, *L6E042, *L6E049, *L4E027, *L4E032, *L4E038	Drain Pan • 230 Volt • 375 Watts • 22-1/2" Long	08215206	121
	*L6E035, *L6E042, *L6E049, *L4E027, *L4E032, *L4E038	Drain Pan • 460 Volt • 375 Watts • 22-1/2" Long	08215212	112
2	*L6E066, *L6E077, *L6E090, *L6E105, *L4E051, *L4E064, *L4E080	2-Fan Coil Heater • 230 Volt • 750 Watts • 36-1/2" Long*	08215201	144
	*L6E066, *L6E077, *L6E090, *L6E105, *L4E051, *L4E064, *L4E080	Drain Pan • 230 Volt • 750 Watts • 39" Long	08215207	138
	*L6E066, *L6E077, *L6E090, *L6E105, *L4E051, *L4E064, *L4E080	Drain Pan • 460 Volt • 750 Watts • 39" Long	08215213	161
3	*L6E121, *L4E094, *L6E142, *L4E110	3-Fan Coil Heater • 230 Volt • 1100 Watts • 53" Long*	08215202	185
	*L6E121, *L4E094, *L6E142, *L4E110	Drain Pan • 230 Volt • 1100 Watts • 55-1/2" Long	08215208	192
	*L6E121, *L4E094, *L6E142, *L4E110	Drain Pan • 460 Volt • 1100 Watts • 55-1/2" Long	08215214	213

* (x2) required for each unit

Continued on next page

NEXT-GEN ALL-TEMP • LOW PROFILE

DEFROST HEATERS (continued) | Electric Defrost ∞ *LE

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

# of Fans	Models	Description	Part #	List Price (\$US)
4	*L6E162, *L4E125, *L6E182, *L4E141	4-Fan Coil Heater • 230 Volt • 1475 Watts • 69-1/2" Long*	08215203	193
	*L6E162, *L4E125, *L6E182, *L4E141	Drain Pan • 230 Volt • 1475 Watts • 72" Long	08215209	194
	*L6E162, *L4E125, *L6E182, *L4E141	Drain Pan • 460 Volt • 1475 Watts • 72" Long	08215215	269
5	*L6E200, *L4E155	5-Fan Coil Heater • 230 Volt • 1850 Watts • 86" Long*	08215204	213
	*L6E200, *L4E155	Drain Pan • 230 Volt • 1850 Watts • 88-1/2" Long	08215210	200
	*L6E200, *L4E155	Drain Pan • 460 Volt • 1850 Watts • 88-1/2" Long	08215216	309
6	*L6E244, *L4E195, *L6E281, *L4E230	6-Fan Coil Heater • 230 Volt • 2225 Watts • 102-1/2" Long*	08215205	234
	*L6E244, *L4E195, *L6E281, *L4E230	Drain Pan • 230 Volt • 2225 Watts • 105" Long	08215211	217
	*L6E244, *L4E195, *L6E281, *L4E230	Drain Pan • 460 Volt • 2225 Watts • 105" Long	08215217	352

* (x2) required for each unit

DEFROST HEATERS | Hot Gas Defrost ∞ *LG // *LH

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

# of Fans	Models	Description	Part #	List Price (\$US)
1	*L6G035, *L6G042, *LG049, *L4G027, *L4G032, *L4G038, *L6H035, *L6H042, *LH049, *L4H027, *L4H032, *L4H038	Defrost Heater • Drain Pan • 1-Fan • 115 Volt • 375 Watts • 22-1/2" Long	08530726	126
	*L6G035, *L6G042, *LG049, *L4G027, *L4G032, *L4G038, *L6H035, *L6H042, *LH049, *L4H027, *L4H032, *L4H038	Defrost Heater • Drain Pan • 1-Fan • 230 Volt • 375 Watts • 22-1/2" Long	08215206	121
	*L6G035, *L6G042, *LG049, *L4G027, *L4G032, *L4G038, *L6H035, *L6H042, *LH049, *L4H027, *L4H032, *L4H038	Defrost Heater • Drain Pan • 1-Fan • 460 Volt • 375 Watts • 22-1/2" Long	08215212	112

Continued on next page

NEXT-GEN ALL-TEMP • LOW PROFILE

DEFROST HEATERS (continued) | Hot Gas Defrost ∞ *LG // *LH * Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

# of Fans	Models	Description	Part #	List Price (\$US)
2	*L6G066, *L6G077, *L6G090, *L6G105, *L4G051, *L4G064, *L4G080, *L6H066, *L6H077, *L6H090, *L6H105, *L4H051, *L4H064, *L4H080	Defrost Heater • Drain Pan • 2-Fan • 115 Volt • 750 Watts • 39" Long	08530727	180
	*L6G066, *L6G077, *L6G090, *L6G105, *L4G051, *L4G064, *L4G080, *L6H066, *L6H077, *L6H090, *L6H105, *L4H051, *L4H064, *L4H080	Defrost Heater • Drain Pan • 2-Fan • 230 Volt • 750 Watts • 39" Long	08215207	138
	*L6G066, *L6G077, *L6G090, *L6G105, *L4G051, *L4G064, *L4G080, *L6H066, *L6H077, *L6H090, *L6H105, *L4H051, *L4H064, *L4H080	Defrost Heater • Drain Pan • 2-Fan • 460 Volt • 750 Watts • 39" Long	08215213	161
3	*L6G121, *L4G094, *L6G142, *L4G110, *L6H121, *L4H094, *L6H142, *L4H110	Defrost Heater • Drain Pan • 3-Fan • 115 Volt • 1100 Watts • 55-1/2" Long	08530728	248
	*L6G121, *L4G094, *L6G142, *L4G110, *L6H121, *L4H094, *L6H142, *L4H110	Defrost Heater • Drain Pan • 3-Fan • 230 Volt • 1100 Watts • 55-1/2" Long	08215208	192
	*L6G121, *L4G094, *L6G142, *L4G110, *L6H121, *L4H094, *L6H142, *L4H110	Defrost Heater • Drain Pan • 3-Fan • 460 Volt • 1100 Watts • 55-1/2" Long	08215214	213
4	*L6G162, *L4G125, *L6G182, *L4G141, *L6H162, *L4H125, *L6H182, *L4H141	Defrost Heater • Drain Pan • 4-Fan • 115 Volt • 1475 Watts • 72" Long	08530729	287
	*L6G162, *L4G125, *L6G182, *L4G141, *L6H162, *L4H125, *L6H182, *L4H141	Defrost Heater • Drain Pan • 4-Fan • 230 Volt • 1475 Watts • 72" Long	08215209	194
	*L6G162, *L4G125, *L6G182, *L4G141, *L6H162, *L4H125, *L6H182, *L4H141	Defrost Heater • Drain Pan • 4-Fan • 460 Volt • 1475 Watts • 72" Long	08215215	269
5	*L6G200, *L4G155, *L6H200, *L4H155	Defrost Heater • Drain Pan • 5-Fan • 115 Volt • 1850 Watts • 88-1/2" Long	08530730	334
	*L6G200, *L4G155, *L6H200, *L4H155	Defrost Heater • Drain Pan • 5-Fan • 230 Volt • 1850 Watts • 88-1/2" Long	08215210	200
	*L6G200, *L4G155, *L6H200, *L4H155	Defrost Heater • Drain Pan • 5-Fan • 460 Volt • 1850 Watts • 88-1/2" Long	08215216	309
6	*L6G244, *L4G195, *L6G281, *L4G230, *L6H244, *L4H195, *L6H281, *L4H230	Defrost Heater • Drain Pan • 6-Fan • 115 Volt • 2225 Watts • 105" Long	08530731	390
	*L6G244, *L4G195, *L6G281, *L4G230, *L6H244, *L4H195, *L6H281, *L4H230	Defrost Heater • Drain Pan • 6-Fan • 230 Volt • 2225 Watts • 105" Long	08215211	217
	*L6G244, *L4G195, *L6G281, *L4G230, *L6H244, *L4H195, *L6H281, *L4H230	Defrost Heater • Drain Pan • 6-Fan • 460 Volt • 2225 Watts • 105" Long	08215217	352

CENTER MOUNT • LOW HEIGHT & LOW VELOCITY

COMMON PARTS

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Part	Description	Part #	List Price (\$US)
Heaters	1-Fan • 230 Volt • 300 Watts • 23-3/8" Long	08532114	73
	2-Fan • 230 Volt • 600 Watts • 43-3/8" Long	08532115	93
	3-Fan • 230 Volt • 900 Watts • 63-3/8" Long	08532116	114
	4-Fan • 230 Volt • 1200 Watts • 83-3/8" Long	08532117	127
	5-Fan • 230 Volt • 1500 Watts • 103-3/8" Long	08532118	149
	5-Fan • Tall • 230 Volt • 2250 Watts • 103-3/8" Long	08532119	146
Defrost Heaters	Drain Pan • 1-Fan • 230 Volt • 75 Watts • 25-1/8" Long	08532326	92
	Drain Pan • 2-Fan • 230 Volt • 150 Watts • 45-1/8" Long	08532327	120
	Drain Pan • 3-Fan • 230 Volt • 225 Watts • 65-1/8" Long	08532328	128
	Drain Pan • 4-Fan • 230 Volt • 300 Watts • 85-1/8" Long	08532329	137
	Drain Pan • 5-Fan • 230 Volt • 375 Watts • 105-1/8" Long	08532330	159
	Drain Pan • 5-Fan Tall • 230 Volt • 560 Watts • 105-1/8" Long	08532331	156
Motor Harness	1-Fan • 3 Wire • Center Mount (CM) / Low Velocity CM	08532212	34
	2-Fan • 3 Wire • ASL / Center Mount (CM) / Low Velocity CM	08532213	54
	3-Fan • 3 Wire • Center Mount (CM) / Low Velocity CM	08532214	70
	4-Fan • 3 Wire • Center Mount (CM) / Low Velocity CM	08532215	88
	5-Fan • 3 Wire • Center Mount (CM) / Low Velocity CM	08532216	102
Motors	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216211	1,297
	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216216	1,297
Fan Blades	12" Diameter • 20° Pitch • 1/4" Bore • Counterclockwise • Aluminum • for use with ECM Motors	08221247	126
Fan Guards	12" • Black • Next-Gen-LP	08321626	232
Controls	Defrost Termination & Fan Delay • Open at 35°F, Close at 55°F + Open at 55°F, Close at 35°F • Single Pole Double Throw	08219328	226
	Heater Safety Switch	103079003	211
	Relay • 240 Volt Coil • Single Pole Double Throw • Sealed	08218514	24
Electrical	TB27	207757027	80
	TB28	207757028	72

CENTER MOUNT • LOW HEIGHT & LOW VELOCITY

COMMON PARTS

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Part	Description	Part #	List Price (\$US)
Refrigeration Components ∞ Thermostat	120/240 Volt • Single Pole Single Throw • -30 Open to 100 Close	08219008	513
	Electronic Thermostat • 120/240 Volt	08219588	425
	Electronic Thermostat with timer	08219608	460
Heater Clips	Heater Clip for Coil • Stainless Steel • NEXGEN-LP	08321625	2
Sheet Metals ∞ Venturi	1-Fan • Embossed • Aluminum	08532332	241
	2-Fan • Embossed • Aluminum	08532333	359
	3-Fan • Embossed • Aluminum	08532334	554
	4-Fan • Embossed • Aluminum	08532335	728
	5-Fan • Embossed • Aluminum	08532336	1,333
Sheet Metals ∞ Drain Trough	1-Fan Drain Trough	08532555	146
	2-Fan Drain Trough	08532556	172
	3-Fan Drain Trough	08532111	202
	4-Fan Drain Trough	08532557	237
	5-Fan Drain Trough	08532558	279

MEDIUM PROFILE

COMMON PARTS

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Part	Description	Part #	List Price (\$US)
Motors ∞ ECM	120 Volt • 1/3 HP • 825/425 RPM • Rigid Base Mount	08216214	1,454
	230 Volt • 1/3 HP • 825/425 RPM • Rigid Base Mount	08216212	1,762
	460 Volt • 1/3 HP • 825/425 RPM • Rigid Base Mount	08216213	2,500
Heaters	2-Fan Coil Heater • 230 Volt • 750 Watts • 36-1/2" Long* (x2 required for each unit)	08215201	144
	4-Fan Coil Heater • 230 Volt • 1475 Watts • 69-1/2" Long* (x2 required for each unit)	08215203	193
	6-Fan Coil Heater • 230 Volt • 2225 Watts • 102-1/2" Long* (x2 required for each unit)	08215205	234
Heater Clips	Heater Clip for Coil • Stainless Steel	08321625	2
Motor Harness	1-Fan • 230 Volt	08532761	49
	2-Fan • 230 Volt	08532762	93
	3-Fan • 230 Volt	08532763	138
	1-Fan • 460 Volt	08532764	69
	2-Fan • 460 Volt	08532765	140
	3-Fan • 460 Volt	08532766	209
Electrical ∞ Terminal Board (printed on terminal board)	TB7	207757007	180
	TB34 • Air Defrost	207757034	59
	TB35 • Electric & Hot Gas Defrost	207757035	99
	TB26 EcoNet®	207757026	60
	3-Pole Terminal • Black • 2-Speed	08218563	10
	3-Pole Terminal • Black • Heaters	08218564	10
Fan Blades	24" Diameter • 25° Pitch • 1/2" Bore • Clockwise	08221244	86
	24" Diameter • 18° Pitch • 1/2" Bore • Clockwise • 2 Blade	08221245	76
Fan Guards	24" • Wire • Black	202136005	805
Controls	Heater Safety Switch	103079003	211
	Defrost Termination & Fan Delay • Open at 35°F, Close at 55°F + Open at 55°F, Close at 35°F • Single Pole Double Throw	08219328	226
	Adjustable Defrost Control	204464037	607
Refrigeration Components ∞ Thermostat	120/240 Volt • Single Pole Single Throw • -30 Open to 100 Close	08219008	513
	Electronic Thermostat • 120/240 Volt	08219588	425
	Electronic Thermostat with timer	08219608	460

HEAVY DUTY & WAREHOUSE

COMMON PARTS

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Part	Description	Part #	List Price (\$US)
Motors	ECM • 230 Volt • 3/4 HP • 60/50 Hz	08532682	1,842
	ECM • 460 Volt • 3/4 HP • 60/50 Hz	08532683	2,476
	1 HP • 230/460 Volt • 3-Phase • 850 RPM • Inverter Duty • Base Mounted Motor • Low Temp	08533523	1,705
	230/460 Volt • 1.5 HP • 1140 RPM • Base Mounted Motor • 3-Phase	08216190	2,461
	2 HP • 575 Volt • 3-Phase • 1140 RPM • Base Mounted	08216217	3,241
Fan Blades	30" Diameter • 28° Pitch • 3 Blade	08533522	382
	30.26" Diameter • 25° Pitch • 3 Blade	08221238	873
Fan Guards	30" • Wire • Black	08528201	245
Heaters	1-Fan Heater • 240 Volt • 1000 Watts • 47-1/2" Long	08532696	252
	2-Fan Heater • 240 Volt • 2000 Watts • 87-1/2" Long	08532697	292
	3-Fan Heater • 240 Volt • 3000 Watts • 127-1/2" Long	08532698	334
	4-Fan Heater • 240 Volt • 4000 Watts • 167-1/2" Long	08532699	412
Motor Harness	1-Fan • 3 Wire • 230 Volt • Electric • ECM	08533495	57
	2-Fan • 3 Wire • 230 Volt • Electric • ECM	08533496	112
	3-Fan • 3 Wire • 230 Volt • Electric • ECM	08533497	237
	4-Fan • 3 Wire • 230 Volt • Electric • ECM	08533498	347
	1-Fan • 5 Wire • 460 Volt • Electric • ECM	08533499	85
	2-Fan • 5 Wire • 460 Volt • Electric • ECM	08533500	179
	3-Fan • 5 Wire • 460 Volt • Electric • ECM	08533501	217
	4-Fan • 5 Wire • 460 Volt • Electric • ECM	08533502	262
	1-Fan • 3 Wire • 230/460 Volt • 3 Phase • Electric • Daisy Chain	08533507	57
	2-Fan • 3 Wire • 230/460 Volt • 3 Phase • Electric • Daisy Chain	08533508	199
	3-Fan • 3 Wire • 230/460 Volt • 3 Phase • Electric • Daisy Chain	08533509	267
	4-Fan • 3 Wire • 230/460 Volt • 3 Phase • Electric • Daisy Chain	08533510	345

HEAVY DUTY & WAREHOUSE

COMMON PARTS

* Represents brand: (R) Russell (K) Kramer (C) ColdZone (W) Witt

Part	Description	Part #	List Price (\$US)
Electrical ∞ Terminal Board (printed on terminal board)	TB29 EcoNet®	207757029	47
	TB34 • Air Defrost	207757034	59
	TB35 • Electric & Hot Gas Defrost	207757035	99
	TB26 EcoNet®	207757026	60
Refrigeration Components ∞ Thermostat	120/240 Volt • Single Pole Single Throw • -30 Open to 100 Close	08219008	513
	Electronic Thermostat • 120/240 Volt	08219588	425
	Electronic Thermostat with timer	08219608	460
Controls	Adjustable Defrost Control	204464037	607
	Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw	08219273	226
	Fan Delay • Open at 45°F, Close at 35°F	103079009	226
	Heater Safety Switch	103079003	211

AIR-COOLED CONDENSING UNITS

MODEL NOMENCLATURE

R	F	H	150	E	4S	D	A	NT
Brand	Style	Compressor	Horsepower	Temperature	Refrigerant	Voltage	Vintage ¹	Pre-Assembly Code
R - Russell K - Kramer W - Witt	E - Center Mount	H - Hermetic O - Scroll		E - Extended Medium L - Low M - Medium	44 - R404A Only 4S - Multiple Refrigerants	D - 230/1/60 E - 208-230/3/60 G - 460/3/60 M - 200-220/1/50 N - 200-220/3/50 Q - 380/3/50	A B	NT - No Defrost Timer /Kit

R	F	D	S	04	M	4S	E	A
Brand	Style	Compressor	Compressor Configuration	Horsepower	Temperature	Refrigerant	Voltage	Vintage [^]
R - Russell K - Kramer W - Witt	F - Flooded B - Non-Flooded	D - Discus O - Scroll B - Bitzer	S - Single		E - Extended Medium L - Low M - Medium	4S - Multiple Refrigerants	E - 208-230/3/60 G - 460/3/60 N - 200-220/3/50 Q - 380/3/50	A B

R	F	D	V	030	M	4S	G	A
Brand	Style	Compressor	Compressor Configuration	Horsepower	Temperature	Refrigerant	Voltage	Vintage [^]
R - Russell K - Kramer W - Witt	F - Flooded B - Non-Flooded	D - Discus B - Bitzer EcoLine	V - Single D - Dual P - Parallel Piped		L - Low M - Medium	4S - Multiple Refrigerants	E - 208-230/3/60 G - 460/3/60	A B

NEXT-GEN MINICON • 1/2 TO 6 HP

*FH // *FO // *BH // *BO // *VH // *VO (built after November 2015)

Part	Description	Part #	List Price (\$US)
Capacitors	5 MFD • 440 Volt	202163004	78
Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	531
	High Pressure Control • Auto Reset • 400 PSI Gauge	08219424	162
	Contactors • 40 AMP • 3-Pole • 230 Volt	08219965	222
	Thermostat Kit with clip • 3/8" Discharge Line	08352253	437
Refrigeration Components	Thermostat w/Clip • 1/2" Discharge Line	118431442	352
	Thermostat w/Clip • 5/8" Discharge Line	08352256	437
Electrical	Terminal Board • TB1 & TB2	207757015	79
Fan Blades	12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors	08221169	127
	12" Diameter • 24° Pitch • 1/4" Bore • Counterclockwise • Aluminum • ECM Motors	08221176	126
	12" Diameter • 24° Pitch • 1/4" Bore • Counterclockwise • Aluminum • ECM Motors	08221176	126
	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
Grilles	16.88" X 15.75" • Wire • Black	08397064	489
	16.88" X 27.75" • Wire • Black	08397065	548
	19.38" X 27.75" • Wire • Black	08397066	548
	33.14" X 30.13" • Wire • Black	08397067	630
Motor Mounts	12" Motor Mount	21062000	226
	12" Wire Motor Mount • 4 Leg	08397068	310
	12" Wire Motor Mount • 4 Leg	08397068	310
	24" Wire Motor Mount • 3 Leg	212837000	372
Motors	PSC • 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	551
	PSC • 460 Volt • 1/15 HP • 1550 RPM • Capacitor is pre-mounted	08216135	721
	ECM • 230 Volt • 1/15 HP • 1550 RPM	08216139	1,245
	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216216	1,297
	PSC • 230 Volt • 1/3 HP • 1075 RPM • capacitor not included	205051004	661
	PSC • 460 Volt • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,919
	ECM • 230 Volt • 3/4 HP • 1075 RPM • Counterclockwise	08216132	2,130
	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216211	1,297
	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216216	1,297
	ECM • 230 Volt • 3/4 HP • 1075/640 RPM	08216170	1,746
	ECM • 460 Volt • 3/4 HP • 1075/640 RPM	08216173	2,603

NEXT-GEN MINICON • 1/2 TO 6 HP

STANDARD REPLACEMENT COILS ∞ COPPER TUBE / ALUMINUM FIN COILS (STANDARD)

Models	Description	Part #	List Price (\$US)
*O130E4S*B, *H100L44*A, *H150L44*A, *O100L4S*B, *O130L4S*B, *O160L4S*B, *O060M4S*B, *O080M4S*B, *O100M4S*B	FM1 • 2 Rows • 12 Fins Per Inch (*Replacement part specially crated for shipment)	08526726SVC	1,722
*H150E4S*A, *O150E4S*A, *H200E4S*A, *H125E4S*B, *O180E4S*A	FM2 • 2 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08526727SVC	2,293
*H250E4S*A, *H300E4S*A, *O200E4S*A, *O250E4S*A, *H300L44*A, *O250L4S*A, *O300L4S*A, *O350L4S*A	FM3 • 3 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08526728SVC	2,708
*H325E4S*B, *O300E4S*B, *O350E4S*B, *O400E4S*B, *O400L4S*B, *O500L4S*B, *O600L4S*B, *O400L4S*B, *O500L4S*B, *O600L4S*B	FM4 • 2 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08526729SVC	3,711
*O450E4S*B, *O500E4S*B, *O600E4S*B	FM4 • 3 Rows • 12 Fins Per Inch (*Replacement part specially crated for shipment)	08526730SVC	4,172
*H200L44*A, *O230L4S*A	FM2 • 2 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08527164SVC	2,271
*H055E4S*B, *H080E4S*B, *H100E4S*B	FM1 • 3 Rows • 14 Fins Per Inch (*Replacement part specially crated for shipment)	08533390SVC	1,893

NEXT-GEN II • 3 TO 22 HP

*FD // *FO // *FB // *BD // *BO // *BB MODELS

Part	Description	Part #	List Price (\$US)
Motors	230 Volt • 3/4 HP • 1140 RPM • 48" Frame • 3-Phase	08216205	2,378
	460 Volt • 3/4 HP • 1140 RPM • 48" Frame • 3-Phase	08216206	2,022
	PSC • 575 Volt • 1/2 HP • 1075 RPM • 5 MFD cap. not included	115952000	1,570
Capacitors	7.5 MFD • 440 Volt • for 1/3 HP (230 Volt, 460 Volt) PSC Motor	202163006	85
Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
Motor Mounts	24" Wire Motor Mount • 3 Leg	212837000	372
Controls	Dual Control • High / Low • Flare	204464054	1,178

QV-SERIES • 15 TO 100 HP

COMMON PARTS

Part	Description	Part #	List Price (\$US)
Controls	Toggle Switch • 240 Volt • Single Pole Single Throw	104536004	17
	Control	08219546	1,266
	Expansion Module	08219547	712
	Temperature Sensor • 16.375'	08219615	594
	Transducer • High Pressure • 0-500 PSIG	08357521	134
	Transducer • Low Pressure • 0-200 PSIG	08357522	383
	Transducer • Transducer Harness • Low Pressure	08357524	122
	Contactors • 75 AMP • 3-Pole • 230 Volt	08220037	1,312
	Contactors • 120 AMP • 208 Volt • 3-Pole • Compressor Contactor	104461124	1,642
	Contactors • 120-360 AMP • Normally Open / Normally Closed • Auxiliary • Compressor Contactor	104461122	375
	Contactors • 40 AMP • 3-Pole • 230 Volt	08219965	222
	Contactors • 75 AMP • 3-Pole • 230 Volt	08220037	1,312
Fan Blades	30" Diameter • 27° Pitch • 3 Blade	08221237	867
	30" Diameter • 29° Pitch • 4 Blade	08221239	736
	30" Diameter • 27° Pitch • 3 Blade	08221237	867
Fan Guards	30" • Wire • Black	08528201	245
Motors	230/460 Volt • 1.5 HP • 1140 RPM • Base Mounted Motor • 3-Phase	08216190	2,461
	230 Volt • 2-1/2 HP • 900-1200 RPM • Variable Speed • 3-Phase	08216209	8,280
	460 Volt • 2-1/4 HP • 900-1200 RPM • Variable Speed	08216210	8,349
	2 HP • 575 Volt • 3-Phase • 1140 RPM • Base Mounted	08216217	3,241
Receivers	Horizontal Receiver • Rotolock • 10" x 36"	08357329	5,463
	Horizontal Receiver • Rotolock • 10" x 48"	08357330	3,536
	Horizontal Receiver • Rotolock • 10" x 72"	08357331	5,028
	Horizontal Receiver • Rotolock • 10" X 94"	08357332	6,000
	Horizontal Receiver • Rotolock • 12" X 94"	08357333	11,600
	Horizontal Receiver • Rotolock • 14" X 94"	08357334	10,404
Refrigeration Components	Vertical Accumulator • 1-5/8"	08357335	2,127
	Vertical Accumulator • 2-1/8"	08357336	2,908
	Vertical Accumulator • 2-5/8"	08357337	3,252
	Vertical Accumulator • 3-1/8"	08357338	3,573
Transformer	Transformer • 120/240-24 Volt	08219548	367
Valves	Rotolock Valve • 1-3/4" R x 1-1/8" SW • Side	08357343	287
	Rotolock Valve • 1-3/4" R x 1-5/8" SW • Side	08357345	388



WATER-COOLED CONDENSING UNIT

MODEL NOMENCLATURE

R	W	O	500	M	4S	E	A
Brand	Style	Compressor	Horsepower	Temperature	Refrigerant	Voltage	Vintage
R - Russell K- Kramer W - Witt	F - Flooded B - Non-Flooded	D - Discus O - Scroll B - Bitzer		E - Extended Medium L - Low M - Medium	4S - Multiple Refrigerants	E - 208-230/3/60 G - 460/3/60 N - 200-220/3/50 Q - 380/3/50	A

MODELS

NEXT-GEN WC-SERIES • 1/2 TO 6 HP

*FH // *FO // *BH // *BO // *VH // *VO (built after November 2015)

Part	Description	Part #	List Price (\$US)
Capacitors	5 MFD • 440 Volt	202163004	78
Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	531
	High Pressure Control • Auto Reset • 400 PSI Gauge	08219424	162
	Contactors • 40 AMP • 3-Pole • 230 Volt	08219965	222
Refrigeration Components	Thermostat Kit with clip • 3/8" Discharge Line	08352253	437
	Thermostat w/Clip • 1/2" Discharge Line	118431442	352
	Thermostat w/Clip • 5/8" Discharge Line	08352256	437
Electrical	Terminal Board • TB1 & TB2	207757015	79
Fan Blades	12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors	08221169	127
	12" Diameter • 24° Pitch • 1/4" Bore • Counterclockwise • Aluminum • ECM Motors	08221176	126
	12" Diameter • 24° Pitch • 1/4" Bore • Counterclockwise • Aluminum • ECM Motors	08221176	126
	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
Grilles	16.88" X 15.75" • Wire • Black	08397064	489
	16.88" X 27.75" • Wire • Black	08397065	548
	19.38" X 27.75" • Wire • Black	08397066	548
	33.14" X 30.13" • Wire • Black	08397067	630
Motor Mounts	12" Motor Mount	21062000	226
	12" Wire Motor Mount • 4 Leg	08397068	310
	12" Wire Motor Mount • 4 Leg	08397068	310
	24" Wire Motor Mount • 3 Leg	212837000	372
Motors	PSC • 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	551
	PSC • 460 Volt • 1/15 HP • 1550 RPM • Capacitor is pre-mounted	08216135	721
	ECM • 230 Volt • 1/15 HP • 1550 RPM	08216139	1,245
	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216216	1,297
	PSC • 230 Volt • 1/3 HP • 1075 RPM • capacitor not included	205051004	661
	PSC • 460 Volt • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,919
	ECM • 230 Volt • 3/4 HP • 1075 RPM • Counterclockwise	08216132	2,130
	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216211	1,297
	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216216	1,297
	ECM • 230 Volt • 3/4 HP • 1075/640 RPM	08216170	1,746
	ECM • 460 Volt • 3/4 HP • 1075/640 RPM	08216173	2,603

NEXT-GEN WC-SERIES • 1/2 TO 6 HP

STANDARD REPLACEMENT COILS ∞ COPPER TUBE / ALUMINUM FIN COILS (STANDARD)

Models	Description	Part #	List Price (\$US)
*O130E4S*B, *H100L44*A, *H150L44*A, *O100L4S*B, *O130L4S*B, *O160L4S*B, *O060M4S*B, *O080M4S*B, *O100M4S*B	FM1 • 2 Rows • 12 Fins Per Inch (*Replacement part specially crated for shipment)	08526726SVC	1,722
*H150E4S*A, *O150E4S*A, *H200E4S*A, *H125E4S*B, *O180E4S*A	FM2 • 2 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08526727SVC	2,293
*H250E4S*A, *H300E4S*A, *O200E4S*A, *O250E4S*A, *H300L44*A, *O250L4S*A, *O300L4S*A, *O350L4S*A	FM3 • 3 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08526728SVC	2,708
*H325E4S*B, *O300E4S*B, *O350E4S*B, *O400E4S*B, *O400L4S*B, *O500L4S*B, *O600L4S*B, *O400L4S*B, *O500L4S*B, *O600L4S*B	FM4 • 2 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08526729SVC	3,711
*O450E4S*B, *O500E4S*B, *O600E4S*B	FM4 • 3 Rows • 12 Fins Per Inch (*Replacement part specially crated for shipment)	08526730SVC	4,172
*H200L44*A, *O230L4S*A	FM2 • 2 Rows • 10 Fins Per Inch (*Replacement part specially crated for shipment)	08527164SVC	2,271
*H055E4S*B, *H080E4S*B, *H100E4S*B	FM1 • 3 Rows • 14 Fins Per Inch (*Replacement part specially crated for shipment)	08533390SVC	1,893

AIR-COOLED CONDENSERS & FLUID COOLERS

MODELS

R	D	D	087	G	D	3	A
Brand	Series	Width	MBTUH	Voltage	Motor	No. of Fans	Vintage
R - Russell	D - Condenser	S - Single Wide D - Double Wide		E - 208-230/3/60 G - 460/3/60 N - 200-220/3/50 Q - 380/3/50 X - Non-Catalogued	B - 1140 RPM, 1.5 HP D - 850 RPM, 1.5 HP L - 850 RPM, 1 HP E - 550 RPM, 1/3 HP G - 900 RPM Rail Mount Variable Speed EC K - 1200 RPM Rail Mount Variable Speed EC	1 - 7	

1	2	3	4	5	6	7	8	9	10	11	12	13
R	D	S	007	D	A	2	B	1	2	A	1	A

- | | | | |
|---|--|--|---|
| <p>1 Model Series
R - Russell</p> <p>2 Unit Type
D - Condenser</p> <p>3 Series
S - Single fan wide</p> <p>4 Capacity
3 Number Characters</p> <p>5 Voltage Code
D - 208-230/1/60
E - 208-230/3/60
F - 460/1/60
G - 460/3/60</p> | <p>6 Motor/Fan Type
A - 1075 RPM, 0.33 HP,
Metal Blade
C - 850 RPM, 0.25 HP,
Metal Blade
H^ - 1075 RPM, 0.5 HP
Totally Enclosed,
Metal Blade
T^ - 1075 RPM, 3/4 HP,
Metal Blade</p> <p>7 Length in Fans - 1 or 2</p> | <p>8 Coil Density
A - 8 FPI
B - 10 FPI
C - 12 FPI
D - 14 FPI</p> <p>9 Coil Material & Coating Options*
1 - Aluminum fins
2 - Copper fins
3 - Al + AST coating
6 - Al + Heresite</p> <p>10 Housing Material & Coatings*
2 - Galvanized</p> | <p>11 Unit Design Configuration
A - Vertical Fan Discharge,
Standard Legs
E - Vertical Fan Discharge,
30° Legs
N - Horizontal Fan
Discharge, Standard
Legs</p> <p>12 Circuit Splitting Options
1 - Full
2 - 50/50
X - Other</p> <p>13 Vintage Code
Single Alphanumeric Character
A - Initial Release</p> |
|---|--|--|---|

AIR-COOLED CONDENSERS & FLUID COOLERS

MODELS

FD	S	8	02	B	V	60	G
Series	Fan Motor	No. of Fans	Model Design	No. of Header Sets	Air Discharge	No. of Feeds	Electrical Code
FS - Single Fan Width FD - Double Fan Width	S - Std. Speed (1140 RPM) L - Low Speed (825 RPM) E - Extra Low Speed (550 RPM) EX - Flying Bird II w/550 RPM LX - Flying Bird II w/825 RPM, Single Fan Width DX - Flying Bird II w/825 RPM, Double Fan Width			A - (1) Inlet; (1) Outlet B - (2) Inlets; (2) Outlets C - (3) Inlets; (3) Outlets D - (4) Inlets; (4) Outlets	V - Vertical H - Horizontal B - Blow-Thru		E - 208-230/3/60 G - 460/3/60 J - 575/3/60 N - 200-220/3/50 Q - 380/3/50 C - 230/1/60

QUANTUM AIR™

RDS & RDD MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
1140 RPM Models RDS009 thru RDD229	Capacitors	30 MFD • for motor 008216098 • for use with P-66 controller	08352555	125
	Fan Blades	30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	872
		30" Diameter • 21° Pitch • 5/8" Bore • Clockwise • 3 Blade • Only used with use P-66 controller	08221180	721
	Motor Mounts	30" Motor Mount Kit	08522568	770
	Motors	1.5 HP • 230/460 Volt • 3-Phase • 1140 RPM	110204000	2,790
		575 Volt • 1.5 HP • 1140 RPM • 3-Phase	118570001	4,164
		230/460 Volt • 1-1/2 HP • 1140 RPM • 3-Phase • Totally Enclosed	08216154	4,677
		1.0 HP • 230/460 Volt • WCS	08216098	3,888
550 RPM Models RDS008 thru RDD158	Fan Blades	30" Diameter • 31° Pitch • 5/8" Bore • Clockwise • 5 Blade	08221152	484
		30" Flying Bird II	121424000	1,224
	Fan Guards	30" • Wire • Black	08397044	359
	Motor Mounts	30" Motor Mount Kit	08522568	770
	Motors	230/460 Volt • 1/3 HP • 575 RPM • 3-Phase	119226000	2,154
850 RPM Models RDS009 thru RDD213	Fan Blades	30" Diameter • 31° Pitch • 5/8" Bore • Clockwise • 5 Blade	08221152	484
		30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	872
	Fan Guards	30" • Wire • Black	08397044	359
	Motor Mounts	30" Motor Mount Kit	08522568	770
	Motors	1.5 HP • 230/460 Volt • 3-Phase • 850 RPM	08216100	3,888
		1.0 HP • 230/460 Volt • 3-Phase • 850 RPM • Inverter Duty	114105000	3,888

MULTI-CON

COMMON PARTS

Part	Description	Part #	List Price (\$US)
Controls ∞ Disconnect Kit	30 AMP • Pistol Style Handle • Thru The Door	08218990	944
	60 AMP • Pistol Style Handle • Thru The Door	08218991	1,127
	80 AMP • Pistol Style Handle • Thru The Door	08218992	1,489
	100 AMP • Pistol Style Handle • Thru The Door	08218993	1,595
	30 AMP • Dial Handle	08218379	746
Controls ∞ Contactor	25 AMP • 460 Volt • 3-Pole	08219012	181
Controls ∞ Pressure Control	100-400 PSI • Single Pole Single Throw • w/differential	08219003	649
Controls ∞ Fan Speed	Speed Control • Single Tap • P-66	08219427	1,916
	Speed Control • Dual Tap • P66	08219429	2,998
	Speed Control • Single Tap • P66	08219461	2,658
Thermostat	120/240 Volt • Single Pole Single Throw • Open 20° / Close 90°	08219006	289
Valves	Shut Off Valve • 1/4" • Flare • Blue Handle	08356559	302

ACE MODELS

Part	Description	Part #	List Price (\$US)
Fan Blades	30" Diameter • 31° Pitch • 5/8" Bore • Clockwise • 5 Blade	08221152	484
	30" Flying Bird II	121424000	1,224
Fan Guards	30" • Wire • Black	08397044	359
Motor Mounts: Kit	30" Motor Mount Kit	08522568	770
Motors	230/460 Volt • 1/3 HP • 575 RPM • 3-Phase	119226000	2,154

ACS // ACL MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
ACL 001 thru 011	Motors	REV • Shaded Pole • 230/460 Volt • 1/4 HP • 825 RPM • 5/8 Shaft • 3-Phase	08216075	2,027
		PSC • 230/460 Volt • 1/4 HP • 850 RPM • 5/8 Shaft	08216076	1,716
ACS // ACL Models	Controls	Pressure Control • 100-400 PSI • Single Pole Single Throw • w/differential	08219003	649
		Fan Speed Control • Single Tap • P-66	08219427	1,916
		Fan Speed Control • Dual Tap • P66	08219429	2,998
		Contactor • 25 AMP • 460 Volt • 3-Pole	08219012	181
	Fan Blades	22" Diameter • 28° Pitch • 1/2" Bore • Clockwise	08221154	222

MULTI-CON

ACS // ACL MODELS (continued)

Model(s)	Part	Description	Part #	List Price (\$US)
All Models	Motor Mounts	18" to 22" Fans • Small Air Cooled Condensing Unit	08397056	345
	Thermostats	120/240 Volt • Single Pole Single Throw • Open 20° / Close 90°	08219006	289
	Transformers	208-230 to 24 Volt (50 VA)	08218258	113
		480 to 24 Volt	08218259	120
ACS 001 thru 012	Motors ∞ PSC	230 Volt • 1/3 HP • 1075 RPM • capacitor not included	205051004	661
		230 Volt • 1/3 HP • 1075 RPM • 3-Phase • CW (7.5 MFD Cap required)	08216106	866
		460/3/60/50 • 1/3 HP • 1075 RPM • CW	08216107	1,436
		230-460 Volt • 50-60 Hz compatible • 1/2 HP • 1075 RPM • 3-Phase • Clockwise	08216068	1,945
		575 Volt • 1/2 HP • 1075 RPM • Clockwise	08216036	1,534
		230/460 Volt • 50-60 Hz compatible • 1/2 HP • 1075 RPM	08216006	1,304
ACS, ACL 001 thru 002	Fan Guards	18" • Wire	08397011	213
	Motor Rails	28" Motor Rail for 18" Fans	08519022	345
ACS, ACL 003 thru 012	Fan Guards	22" • Wire	08397012	254
	Motor Rails	33" Motor Rail for 22" Fans	08519019	345

RAC // FRAC MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
RAC & FRAC 1-1/2 thru 3	Fan Blades	<i>No longer available: 20" Diameter • 27° Pitch • CW • 1/2" Bore</i>	Contact Engineering	
RAC & FRAC 3/4 thru 1		16" Diameter • 19° Pitch • Clockwise	11905	330

RDS MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
Models 001 & 002	Fan Blades	18" Diameter • 34° Pitch • 5/8" Bore • Clockwise	08221022	225
		18" Diameter • 34° Pitch • 1/2" Bore • Clockwise	08221076	218
Models 001 thru 011	Capacitors	15 MFD Capacitor	08352607	85
		15 MFD Capacitor	08352607	85
		15 MFD Capacitor	08352607	85
		5 MFD • 440 Volt	202163004	78

Continued on next page

MULTI-CON

RDS MODELS (continued)

Model(s)	Part	Description	Part #	List Price (\$US)
Models 001 thru 011	Fan Blades	22" Diameter • 28° Pitch • 1/2" Bore • Clockwise	08221154	222
	Fan Guards	18" • Wire	08397011	213
		22" • Wire	08397012	254
	Motor Mounts	18" to 22" Fans	08397056	345
	Motor Rails	33" Motor Rail for 22" Fans	08519019	345
		28" Motor Rail for 18" Fans	08519022	345
	Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • 3-Phase • CW (7.5 MFD Cap required)	08216106	866
		PSC • 230 Volt • 1/3 HP • 1075 RPM • capacitor not included	205051004	661
		PSC • 230 Volt • 1/3 HP • 1140 RPM • for use with P-66	08216008	1,074
		PSC • 460/3/60/50 • 1/3 HP • 1075 RPM • CW	08216107	1,436
		PSC • 460 Volt • 1/3 HP • 1140 RPM • for use with P-66	08216009	1,103
		REV • Shaded Pole • 230/460 Volt • 1/4 HP • 825 RPM • 5/8 Shaft • 3-Phase	08216075	2,027
		PSC • 230/460 Volt • 1/4 HP • 850 RPM • 5/8 Shaft	08216076	1,716
Models 003 thru 009	Fan Blades	22" Diameter • 28° Pitch • 5/8" Bore • Clockwise	08221023	222
Models 003 thru 011	Fan Blades	22" Diameter • 28° Pitch • 1/2" Bore • Clockwise	08221154	222

TD // FTD MODELS

Part	Description	Part #	List Price (\$US)
Capacitors	5 MFD • 440 Volt	202163004	78
Fan Blades	24" Diameter • 26° Pitch • 1/2" Bore • Clockwise • 3 Blade	08221050	548
Motor Mount	24" • 4-Leg • Wire Motor Mount	205269000	387
Motors	PSC • 208-230 Volt • 3/4 HP • 1075 RPM • capacitor not included	205051009	1,742
	PSC • 460 Volt • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,919


SMALL CONDENSERS & FLUID COOLERS

VAC // VEQ (1 - 4) MODELS

Part	Model(s)	Description	Part #	List Price (\$US)
Fan Blades	VAC 1 - 2 & VEQ 1 - 2	18" Diameter • 34° Pitch • 5/8" Bore • Clockwise	08221022	225
	VAC 4 & VEQ 3	22" Diameter • 28° Pitch • 5/8" Bore • Clockwise	08221023	222
		24" Diameter • 32° Pitch • 1/2" Bore • Clockwise • 3 Blade	213455000	548
Fan Guards	VAC 4 & VEQ 3	22" • Wire	08397012	254
Motors	VAC 1 - 4	PSC • 230/460 Volt • 50-60 Hz compatible • 1/2 HP • 1075 RPM	08216006	1,304
	VEQ 1 & 3	PSC • 230/460 Volt • 1/4 HP • 850 RPM • 5/8 Shaft	08216076	1,716
	VEQ 2 & 3	REV • Shaded Pole • 230/460 Volt • 1/4 HP • 825 RPM • 5/8 Shaft • 3-Phase	08216075	2,027

VAC // VEQ // FVAC MODELS

Model(s)	Part	Description	Part #	List Price (\$US)
VAC & FVAC 5 thru 19	Capacitors	7.5 MFD • 440 Volt • for 1/3 HP (230 Volt, 460 Volt) PSC Motor	202163006	85
		5 MFD • 440 Volt	202163004	78
VAC & FVAC 22 thru 216	Fan Blades	30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	872
		30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	872
	Fan Guards	30" • Wire • Black	202136011	315
	Motor Mounts	24" • 4-Leg • Wire Motor Mount	205269000	387
		30" Knockdown Motor Mount Kit • VAC	125215001	770
	Motors	230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase	110204000	2,790
		575 Volt • 1.5 HP • 1140 RPM • 3-Phase	118570001	4,164
		230/460 Volt • 1.0 HP • 850 RPM • 3-Phase • Inverter Duty	114105000	3,888
VAC & FVAC 5 thru 19	Motors	PSC • 208-230 Volt • 3/4 HP • 1075 RPM • capacitor not included	205051009	1,742
		PSC • 460 Volt • 3/4 HP • 1075 RPM • 7.5 MFD Capacitor	205051002	1,919
		230/460 Volt • 3/4 HP • 1140 RPM • 3-Phase	205051012	2,860
		PSC • 575 Volt • 1/2 HP • 1075 RPM • 5 MFD cap. not included	115952000	1,570



MODEL NOMENCLATURE

H	P	H	050	M	48	A	B
Brand	Product	Compressor	Horsepower	Temperature	Refrigerant	Voltage	Vintage
H - HTPG	Packaged Refrigeration System	H - Hermetic O - Scroll		M - Medium L - Low D - Medium Electric Defrost	48 - R-448A	A - 115/1/60 D - 230/1/60	B

MODEL

42 PACKAGED REFRIGERATION SYSTEM

COMMON PARTS

Part	Description	Part #	List Price (\$US)
Box Components	Slide Latch	08323272	15
	Evaporator Cover • APEX • #8335-02	08326021	42
Controls	High Pressure Control • Auto Reset • 400 PSI Gauge	08219424	162
	Pressure Control • Encapsulated • Open Rise • 180 PSI Gauge	08537183	55
	Pressure Transducer • 0-150 PSIA	08219621	185
Controls ∞ EcoNet®	EcoNet® Control Board	08219624	1,056
	EcoNet® Space Temperature Thermistor Assembly • 10KOHMS	08219623	110
	EcoNet® Evap Temp • Flush Mount Thermistor • 10K OHM • EcoNet®	08219636	73
EcoNet® EEV	SER-AA-3X4 ODF • No Cable	08219543	1,423
	SER-A-3X4 ODF • No Cable	08219544	1,445
	SER-B-3X4 ODF • No Cable	08219540	942
Fan Blades	12" Diameter • 24° Pitch • 1/4" Bore • Clockwise • ECM Motors	08221175	126
Grilles	16.88" X 15.75" • Wire • Black	08397064	489
Motor Mounts	12" Wire Motor Mount • 4 Leg	08397068	310
Motors	ECM • 115/230 Volt • 35 Watt • 2-Speed	08216216	1,297

SHEET METALS

Cabinet	Part	Part #	List Price (\$US)	Cabinet	Part	Part #	List Price (\$US)
Large	Hail Guard	08537722	4,399	Small	Hail Guard	08537721	4,399
	Roof Kit	08537720	5,935		Roof Kit	08537719	5,935

ELECTRICAL:: 70" POWER CORD KITS

MTA - Medium Temp **AIR** • MTE - Medium Temp **ELECTRIC** • LTE - Low Temp **ELECTRIC**

	Model	Volt	AMP	NEMA Receptacle	Part #	List Price (\$US)
MTA	HPO080M4CAA	125	20	5-20R	08538541	211
	HPO080M4CDA, HPO100M4CDA, HPO120M4CDA	250	15	6-15R	08538542	211
	HPO100M4CAA, HPO120M4CAA	-	-	-	-	-
	HPO150M4CDA	250	20	6-20R	08538543	211
MTE	HPO080D4CDA, HPO100D4CDA, HPO120D4CDA	250	15	6-15R	08538542	211
	HPO150D4CDA	250	20	6-20R	08538543	211
LTE	HPO150L4CDA	250	15	6-15R	08538542	211
	HPO250L4CDA	250	20	6-20R	08538543	211
	HPO300L4CDA, HPO350L4CDA	-	-	-	-	-

LEGACY EQUIPMENT

Available parts for equipment no longer manufactured

COMPRESSORIZED PRODUCTS

» Air-Cooled Condensing Units

"D" Style	44
"V" Style	45
Next-Gen R-Series MiniCon	48
Russcon	48
Russette	49

» Packaged System

APEX	49
High Sierra	52

CONDENSERS & FLUID COOLERS

» Condensers

Multi-Con Computer Room	57
-----------------------------------	----

REFRIGERATION PARTS

Misc. Spare Parts	58
-----------------------------	----

UNIT COOLERS

» Reach-In

Flex Temp	58
Wall Temp	59

» Walk-In

Ceiling Temp	60
Flow Temp	61
HI Temp	64
All-Temp B Vintage	64

 Part will not be restocked once depleted
COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units**"D" Style Air Condensing Units 3 thru 22 HP**

DC // DE // DL // DS Models

Model(s)	Part	Description	Part #	List Price (\$US)
5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57	Capacitors	5 MFD • 440 Volt	202163004	78
All Models	Capacitors	5 MFD • 440 Volt	202163004	78
3L22, 3L52, 3L44, 3L57, 4L22, 4L44, 4L57, 5L22, 5L52, 5L44, 5L57, 6M44, 6L22, 6L52, 6L44, 6L57, 7H22, 7M52, 7M44, 7M57, 8H22, 8M52, 8M44, 8M57, 8L22, 8L44, 8L57, 9L22, 9L52, 9L44, 9L57, 10L22, 10L52, 10L44, 10L57, 12L22, 12L52, 12L44, 12L57	Capacitors	7.5 MFD • 440 Volt • for 1/3 HP (230 Volt, 460 Volt) PSC Motor	202163006	85
Voltage Codes C,D,E,F,G,M,N,Q	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
Voltage Codes H, J	Motor Mounts	24" • 3-Leg • Wire	212837000	372
Voltage Codes C,D,E,F,G,M,N,Q	Motor Mounts / Fan Guards	24" Wire Motor Mount & Fan Guard Combination	204340000	434
3L22, 3L52, 3L44, 3L57, 4L22, 4L44, 4L57, 5L22, 5L52, 5L44, 5L57, 6M44, 6L22, 6L52, 6L44, 6L57, 7H22, 7M52, 7M44, 7M57, 8H22, 8M52, 8M44, 8M57, 8L22, 8L44, 8L57, 9L22, 9L52, 9L44, 9L57, 10L22, 10L52, 10L44, 10L57, 12L22, 12L52, 12L44, 12L57	Motors	ECM • 230 Volt • 1/3 HP • 1075 RPM • Counterclockwise	08216131	1,930
5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57	Motors	ECM • 230 Volt • 3/4 HP • 1075 RPM • Counterclockwise	08216132	2,130
3L22, 3L52, 3L44, 3L57, 4L22, 4L44, 4L57, 5L22, 5L52, 5L44, 5L57, 6M44, 6L22, 6L52, 6L44, 6L57, 7H22, 7M52, 7M44, 7M57, 8H22, 8M52, 8M44, 8M57, 8L22, 8L44, 8L57, 9L22, 9L52, 9L44, 9L57, 10L22, 10L52, 10L44, 10L57, 12L22, 12L52, 12L44, 12L57	Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	661
5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57	Motors	PSC • 575 Volt • 1/2 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	115952000	1,570
5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57	Motors	PSC • 440 Volt • 5 MFD • 1075 RPM • capacitor not included	205051009	1,742

Continued on next page

45 LEGACY EQUIPMENT

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units

"D" Style Air Condensing Units 3 thru 22 HP (continued)

DC // DE // DL // DS Models

Model(s)	Part	Description	Part #	List Price (\$US)
3L22, 3L52, 3L44, 3L57, 4L22, 4L44, 4L57, 5L22, 5L52, 5L44, 5L57, 6M44, 6L22, 6L52, 6L44, 6L57, 7H22, 7M52, 7M44, 7M57, 8H22, 8M52, 8M44, 8M57, 8L22, 8L44, 8L57, 9L22, 9L52, 9L44, 9L57, 10L22, 10L52, 10L44, 10L57, 12L22, 12L52, 12L44, 12L57	Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051002	1,919
5H22, 5M22, 5M44, 5M57, 10H22, 10M52, 10M44, 10M57, 12H22, 12M44, 15H22, 15M52, 15L52, 15L22, 15L44, 15L57, 22L22, 22L52, 22L44, 22L57	Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051002	1,919

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units

"V" Style Air Condensing Units 20 thru 80 HP

VC // VL // VS Models

Model(s)	Part	Description	Part #	List Price (\$US)
ALL	Fan Blades	30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	872
	Fan Guards	30" • Wire • Black	202136011	315
	Motor Mount Kits	30" Knockdown Motor Mount Kit • VAC	125215001	770
	Motors	230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase	110204000	2,790
	Motors	575 Volt • 1.5 HP • 1140 RPM • 3-Phase	118570001	4,164

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units

Next-Gen R-Series MiniCon (after 11-2015) ∞ 1/2 thru 3-1/2 HP Models with 12" fans

RFH // RFO // RBH // RBO // RVH // RVO Models

Part	Description	Part #	List Price (\$US)
Fan Blades	12" Diameter • 24° Pitch • 1/4" Bore • Counterclockwise • Aluminum • ECM Motors	08221176	126
	12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors	08221169	127
	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548

Continued on next page

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units
Next-Gen R-Series MiniCon (after 11-2015) ∞ 1/2 thru 3-1/2 HP Models with 12" fans (continued)

RFH // RFO // RBH // RBO // RVH // RVO Models

Part	Description	Part #	List Price (\$US)
Grilles	16.88" X 15.75" • Wire • Black	08397064	489
	19.38" X 27.75" • Wire • Black	08397066	548
	16.88" X 27.75" • Wire • Black	08397065	548
Motor Mounts	Motor Mount • 12"	21062000	226
	Motor Mount • 12" • 4-Leg • Wire	08397068	310
	Motor Mount • 24" • 3-Leg • Wire	212837000	372
Motors	PSC • 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	551
	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	661
	PSC • 460 Volt • 1/15 HP • 1550 RPM • Capacitor is pre-mounted	08216135	721
Refrigeration Components ∞ Thermostat	Thermostat w/Clip • 1/2" Discharge Line	118431442	352
	Thermostat Kit with clip • 3/8" Discharge Line	08352253	437

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units
Next-Gen R-Series MiniCon (after 11-2015) ∞ 3 thru 6 HP Models with 24" fans

RFH // RFO // RBH // RBO // RVH // RVO Models

Part	Description	Part #	List Price (\$US)
Capacitors	5 MFD • 440 Volt	202163004	78
Grilles	33.14" X 30.13" • Wire • Black	08397067	630
Motors	ECM • 230 Volt • 3/4 HP • 1075 RPM • Counterclockwise	08216132	2,130
Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051002	1,919
Refrigeration Components ∞ Thermostat	Thermostat w/Clip • 5/8" Discharge Line	08352256	437

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units
Next-Gen R-Series MiniCon (after 11-2015) ∞ ALL MODELS

RFH // RFO // RBH // RBO // RVH // RVO Models

Part	Description	Part #	List Price (\$US)
Pressure Control	High Pressure Control • Auto Reset • 400 PSI Gauge	08219424	162
	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	531

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units**Next-Gen MiniCon (before 10-2002) ∞ 1/2 thru 2 HP Models**

M*H // M*S // M*O // M*D // R*H // R*S // R*O // R*D Models

Part	Description	Part #	List Price (\$US)
Fan Blades	12" Diameter • 24° Pitch • 5/16" Bore • Clockwise • for use with Shaded Pole & PSC motors	08221153	133
Fan Guards	12" • Wire	08397040	192
Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	354

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units**Next-Gen R-Series MiniCon 1/2 thru 3 HP Models (after 10-2002) ∞ 2 thru 3 HP Scrolls (after April 2003)**

M*H // M*S // M*O // M*D // R*H // R*S // R*O // R*D Models

Part	Description	Part #	List Price (\$US)
Capacitors	2 MFD • 370 Volt	202163009	85
Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	414
Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	531
Fan Blades	12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise	119103001	133
Motor Mounts	Motor Mount • 12"	21062000	226
Motors	Shaded Pole • 460 Volt • 1/20 HP • 1550 RPM	08216034	520
Motors	ECM • 230 Volt • 1/8 HP • 1075 RPM • Counterclockwise	08216129	1,661
Motors	PSC • 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	551

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units**Next-Gen R-Series MiniCon 4 thru 6 HP Models ∞ 2 thru 3 HP & Scrolls (before April 2003)**

M*H // M*S // M*O // M*D // R*H // R*S // R*O // R*D Models

Part	Description	Part #	List Price (\$US)
Capacitors	5 MFD • 440 Volt	202163004	78
Fan Blades	20" Diameter • 30° Pitch • 1/2" Bore • Clockwise	213156000	482
	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
Fan Guards	20" • Wire • Black	213484000	394
Grilles	30" X 34" • Wire • Black	124027000	548
Motor Mounts	24" • 3-Leg • Wire	212837000	372
	20" • 3-Leg • Wire	210225000	387

Continued on next page

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units**Next-Gen R-Series MiniCon 4 thru 6 HP Models ∞ 2 thru 3 HP & Scrolls (before April 2003) - (continued)**

M*H // M*S // M*O // M*D // R*H // R*S // R*O // R*D Models

Part	Description	Part #	List Price (\$US)
Motors	ECM • 230 Volt • 1/3 HP • 1075 RPM • Counterclockwise	08216131	1,930
	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	661
	PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051002	1,919

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units**Next-Gen MiniCon ∞ 1/2 thru 6 HP (All Models)**

M*H // M*S // M*O // M*D // R*H // R*S // R*O // R*D Models

Part	Description	Part #	List Price (\$US)
Pressure Control	High Pressure Control • Manual Reset • Encapsulated	204464208	414
Relay	230 Volt • 90-second Relay • Interval	104799010	212
	208/240 Volt • 30 AMP • Dual Pole Double Throw	104799020	400
Thermostat	Thermostat w/Clip • 1/2" Discharge Line	118431442	352

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units**Russcon ∞ 3 thru 30 HP**

H // L // M // HE // LE // ME Models

Model(s)	Part	Description	Part #	List Price (\$US)
H31, M31, L35, M51, L55, H51, M61, L65, M81, L85, H81, H82, H101, M101, L105, L155, M61, L65	Capacitors	5 MFD • 440 Volt	202163004	78
H102, H151, H152, L205, L255, H202, I305	Capacitors	7.5 MFD • 440 Volt • for 1/3 HP (230 Volt, 460 Volt) PSC Motor	202163006	85
All Models	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
All Models	Motor Mounts	Motor Mount • 24" • 3-Leg • Wire	212837000	372
All Models	Motor Mounts / Fan Guards	24" Wire Motor Mount & Fan Guard Combination	204340000	434

Continued on next page

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units**Russcon ∞ 3 thru 30 HP (continued)**

H // L // M // HE // LE // ME Models

Model(s)	Part	Description	Part #	List Price (\$US)
H31, M31, L35, M51, L55, H51, M61, L65, M81, L85, H81, H82, H101, M101, L105, L155, M61, L65	Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	661
H102, H151, H152, L205, L255, H202, I305	Motors	PSC • 440 Volt • 5 MFD • 1075 RPM • capacitor not included	205051009	1,742
H31, M31, L35, M51, L55, H51, M61, L65, M81, L85, H81, H82, H101, M101, L105, L155, M61, L65	Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051002	1,919
H102, H151, H152, L205, L255, H202, I305	Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051002	1,919

COMPRESSORIZED PRODUCTS | Air-Cooled Condensing Units**Russette ∞ 1/2 thru 3 HP**

RC // RE // RS Models

Model(s)	Part	Description	Part #	List Price (\$US)
ALL	Fan Guards	20" • Wire • Black	213484000	394

COMPRESSORIZED PRODUCTS | Packaged System**APEX Refrigeration System**

XN // XT Models

Model(s)	Part	Description	Part #	List Price (\$US)
All Models	Box Components	Latch • Evaporator Cover	08326021	42
X*050M thru X*134M, X*024L thru X*068L	Capacitors	2 MFD • 370 Volt	202163009	85
XN026M thru XN037M, XN018L		5 MFD • 440 Volt	202163004	78
XN050M, XN024L		3 MFD • 370 Volt	202163010	77
All 115 V Coolers	Controls ∞ Electronic Controllers	120 Volt • Programmable Control • Medium Temp Air	08522798	1,091
All 115 V Freezers		120 Volt • Programmable Control • Low Temp Electric	08522796	1,091
All 208-230 V Coolers		230 Volt • Programmable Control • Medium Temp Air	08522799	1,091
All 208-230 V Freezers		230 Volt • Programmable Control • Low Temp Electric	08522797	1,091

Continued on next page

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Packaged System
APEX Refrigeration System (continued)

XN // XT Models

Model(s)	Part	Description	Part #	List Price (\$US)
All Models	Pressure Control	High Pressure Control • Auto Reset • 400 PSI Gauge	08219424	162
All Models	Sensor	Temperature Sensor	08219958	126
X*050M thru X*134M, X*024L thru X*068L	Contactor	32 AMP • 3-Pole • 230 Volt	08538312	99
XN018L thru X*068L	Heater Safety	Heater Safety Switch	103079003	211
XT050M thru XT134M, XT024L thru XT068L		Heater Safety Switch	103079003	211
XN026M thru XN037M, XN018L	Relay	Evaporator Motor Relay • Single Pole Double Throw • 115 Volt Coil	08218979	85
XN050M, XN024L		Evaporator Motor Relay • Single Pole Double Throw • 115 Volt Coil	08218979	85
X*050M thru X*134M, X*024L thru X*068L		Evaporator Motor Relay • 208-230 Volt • Coil • Single Pole Double Throw	08218181 ⊘	89
X*050M thru X*134M, X*024L thru X*068L		10" Diameter • 31° Pitch • 5/16" Bore • Clockwise • SP & PSC motors	08221168 ⊘	83
X*050M thru X*134M, X*024L thru X*068L		10" Diameter • 30° Pitch • 1/4" Bore • Clockwise • Aluminum • ECM Motors	08221174	83
X*050M thru X*134M, X*024L thru X*068L	Fan Blades	12" Diameter • 24° Pitch • 5/16" Bore • Counterclockwise • PSC Motors	08221169	127
XN026M thru XN037M, XN018L		10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	88
X*050M thru X*076M, X*024L thru X*043L		Defrost Heater • Drain Pan • 240 Volt • 500 Watts • 22" Long • 1/4" OD	08215141 ⊘	458
X*106M thru X*134M, X*051L AND X*068L	Defrost Heaters	Defrost Heater • Drain Pan • 240 Volt • 600 Watts • 35" Long • 1/4" OD	08215142 ⊘	548
X*106M thru X*134M, X*051L AND X*068L		Defrost Coil Heater • 240 Volt • 600 Watts • 1/4" OD • 40.5" Long	08215139 ⊘	633
XN026M thru XN037M, XN018L		Defrost Heater • Drain Pan • 120 Volt • 400 Watts • 19-1/2" Long • 1/4" OD	08215140 ⊘	414
XN026M thru XN037M, XN018L		Defrost Coil Heater • 120 Volt • 1/4" OD • 400 Watts • 22.5" Long	08215137	449
XN050ME44A, XN024L		Defrost Coil Heater • 120 Volt • 500 Watts • 1/4" OD • 26.5" Long	08215144	412
XN050ME44A, XN024L		Defrost Heater • Drain Pan • 120 Volt • 500 Watts • 22" Long • 1/4" OD	08215145 ⊘	432

Continued on next page

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Packaged System
APEX Refrigeration System (continued)

XN // XT Models

Model(s)	Part	Description	Part #	List Price (\$US)
XT050M thru XT134M, XT024L thru XT068L	Heaters	Drain line • 240 Volt • 25 Watts	08215143	285
X*050M thru X*134M, X*024L thru X*068L	Motor Mounts	1-Leg • x3 required per motor • ECM motors	08522938	72
X*050M thru X*134M, X*024L thru X*068L		12"	21062000	226
XN026M thru XN037M, XN018L		SL	12003000	88
XN026M thru XN037M, XN018L		16 Watt Motors • ECM & Shaded Pole	10243000	163
X*050M thru X*134M, X*024L thru X*068L		Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	354
X*050M thru X*134M, X*024L thru X*068L	Motors	PSC • 230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	551
XN026M thru XN037M, XN018L		ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,152
XN026M thru XN037M, XN018L		PSC • 115 Volt • 16 Watt • 1550 RPM	107933001	664
XN026M thru XN037M, XN018L		Shaded Pole • 115 Volt • 16 Watt • 1550 RPM	103104007	327
XN050M, XN024L		Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM	08216072	354
XN050M, XN024L		ECM • 115 Volt • 50 Watt • 1550 RPM • Counterclockwise	08216124 ⊘	1,081
XN050M, XN024L		PSC • 115 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216074	487
XT106M, XT134M, XT051L, XT068L	Refrigeration Components	Thermostat • 240 Volt • 1.5 AMP	08219019	127

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Packaged System
High Sierra Refrigeration System ∞ 1/2 thru 30 HP
 RHH // RHS // RHD // RHO Models

Model(s)		Part	Description	Part #	List Price (\$US)
LOW TEMP ∞ DISCUSS	All RHD Low Temp Modelst†	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	414
		Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	531
		Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
	RHD300L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-C-Z	970
LOW TEMP ∞ HERMETIC	All RHH Low Temp Modelst†	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	414
		Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	531
		Fan Blades	12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise	119103001	133
		Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	354
		Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,051
	RHH100L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-AA-Z	759
	RHH165L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-A-Z	759
	RHH215L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-B-Z	759
	RHH315L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-C-Z	970
	LOW TEMP ∞ SCROLL	All RHO Low Temp Modelst†	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208
Controls			Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	531
Fan Blades			24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
RHO200L44 - RHO400L44		Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,051
RHO200L44		Valves	Thermostatic Expansion Valve (TXV)	SBFSE-A-Z	759
RHO250L44, RHO300L44		Valves	Thermostatic Expansion Valve (TXV)	SBFSE-B-Z	759
RHO301L44, RHO400L44		Valves	Thermostatic Expansion Valve (TXV)	SBFSE-C-Z	970
LOW TEMP ∞ SEMI-HERMETIC	All RHS Low Temp Modelst†	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	414
		Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	531
		Fan Blades	12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise	119103001	133
		Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	354
		Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,051
	RHS075L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-AA-Z	759
	RHS100L44, RHS150L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-A-Z	759
	RHS200L44, RHS250L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-B-Z	759
	RHS300L44	Valves	Thermostatic Expansion Valve (TXV)	SBFSE-C-Z	970

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Packaged System
High Sierra Refrigeration System ∞ 1/2 thru 30 HP
 W/D-Series Condensing Unit: DHD // DHO Models

	Model(s)	Part	Description	Part #	List Price (\$US)
LOW TEMP ∞ DISCUSS	All DHD*L44 Low Temp Models†	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
		Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	661
	DHD5L44 - DHD9L44	Valves	Reversing Valve • 7/8" x 1-3/8" x 1-3/8"	21054	2,079
	DHD6L44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-7-1/2-Z	545
LOW TEMP ∞ SCROLL	All DHO Low Temp Models†	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
		Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	661
	DHO8L44 - DHO13L44	Valves	Reversing Valve • 7/8" x 1-3/8" x 1-3/8"	21054	2,079
MEDIUM TEMP ∞ DISCUSS R22 / R404A	All DHD*H22†	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
	All DHD*M44†	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
	All DHD*H22†	Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	661
	All DHD*M44†	Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	661
	DHD7H22, DHD8H22	Valves	Reversing Valve • 7/8" x 1-3/8" x 1-3/8"	21054	2,079
	DHD10H22	Valves	Reversing Valve • 7/8" x 1-3/8" x 1-3/8"	21054	2,079
	DHD5M44 - DHD7M44	Valves	Reversing Valve • 7/8" x 1-3/8" x 1-3/8"	21054	2,079
	DHD5H22	Valves	Thermostatic Expansion Valve (TXV)	EBSVE-8-C	765
	DHD7H22, DHD8H22	Valves	Thermostatic Expansion Valve (TXV)	EBSVE-11-C	1,333
	DHD10H22, DHD12H22	Valves	Thermostatic Expansion Valve (TXV)	EBSVE-15-C	1,333
	DHD5M44 - DHD7M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-10-C	1,333
	DHD8M44, DHD10M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-13-C	1,333
	DHD12M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-13-C	1,333
MEDIUM TEMP ∞ SCROLL R404A	All DHO*M44†	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
		Motors	PSC • 230 Volt • 1/3 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051004	661
	DHO7M44, DHO8M44	Valves	Reversing Valve • 7/8" x 1-3/8" x 1-3/8"	21054	2,079
	DHO7M44, DHO8M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-10-C	1,333
	DHO10M44, DHO13M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-13-C	1,333
	DHO6M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-7-1/2-C	516

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Packaged System
High Sierra Refrigeration System ∞ 1/2 thru 30 HP

W/R-Series Condensing Unit: RHH // RHS // RHD // RHO Models

	Model(s)	Part	Description	Part #	List Price (\$US)
MEDIUM TEMP ∞ HERMETIC R22 / R404A	All RHH*H22†	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	414
		Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	531
		Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,051
	All RHH*M44	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	414
		Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	531
	RHH050M44 - RHH300M44	Fan Blades	12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise	119103001	133
		Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	354
		Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,051
	RHH075H22 - RHH301H22	Fan Blades	12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise	119103001	133
		Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	354
	RHH400M44	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
	RHH400M44	Valves	Thermostatic Expansion Valve (TXV)	EBSS-6-C	970
MEDIUM TEMP ∞ SEMI-HERMETIC R22	RHH401H22, RHH500H22	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
	All RHH*H22	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	414
	All RHH*H22	Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	531
	All RHH*H22	Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,051
	RHS050H22 - RHS300H22	Fan Blades	12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise	119103001	133
	RHS400H22	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Packaged System
High Sierra Refrigeration System ∞ 1/2 thru 30 HP
 W/R-Series Condensing Unit: RHS // RHO Models

	Model(s)	Part	Description	Part #	List Price (\$US)
MEDIUM TEMP ∞ SCROLL R404A	All RHO*M44†	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	414
	All RHO*M44†	Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	531
	All RHO*M44†	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
	RHO200M44 - RHO300M44	Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,051
	RHO600M44	Valves	Reversing Valve • 7/8" x 1-3/8" x 1-3/8"	21054	2,079
	RHO301M44 - RHO500M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-6-C	970
	RHO600M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-6-C	970
	RHO650M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-7- 1/2-C	516
MEDIUM TEMP ∞ SEMI-HERMETIC R404A	All RHS*M44†	Controls	High Pressure Control • Manual Reset • Encapsulated	204464208	414
	All RHS*M44†	Controls	Fixed Low Pressure Control • Open 5°F & Close 20°F • Encapsulated	204464232	531
	RHS050M44 - RHS300M44	Fan Blades	12" Diameter • 23° Pitch • 5/16" Bore • Counterclockwise	119103001	133
	RHS400M44	Fan Blades	24" Diameter • 28° Pitch • 1/2" Bore • Counterclockwise • 3 Blade	08221246	548
	RHS050M44 - RHS300M44	Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	354
	RHS050M44 - RHS300M44	Valves	Reversing Valve • 1/2" x 7/8" x 7/8"	21012	1,051
	RHS400M44	Valves	Thermostatic Expansion Valve (TXV)	EBSSE-6-C	970

⊘ Part will not be restocked once depleted

COMPRESSORIZED PRODUCTS | Packaged System
High Sierra Refrigeration System ∞ 1/2 thru 30 HP
 W/V-Series Condensing Unit: VHD Models

	Model(s)	Part	Description	Part #	List Price (\$US)
LOW TEMP ∞ DISCUSS	All VHD*L44 Low Temp Models†	Fan Blades	30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	872
	VHD15L44, VHD22L44	Filters	Filter Shell • Liquid Filter • 7/8"	104471021	970
	VHD27L44, VHD30L44	Filters	Filter Shell • Liquid Filter • 7/8"	104471021	970
	VHD44L44	Filters	Filter Shell • Liquid Filter • 1-1/8" • C489G • 10-15 Ton	104471022	1,165
	VHD54L44, VHD60L44	Filters	Filter Shell • Liquid Filter • 1-1/8" • C489G • 10-15 Ton	104471022	1,165
	All VHD*L44 Low Temp Models†	Motors	230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase	110204000	2,790
MEDIUM TEMP ∞ DISCUSS R22 / R404A	All VHD*H22†	Fan Blades	30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	872
	All VHD*M44	Fan Blades	30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	872
	VHD15H22, VHD20H22	Filters	Filter Shell • Liquid Filter • 7/8"	104471021	970
	VHD25H22	Filters	Filter Shell • Liquid Filter • 7/8"	104471021	970
	VHD15M44, VHD20M44	Filters	Filter Shell • Liquid Filter • 7/8"	104471021	970
	VHD25M44	Filters	Filter Shell • Liquid Filter • 7/8"	104471021	970
	VHD30H22	Filters	Filter Shell • Liquid Filter • 1-1/8" • C489G • 10-15 Ton	104471022	1,165
	VHD30M44	Filters	Filter Shell • Liquid Filter • 1-1/8" • C489G • 10-15 Ton	104471022	1,165
	VHD35H22 - VHD50H22	Filters	Filter Shell • Liquid Filter • 1-1/8" • C969G • 16-29 Ton	104471031	1,686
	VHD35M44 - VHD50M44§	Filters	Filter Shell • Liquid Filter • 1-1/8" • C969G • 16-29 Ton	104471031	1,686
	All VHD*H22†	Motors	230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase	110204000	2,790
	All VHD*M44	Motors	230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase	110204000	2,790
	VHD25M44 - VHD35M44	Valves	Thermostatic Expansion Valve (TXV)	OSE-30-C	1,333
	VHD70M44‡	Valves	Thermostatic Expansion Valve (TXV)	OSE-30-C	1,333

⊘ Part will not be restocked once depleted

CONDENSERS & FLUID COOLERS | Condenser

Multi-Con Computer Room Air-Cooled Condenser

CAC Models

Model(s)	Part	Description	Part #	List Price (\$US)
CAC 5 thru CAC 80	Capacitors	5 MFD • 440 Volt	202163004	78
	Capacitors	15 MFD Capacitor	08352607	85
	Capacitors	15 MFD Capacitor	08352607	85
	Fan Blades	24" Diameter • 26° Pitch • 1/2" Bore • Clockwise • 3 Blade	08221050	548
	Fan Guards	24" • Wire • Black	202136005	805
	Motor Mounts	Motor Mount • 24" • 4-Leg • Wire	205269000	387
	Motors	PSC • 440 Volt • 5 MFD • 1075 RPM • capacitor not included	205051009	1,742
	Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Capacitor 202163012 required (5 MFD • 440 Volt)	205051002	1,919
	Motors	PSC • 230 Volt • 3/4 HP • 1075 RPM • Variable Speed • Capacitor 08352607 required (15 UF • 370 VAC)	205051015	2,130
CBC 27 thru CBC 164	Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Variable Speed • Capacitor 08352607 required (15 UF • 370 VAC)	205051016	2,306
	Fan Blades	24" Diameter • 26° Pitch • 1/2" Bore • Clockwise • 3 Blade	08221050	548
	Fan Blades	30" Diameter • 24° Pitch • 5/8" Bore • Clockwise • 4 Blade	08221151	872
	Fan Guards	30" • Wire • Black	202136011	315
	Fan Guards	24" • Wire • Black	202136005	805
	Motor Mounts	Motor Mount • 24" • 4-Leg • Wire	205269000	387
	Motor Mounts	30" Knockdown Motor Mount Kit • VAC	125215001	770
	Motors	230/460 Volt • 1.5 HP • 1140 RPM • 3-Phase	110204000	2,790
	Motors	PSC • 230 Volt • 3/4 HP • 1075 RPM • Variable Speed • Capacitor 08352607 required (15 UF • 370 VAC)	205051015	2,130
	Motors	PSC • 460 Volt • 3/4 HP • 1075 RPM • Variable Speed • Capacitor 08352607 required (15 UF • 370 VAC)	205051016	2,306

⊘ Part will not be restocked once depleted

REFRIGERATION PARTS

Miscellaneous Spare Parts

Part	Description	Part #	List Price (\$US)
Contactor	40 AMP • 3-Pole • 230 Volt	08219965 ⊘	222
	75 AMP • 3-Pole • 230 Volt	08220037 ⊘	1,312

UNIT COOLERS | Reach-In

Flex Temp

FT Models

Model(s)	Part	Description	Part #	List Price (\$US)
FT18-17	Fan Guards	8" • Plastic	206569000	154
	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,152
	Motors	ECM • 230 Volt • 16 Watt • 1550 RPM	107933003 ⊘	1,196
	Motors	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	274
	Motors	Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	103104005	274
	Sheet Metals	Drain Pan / Venturi • Flex Temp	20985400	367
FT18-23, FT18-31	Fan Blades	10" Diameter • 25° Pitch • 5/16" Bore • Counterclockwise	214022000	88
	Motors	Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM	08216072	354
	Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	354
	Sheet Metals	Drain Pan / Venturi • Flex Temp	20985300	467
FT18-6, FT18-8	Fan Guards	6" • Plastic	205932000	151
	Motors	Shaded Pole • 115 Volt • 3000 RPM • Skeleton Frame	102249005	279
	Motors	Shaded Pole • 230 Volt • 3000 RPM • Skeleton Frame	102249007	279
	Sheet Metals	Drain Pan / Venturi • Flex Temp	20985600	233
FT28-12	Fan Guards	6" • Plastic	205932000	151
	Motors	Shaded Pole • 115 Volt • 3000 RPM • Skeleton Frame	102249005	279
	Motors	Shaded Pole • 230 Volt • 3000 RPM • Skeleton Frame	102249007	279
	Sheet Metals	Drain Pan / Venturi • Flex Temp	20985500	306

⊘ Part will not be restocked once depleted

UNIT COOLERS | Reach-In
Wall Temp
 WA Models

Model(s)	Part	Description	Part #	List Price (\$US)
WA17-12, WA17-18	Fan Blades	8" Diameter • 36° Pitch • Counterclockwise • Hubless	204395010	83
	Fan Guards	8" • Plastic	206569000	154
	Sheet Metals	Drain Pan Assembly • Wall Temp 17-12, 8	105633002	262
WA17-25, WA17-35	Fan Blades	10" Diameter • 20° Pitch • 1/4" Bore • Counterclockwise • Hubless	204395016	88
	Fan Guards	10" • Wire • White	08397053	163
	Motors	Shaded Pole • 115 Volt • 1/20 HP • 1550 RPM	08216072	354
	Motors	Shaded Pole • 230 Volt • 1/20 HP • 1550 RPM	08216071	354
	Sheet Metals	Drain Pan Assembly • Wall Temp 17-25, 35	105633003	580
WA17-45	Fan Blades	12" Diameter • 19° Pitch • Counterclockwise	11860	266
	Sheet Metals	Drain Pan Assembly • Wall Temp 17-45	105633004	308
WA17-6	Fan Blades	8" Diameter • 22° Pitch • Counterclockwise • Hubless	204395008	83
	Fan Guards	8" • Plastic	206569000	154
	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,152
	Sheet Metals	Drain Pan Assembly • Wall Temp 17-6, 9	105633001	262
WA17-9	Fan Blades	8" Diameter • 22° Pitch • Counterclockwise • Hubless	204395008	83
	Fan Guards	8" • Plastic	206569000	154
	Sheet Metals	Drain Pan Assembly • Wall Temp 17-6, 9	105633001	262
WA17-9, WA17-12, WA17-18	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,152
	Motors	ECM • 230 Volt • 16 Watt • 1550 RPM	107933003 ⊘	1,196
	Motors	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	274
	Motors	Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	103104005	274

⊘ Part will not be restocked once depleted

UNIT COOLERS | Walk-In
Center Mount ∞ Ceiling Temp
CTA // CTE Models

Model(s)	Part	Description	Part #	List Price (\$US)
Permanent Split Capacitor Motors	Capacitors	5 MFD • 440 Volt	202163004	78
All Models	Controls	Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw	08219273	226
		Fan Delay • Open at 45°F, Close at 35°F	103079009	226
		Heater Safety Switch	103079003	211
	Fan Blades	10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	88
	Fan Guards	12" • Plastic • Black	119647000	163
CTE34-48, CTE34-58, CTE34-65, CTE36-53, CTE36-62, CTE36-69	Defrost Heaters	Defrost Heater • Core • 230 Volt • 1037 Watts • 55" Long (x2 required for each unit)	208579001	636
CTE44-72, CTE44-84, CTE44-95, CTE46-77, CTE46-90, CTE46-100		Defrost Heater • 230 Volt • 1490 Watts • 79" Long (x2 required for each unit)	208579002	866
CTE54-115, CTE44-128, CTE44-152, CTE54-145, CTE64-173, CTE56-125, CTE46-140, CTE56-160, CTE66-218		Defrost Heater • 230 Volt • 1943 Watts • 103" Long	208579003	954
All Models	Motor Mounts	Motor Mount • 16 Watt Motors • ECM & Shaded Pole	10243000	163
All Models	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,152
EC Motors		ECM • 230 Volt • 16 Watt • 1550 RPM	107933003 ⊘	1,196
All Models (optional)		PSC • 115 Volt • 16 Watt • 1550 RPM	107933001	664
All Models (optional)		Shaded Pole • 115 Volt • 16 Watt • 1550 RPM	103104007	327
Shaded Pole Motors		Shaded Pole • 230 Volt • 16 Watt • 1550 RPM	103104008	327
All 4 Fan CTA/CTE Models	Sheet Metals ∞ Drain Pan / Venturi	4-Fan • Aluminum • 82-1/2" Long	20861001	1,158
CTA46-190, CTA48-210, CTE44-128, CTE46-140		4-Fan • Aluminum • 106-1/2" Long	20861101	1,333
All 5 Fan CTA/CTE Models		5-Fan • Embossed Aluminum • 106-1/2" Long	20861201	1,333
All 6 Fan CTA/CTE Models		6-Fan • Embossed Aluminum • 106-1/2" Long	20861301	1,383

Specify drain connection location when ordering CTA/CTE Drain Pans (bottom or side*)

⊘ Part will not be restocked once depleted

UNIT COOLERS | Walk-In
Low Velocity ∞ Flow Temp

FL // FL-E // FL-G // FL-H Models

Model(s)	Part	Description	Part #	List Price (\$US)
All 2 Fan Models	Motors	Shaded Pole • 115 Volt • 9 Watt • 1550 RPM	103104004	274
All 2 Fan Models: FL36-100, FL36-135, FL46-180	Fan Blades	10" Diameter • 20° Pitch • 1/4" Bore • Counterclockwise • Hubless	204395016	88
All 4 & 5 Fan Models	Motors	Shaded Pole • 230 Volt • 16 Watt • 1550 RPM	103104008	327
All FL Models (optional) Permanent Split Capacitor Motors	Capacitors	5 MFD • 440 Volt	202163004	78
	Motors	PSC • 115 Volt • 16 Watt • 1550 RPM	107933001	664
All Models	Controls	Fan Delay • Open at 45°F, Close at 35°F	103079009	226
	Controls	Heater Safety Switch	103079003	211
	Fan Guards	12" • Plastic • Black	119647000	163
	Motor Mounts	Motor Mount • 16 Watt Motors • ECM & Shaded Pole	10243000	163
	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,152
EC Motor	Motors	ECM • 230 Volt • 16 Watt • 1550 RPM	107933003 ⊘	1,196
FL26-67E	Heaters	Defrost Heater • Core • 230 Volt • 1970 Watts • 48" Long (x2 required for each unit)	200172026	549
FL36-100	Motors	Shaded Pole • 230 Volt • 9 Watt • 1550 RPM	103104005	274
FL36-100E, FL36-135E, FL36-160E	Defrost Heaters	Core • 230 Volt • 1220 Watts • 30" Long (x2 required each unit)	200172023	574
FL36-135, FL36-160	Motors	Shaded Pole • 115 Volt • 16 Watt • 1550 RPM	103104007	327
FL36-160, FL46-220, FL46-265, FL56-370	Fan Blades	10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	88
FL46-180E, FL46-220E, FL46-265E	Defrost Heaters	Core • 230 Volt • 1550 Watts • 38" Long (x2 required for each unit)	200172024	512
FL46-180E, FL46-220E, FL46-265E, FL56-370E*	Defrost Heaters	Core • 230 Volt • 2480 Watts • 60" Long (x2 required for each unit)	200172028	607

* (x4) defrost heaters required for each unit

⊘ Part will not be restocked once depleted

UNIT COOLERS | Walk-In
Low Velocity ∞ Flow Temp
 All Models

Part	Description	Part #	List Price (\$US)
Sheet Metals ∞ Drain Pans: units produced AFTER April 1, 1991	Weld Assembly • Venturi / Drain Pan • 2-Fan • Aluminum	10861406	1,049
	Weld Assembly • Venturi / Drain Pan • 3-Fan • Aluminum	10861407	1,162
	4-Fan	10861403	1,333
	5-Fan	10861408	1,514
	2-Fan • White Painted	10861406W	1,840
	3-Fan • White Painted	10861407W	2,213
	4-Fan • White Painted	10861403W	2,526
	5-Fan • White Painted	10861408W	2,785

UNIT COOLERS | Walk-In
Low Velocity ∞ Flow Temp
 RWF Models

Model(s)	Part	Description	Part #	List Price (\$US)
All Electric & Hot Gas Defrost Models	Controls	Adjustable Defrost Control	204464037	607
	Controls	Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw	08219273	226
	Controls	Heater Safety Switch	103079003	211
All Models	Fan Guards	12" • Plastic • Black	119647000	163
	Motor Mounts	16 Watt Motors	10243000	163
All Models - ECM Motors	Motors	ECM • 115 Volt • 16 Watt • 1550 RPM	107933006 ⊘	1,152
	Motors	ECM • 230 Volt • 16 Watt • 1550 RPM	107933003 ⊘	1,196
All Models - PSC Motors (optional)	Capacitors	5 MFD • 440 Volt	202163004	78
	Motors	PSC • 115 Volt • 16 Watt • 1550 RPM	107933001	664
	Motors	PSC • 460 Volt • 1/15 HP • 1550 RPM • Capacitor is pre-mounted	08216135	721
All Models - Shaded Pole Motors (optional)	Motors	Shaded Pole • 115 Volt • 16 Watt • 1550 RPM	103104007	327
	Motors	Shaded Pole • 230 Volt • 16 Watt • 1550 RPM	103104008	327

Continued on next page

 Part will not be restocked once depleted

UNIT COOLERS | Walk-In
Low Velocity ∞ Flow Temp (continued)
 RWF Models

Model(s)	Part	Description	Part #	List Price (\$US)
RWF - 050	Defrost Heaters	240 Volt • 545 Watts • 42" Long (x2 required for each unit)	0821500901	589
	Sheet Metals	Drain Pan / Venturi • 1-Fan	0852507601	765
		Drain Pan / Venturi • 1-Fan • White Painted	0852507607*	1,143
RWF - 075	Fan Blades	10" Diameter • 20° Pitch • 1/4" Bore • Counterclockwise • Hubless	204395016	88
		10" Diameter • 13° Pitch • 5/16" Bore • Counterclockwise	08221005	88
RWF - 075, 100	Defrost Heaters	240 Volt • 545 Watts • 61" Long (x2 required for each unit)	0821500902	630
	Sheet Metals	Drain Pan / Venturi • 2-Fan	0852507701	1,049
		Drain Pan / Venturi • 2-Fan • White Painted	0852507707*	1,442
RWF - 130, 160	Sheet Metals	Drain Pan / Venturi • 3-Fan	0852507801	1,162
		Drain Pan / Venturi • 3-Fan • White Painted	0852507807*	1,754
RWF - 130, 160, 190, 220	Defrost Heaters	240 Volt • 1305 Watts • 79" Long (x2 required for each unit)	0821500903	727
RWF - 190, 220	Sheet Metals	Drain Pan / Venturi • 4-Fan	0852507901	1,333
		Drain Pan / Venturi • 4-Fan • White Painted	0852507907*	1,768
RWF - 270	Defrost Heaters	240 Volt • 2180 Watts • 90" Long (x2 required for each unit)	0821500904	822
	Sheet Metals	Drain Pan / Venturi • 5-Fan	0852508001	1,514
		Drain Pan / Venturi • 5-Fan • White Painted	0852508007*	1,966
RWF - 340	Defrost Heaters	240 Volt • 2725 Watts • 114" Long (x2 required for each unit)	0821500905	929
	Sheet Metals	Drain Pan / Venturi • 6-Fan	0852508101	1,645
RWF-050, 100, 130, 160, 190, 220, 270, 340	Fan Blades	10" Diameter • 28° Pitch • 5/16" Bore • Counterclockwise	08221007	88
		10" Diameter • 31° Pitch • 1/4" Bore • Counterclockwise	204395018	88

* Optional

⊘ Part will not be restocked once depleted

UNIT COOLERS | Walk-In
HI Temp
 HI Models

Part	Model(s)	Description	Part #	List Price (\$US)
Fan Blades	HI17-18, HI17-25	10" Diameter • 20° Pitch • 1/4" Bore • Clockwise • Hubless	204395015 ⊘	88
	HI18-55	12" Diameter • 23° Pitch • 5/16" Bore • Clockwise	215112000	262
Fan Guards	HI17-6	6" • Plastic	205932000	151
	HI17-9, HI17-12, HI17-15	8" • Plastic	206569000	154
	HI17-18, HI17-25	10" • Wire • Black	08397002	163
Motors ∞ Shaded Pole	HI17-35, HI17-45, HI18-55	115 Volt • 1/20 HP • 1550 RPM	08216072	354
		230 Volt • 1/20 HP • 1550 RPM	08216071	354
	HI17-15, HI17-18, HI17-25	115 Volt • 9 Watt • 1550 RPM	103104004	274
		230 Volt • 9 Watt • 1550 RPM	103104005	274
	HI17-65, HI17-75, HI18-85,	115-230 Volt • 1/12 HP • 1050 RPM	08216119	991

UNIT COOLERS | Walk-In
Low Profile ∞ All-Temp B Vintage

AA-B // AE-B // AG-B // AH-B Models (built after October 1, 1991)

Model(s)	Part	Description	Part #	List Price (\$US)
1 - 6 Fan AE Models	Controls	Heater Safety Switch	103079003	211
1 Fan • AA & AE Models	Sheet Metals	Drain Pan • 27" L	08533740	659
3 Fan • AA & AE Models		Drain Pan • 63" L	08533743	817
4 Fan • AA & AE Models*		Drain Pan • 81" L	08533744	1,136
5 Fan • AA & AE Models*		Drain Pan • 99" L	08533745	1,246
6 Fan • AA & AE Models*		Drain Pan • 117" L	08533746	1,344
AA28-106B, -134B, AA26-115B, AE26-92B, AE24-72B, -85B		Drain Pan • 45" L	08533742	738
AA28-76B, -97B, -122B, AA26-70B, -87B, AE26-60B, 26-75B		Drain Pan • 41" L	08533741	738

Continued on next page

⊘ Part will not be restocked once depleted

UNIT COOLERS | Walk-In**Low Profile ∞ All-Temp B Vintage (continued)**

AA-B // AE-B // AG-B // AH-B Models (built after October 1, 1991)

Model(s)	Part	Description	Part #	List Price (\$US)
AE14-37B, AE16-36B, AE16-41B, AE16-46B	Defrost Heaters	Drain Pan • 1-Fan • 230 Volt • 500 Watts • 21" Long	200172042	493
AE14-37B, AE16-36B, AE16-41B, AE16-46B		Core • 230 Volt • 500 Watts • 26-1/4" Long	206240006	640
AE24-72B, AE24-85B, AE26-92B		Drain Pan • 2-Fan • 230 Volt • 1000 Watts • 39" Long	200172044	512
AE24-72B, AE24-85B, AE26-92B		Core • 230 Volt • 1000 Watts • 44-1/4" Long	206240008	549
AE26-60B, AE26-75B		Drain Pan • 2-Fan • 230 Volt • 800 Watts • 35" Long	200172043	493
AE26-60B, AE26-75B		Core • 230 Volt • 800 Watts • 40-1/4" Long	206240007	512
AE34-105B, AE36-120B, AE36-140B		Drain Pan • 3-Fan • 230 Volt • 1500 Watts • 57" Long	200172045	607
AE34-105B, AE36-120B, AE36-140B		Core • 230 Volt • 1500 Watts • 62-1/4" Long	206240009	639
AE44-140B, AE46-164B, AE46-185B		Drain Pan • 4-Fan • 230 Volt • 2000 Watts • 75" Long	200172046	775
AE44-140B, AE46-164B, AE46-185B		Core • 230 Volt • 2000 Watts • 80-1/4" Long	206240010	812
AE54-180B, AE56-210B		Core • 230 Volt • 2500 Watts • 97-3/4" Long	206240011	944
AE64-215B, AE66-245B, AE66-280B		Drain Pan • 6-Fan • 230 Volt • 3000 Watts • 111" Long	200172048	980
AE64-215B, AE66-245B, AE66-280B		Core • 230 Volt • 2750 Watts • 115-3/4" Long	206240012	1,000
All "AE" Models	Controls	Defrost Termination • Open at 30°F, Close at 60°F • Single Pole Single Throw	08219273	226
		Fan Delay • Open at 45°F, Close at 35°F	103079009	226
All Models	Fan Guards	12" • Plastic • Black	119647000	163
		12" • Plastic • High Throw	205925001*	232
All-Temp Models (SP & PSC)	Motor Mounts	12"	21062000	226
All Models	Fan Blades	12" Diameter • 24° Pitch • 5/16" Bore • Clockwise • for use with Shaded Pole & PSC motors	08221153	133

* Optional

Continued on next page

⊘ Part will not be restocked once depleted

UNIT COOLERS | Walk-In**Low Profile ∞ All-Temp B Vintage (continued)**

AA-B // AE-B // AG-B // AH-B Models (built after October 1, 1991)

Model(s)	Part	Description	Part #	List Price (\$US)
B Models ∞ ECM	Motor Mounts	1-Leg • x3 required per motor	08522938	72
	Motors	115 Volt • 50 Watt • 1550 RPM • Counterclockwise	08216124	1,081
		230 Volt • 1/15 HP • 1550 RPM	08216139	1,245
B Models ∞ PSC	Capacitors	3 MFD • 370 Volt	202163010	77
	Fan Blades	12" Diameter • 24° Pitch • 1/4" Bore • Clockwise	08221175	126
	Motor Mounts	12"	21062000	226
	Motors	115 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216074	487
		230 Volt • 1/20 HP • 1550 RPM • Capacitor is pre-mounted	08216073	551
B Models ∞ Shaded Pole	Motor Mounts	12"	21062000	226
	Motors	115 Volt • 1/20 HP • 1550 RPM	08216072	354
		230 Volt • 1/20 HP • 1550 RPM	08216071	354
		460 Volt • 1/20 HP • 1550 RPM	08216034	520

- 1 Applicable Law and Terms of Sale: All orders shall be subject to the following terms and conditions notwithstanding any additional or contrary printed terms and conditions of Buyer. Such additional or contrary terms shall not bind Seller unless accepted in writing even though such terms do not materially alter the terms hereof. No oral statements, warranties, stipulations, representations or terms shall have any binding effect or be any part of the contract whatsoever.
- 2 Orders: All orders must be in writing and will be binding when our order acknowledgment is mailed. Orders are accepted subject to strikes, fires, accidents, and other causes beyond our reasonable control. Acceptance of your order is conditioned upon an agreement to hold us harmless by reason of delivery delays.
- 3 Prices: Subject to change without notice, and all quotations, unless otherwise specified, are binding only for immediate acceptance. Prices are based on material made to Seller's standard tolerances, unless otherwise specified.
- 4 Freight: All products are shipped FOB Point of Shipment with full freight allowed on single orders with a net price value of \$10,000.00 or more, except surface coils and parts, within the continental USA (excluding Alaska and Hawaii). Shipments to destinations outside the continental USA, that meet freight allowance requirements, will incur charges for the additional transport beyond the USA border. Seller reserves the choice of transportation mode, carrier, and shipping point. If special routing (dedicated/contract haul, flatbed delivery, appointment to meet a crane, etc.) is required/requested for a purchase order of \$10,000.00 or greater, Buyer will be assessed a special delivery charge per truck. Charges of \$80 per hour resulting from excessive unloading time, beyond the allotted "free time" (two hours per stop on partial loads and/or full truck loads), as defined by the carrier, is subject to being passed on to the customer. The responsibility of the Seller shall cease upon delivery of product in good condition to a common carrier (TL, LTL, FLATBED, ETC). Since all goods are shipped at Buyer's risk, they should be examined carefully before signing delivery receipt. If common carrier tenders delivery of goods in damaged condition or if packages delivered do not correspond with the number called for on the freight bill, Buyer should insist on common carrier's agent (DRIVER) making notation of the condition of shortages or damage on delivery receipt. The Buyer should never refuse freight from the common carrier. Filing freight claims are under the responsibility of the Buyer, and this will enable them to secure prompt payment of claim for damaged or lost material. Sometimes damage or loss is not readily apparent, so it is suggested that Buyer thoroughly inspect each shipment as soon as it is received for concealed loss or damage. Refer to HTPG's 2019 Freight Policy for further information.
- 5 Taxes: Any sales, use, excise, or similar tax payable by Seller which is or may be imposed by any taxing authority upon manufacture, sale or delivery of goods covered by any order or any increase in rate of any such tax now in force, shall be added to the sales price; if not collected at the time of payment of sales price, Buyer will hold Seller harmless.
- 6 Limited Warranty: Seller warrants against defect in materials and workmanship in products which it manufactures for (1) year from date of installation or up to (18) eighteen months from the date of shipment, whichever event occurs first, when properly installed and operated under normal use. This guarantee does not include any labor or other charges made outside of the Seller's factory for replacement or repair of defective parts unless specifically stated in the body of the Seller's invoice. On parts not manufactured by Seller, such as motors, controls, valves and compressors we extend to the Buyer the same warranties made to us by the manufacturer. Seller's only liability under this warranty or otherwise shall be the repair or replacement (at Seller's option) of non-conforming goods or parts. Seller assumes no liability for incidental or consequential damages such as injury to person or property, or lost profits.
- 7 THIS GUARANTEE SUPERSEDES AND IS IN LIEU OF ANY AND ALL OTHER WARRANTIES BY LAW OR CUSTOM, EITHER EXPRESSED OR IMPLIED INCLUDING, BUT NOT LIMITED BY THIS ENUMERATION, ANY GUARANTEE AS TO QUALITY OR FITNESS FOR ANY PARTICULAR PURPOSE, EXCEPT AS SET FORTH ABOVE. NO PERSON, AGENT, OR DEALER IS AUTHORIZED TO GIVE ANY WARRANTIES ON BEHALF OF SELLER NOR TO ASSUME FOR SELLER ANY OTHER LIABILITY IN CONNECTION WITH ANY OF THE SELLER'S PRODUCTS.
- 8 Delivery: Seller shall not be liable for any delays in or failure of delivery due to acts of God or public authority, labor disputes, accidents, fires, floods, extreme weather conditions, failure of and delays by carriers, shortages of material, delays of a supplier, and any other cause beyond Seller's control. In no event shall Seller be liable for consequential or special damages arising out of a delay in or failure of delivery. Failure to meet estimated ship dates will not be considered sufficient cause of cancellation of orders.
- 9 Cancellations and Returned Goods: Permission to return any part or product must be obtained from Seller and may be subject to a restocking charge. Credits for new material accepted for return will be at the original sales price or current market price, whichever is lower, less handling and restocking charges. Buyer must prepay all transportation charges. Any costs for putting material in condition for resale will be charged to the Buyer. Shipment of material returned without factory authorization or not properly tagged with a Return Material Authorization Number or not freight prepaid cannot be received by Seller. Obsolete products or material made to special order are not returnable.
- 10 Catalog Materials and Drawings: Seller is not responsible for typographical errors or other errors of omission in Seller's catalogs or drawings.
- 11 Late Charge Provision: Buyer agrees to pay a late charge of 1-1/2% per month (18% per year) for any invoice or bill not paid within (30) thirty days of the date of the billing invoice.
- 12 Choices of law, Disputes: This agreement and the performance of the parties hereunder shall be construed in accordance with and governed by the laws of the State of Georgia and shall be deemed made in the state. Buyer irrevocably consents to the exclusive jurisdiction of the courts of Fulton County, on all matters arising out of or relating to this sale and Buyer further irrevocably consents to service of process by certified mail, return receipt requested, at Buyer's address set forth in the order acknowledgment.



ENGINEERED FOR COOL.™

HTPG.com

Main 256-259-7400

Equipment Orders 800-288-9488 or equipment@htpg.com

Parts 855-HTPARTS (1-855-487-2787) or parts@htpg.com