

Sierra Refrigeration Systems 1/2 - 30 HP List Prices February, 2012

All products, except surface coils and parts, are shipped F.O.B. point of shipment with full freight allowed on single orders with a net price value of \$7,000 or more, within the continental USA (excluding Alaska and Hawaii). Buyer will bear all additional costs for special routing or handling requests. **See page 23 for additional freight instructions .**

DESCRIPTION

Sierra systems ship complete with the following features and accessories:

Outdoor condensing unit with:

"R" Series / MiniCon - Hermetic, Semi-Hermetic or Scroll Compressors
"D" Series - Discus or Scroll compressors
Oil Pressure Control (when applicable)
High and Low Pressure Controls
Crankcase Heater
Low Profile Galvanized Steel Housing
Copper Tube, Aluminum Fin Condenser / Receiver
RUSSAVER Floating Head Pressure Control
Subcooling Circuit
Sightglass with Moisture Indicator (mounted)
Vibrasorbbers (Semi-hermetic models only)
Liquid Line Charging Valve
Liquid Line Filter-Drier (mounted)
Suction Line Filter (mounted)
Large Electrical Control Panel
Compressor Contactor or Start Kit
Systems with Electric Defrost Evaps include the appropriate E.D. Kit
Fan Cycle Control (dual fan condensing unit only)
*Add \$569 to the total list price of medium temp systems to include Air Defrost Timer.
See page 22 for optional PSC motor List price adders for small R-series condensing units.



Evaporator(s) with:

Copper Tube, Aluminum Fin
Aluminum Housing
Plastic Fan Guard(s)
Balanced Port Expansion Valve(s) (**mounted**)
Liquid Line Solenoid Valve(s) (**mounted**)
Adjustable DTFD
Room Thermostat*, one per system (**mounted**)
* (On multiple evaporator systems one thermostat controls all evaporators using a master/slave wiring arrangement.)



Standard with EC motors

SIERRA SYSTEMS

MiniCon — All - Temp²B

+35°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		LIST PRICES				WARR.\$ NET PRICE	SHIP WEIGHT (LBS)
					115/1 V. EVAP	115/1 V. EVAP	230/1 V. EVAP	230/1 V. EVAP		
	COND. UNIT	EVAP	Btu/hr	TD	230/1 V. C/U	230/3 V. C/U	230/1 V. C/U	230/3 V. C/U		
HERMETIC	RIH075H22	(1) AA28-76B	7,250	9.5	\$10,792	N/A	\$10,993	N/A	\$194	223
	RIH100H22	(1) AA28-97B	10,380	10.7	11,633	\$11,633	11,736	\$11,736	203	231
	RIH100H22	(1) AA28-106B	10,560	10.0	11,823	11,823	11,844	11,844	203	238
	RIH151H22	(1) AA28-134B	13,860	10.3	13,047	13,219	13,099	13,271	219	273
	RIH151H22	(2) AA28-76B	14,170	9.3	16,200	16,372	16,602	16,774	219	306
	RIH201H22	(1) AA38-195B	18,970	9.7	15,372	15,560	15,581	15,769	238	307
	RIH201H22	(2) AA28-97B	18,950	9.8	17,333	17,521	17,539	17,727	238	325
	RIH301H22	(1) AA58-275B	29,740	10.8	19,501	20,013	19,966	20,478	271	572
	RIH301H22	(2) AA28-134B	29,580	11.0	19,830	20,342	19,934	20,446	271	386
	RIH401H22	(1) AA68-390B	41,770	10.7	25,415	24,887	25,783	25,255	389	718
	RIH401H22	(2) AA38-195B	41,770	10.7	26,971	26,443	27,389	26,861	389	516
	RIH500H22	(2) AA38-195B	44,640	11.4	27,591	27,350	28,009	27,768	444	168
	RIH500H22	(2) AA48-212B	45,360	10.7	29,403	29,162	30,015	29,774	444	508
	RIH050M44	(1) AA18-66B	6,290	9.5	10,826	N/A	10,934	N/A	179	188
	RIH075M44	(1) AA28-97B	9,270	9.5	12,794	12,700	12,897	12,803	194	218
	RIH101M44	(1) AA28-122B	12,500	10.2	13,473	13,473	13,593	13,593	203	255
	RIH150M44	(1) AA38-160B	16,190	10.1	15,503	15,678	15,567	15,742	219	307
	RIH201M44	(1) AA48-264B	25,800	9.8	19,099	19,055	19,495	19,451	238	515
	RIH201M44	(2) AA28-134B	25,420	10.4	20,235	20,191	20,339	20,295	238	379
	RIH300M44	(1) AA58-275B	28,260	10.3	21,039	20,842	21,504	21,307	271	585
RIH300M44	(2) AA28-134B	28,120	10.5	21,368	21,171	21,472	21,275	271	399	
RIH400M44	(1) AA68-390B	36,020	9.2	25,694	25,132	26,062	25,500	389	760	
RIH400M44	(2) AA38-160B	34,740	10.9	25,942	25,380	26,070	25,508	389	548	
RIH500M44	(2) AA48-212B	48,550	11.4	29,786	29,523	30,398	30,135	444	913	
RIH500M44	(2) AA48-264B	50,500	9.6	31,948	31,685	32,740	32,477	444	929	
SEMI-HERMETIC	RIS075H22	(1) AA18-66B	7,060	10.7	11,820	11,820	11,928	11,928	268	251
	RIS075H22	(1) AA28-76B	7,300	9.6	12,597	12,597	12,798	12,798	268	263
	RIS100H22	(1) AA28-97B	9,930	10.2	13,730	13,614	13,833	13,717	282	271
	RIS100H22	(1) AA28-106B	10,080	9.5	13,920	13,804	13,941	13,825	282	278
	RIS150H22	(1) AA28-122B	13,180	10.8	15,425	15,622	15,545	15,742	318	307
	RIS150H22	(1) AA28-134B	13,440	10.0	15,664	15,861	15,716	15,913	318	310
	RIS200H22	(1) AA38-160B	17,990	11.2	18,071	17,996	18,135	18,060	438	339
	RIS200H22	(2) AA28-97B	18,680	9.6	20,686	20,611	20,892	20,817	438	362
	RIS300H22	(1) AA48-264B	27,690	10.5	24,328	23,711	24,724	24,107	503	682
	RIS300H22	(2) AA28-134B	27,770	10.4	25,464	24,847	25,568	24,951	503	546
	RIS100M44	(1) AA28-76B	8,740	11.5	13,448	13,448	13,649	13,649	280	253
	RIS100M44	(1) AA28-97B	9,080	9.4	13,772	13,772	13,875	13,875	280	256
	RIS200M44	(1) AA28-134B	15,170	11.3	16,705	16,690	16,757	16,742	438	333
	RIS200M44	(1) AA38-160B	15,630	9.8	17,891	17,876	17,955	17,940	438	349
	RIS200M44	(2) AA28-76B	15,500	10.2	19,858	19,843	20,260	20,245	438	366
	RIS300M44	(1) AA58-275B	28,280	10.3	N/A	24,779	N/A	25,244	503	727
RIS300M44	(2) AA28-134B	28,150	10.5	N/A	25,108	N/A	25,212	503	541	
SCROLL	RIO200M44	(1) AA38-195B	20,250	10.4	15,753	15,816	15,962	16,025	264	299
	RIO200M44	(1) AA48-212B	20,480	9.7	16,659	16,722	16,965	17,028	264	469
	RIO200M44	(2) AA28-97B	20,240	10.4	17,714	17,777	17,920	17,983	264	317
	RIO200M44	(2) AA28-106B	20,480	9.7	18,094	18,157	18,136	18,199	264	331
	RIO250M44	(1) AA48-212B	24,470	11.5	17,838	17,687	18,144	17,993	287	484
	RIO250M44	(1) AA48-264B	25,260	9.6	18,919	18,768	19,315	19,164	287	492
	RIO250M44	(2) AA28-122B	24,990	10.2	19,577	19,426	19,817	19,666	287	350
	RIO300M44	(1) AA58-275B	28,670	10.4	20,934	20,932	21,399	21,397	345	617
	RIO300M44	(1) AA68-318B	29,210	9.2	22,010	22,008	22,460	22,458	345	659
	RIO300M44	(2) AA28-134B	28,560	10.7	21,263	21,261	21,367	21,365	345	431
	RIO301M44	(1) AA68-318B	34,130	10.7	22,906	23,169	23,356	23,619	367	679
	RIO301M44	(2) AA38-160B	34,160	10.7	24,531	24,794	24,659	24,922	367	483
	RIO400M44	(1) AA68-390B	40,390	10.4	25,442	25,357	25,810	25,725	389	722
	RIO400M44	(2) AA38-195B	40,390	10.4	26,998	26,913	27,416	27,331	389	520
	RIO400M44	(2) AA48-212B	40,850	9.6	28,810	28,725	29,422	29,337	389	860
	RIO600M44	(2) AA48-212B	46,260	10.9	29,045	29,213	29,657	29,825	571	891
RIO600M44	(2) AA48-264B	47,550	9.0	31,207	31,375	31,999	32,167	571	907	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

LIST PRICES

MiniCon / "D" Series — All-Temp²B / Inter-Temp

+35°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.§ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
S C R O L L	RIO200M22	(1) AA38-195B	19,570	10.0	\$15,816	\$14,797	\$264	299
	RIO200M22	(2) AA28-97B	19,560	10.1	17,777	16,187	264	317
	RIO250M22	(1) AA48-212B	23,040	10.9	17,687	16,297	287	484
	RIO250M22	(2) AA28-122B	23,510	9.6	19,426	17,970	287	350
	RIO300M22	(1) AA48-264B	27,520	10.4	20,125	18,642	345	582
	RIO300M22	(1) AA58-275B	27,690	10.1	20,932	18,950	345	632
	RIO300M22	(2) AA28-134B	27,580	10.3	21,261	19,486	345	446
	RIO301M22	(1) AA58-275B	28,930	10.5	22,093	20,117	367	647
	RIO301M22	(2) AA28-134B	28,900	10.8	22,422	20,653	367	461
	RIO301M22	(2) AA38-160B	29,090	9.1	24,794	21,913	367	493
	RIO400M22	(1) AA68-390B	39,550	10.1	25,357	22,751	389	722
	RIO400M22	(2) AA48-212B	40,020	9.4	28,725	25,227	389	860
RIO600M22	(2) AA48-212B	46,790	11.0	29,213	25,652	571	891	
RIO600M22	(2) AA48-264B	48,280	9.1	31,375	27,994	571	907	
D I S C U S	RID500H22	(2) AA48-264B	52,410	9.9	38,945	36,064	795	1,154
	RID500H22	(2) AA58-275B	52,760	9.6	40,559	36,680	795	1,254
	RID500M44	(2) AA48-264B	52,450	9.9	38,945	36,064	795	1,154
	RID500M44	(2) AA58-275B	5,277	9.6	40,559	36,680	795	1,254
	RID600M44	(2) AA58-275B	63,600	11.6	45,431	41,716	795	1,254
	RID600M44	(2) AA68-318B	64,990	10.2	47,583	42,702	795	1,338
	DID5H22	(1) ITA38-540	57,100	10.6	41,109	41,448	808	1,280
	DID5H22	(2) ITA38-260	56,730	10.9	42,550	40,983	808	1,440
	DID5H22	(2) ITA38-320	58,670	9.2	46,152	44,647	808	1,510
	DID7H22	(1) ITA38-690	79,390	11.5	47,220	48,033	866	1,640
	DID7H22	(2) ITA28-410	81,720	10.0	54,267	54,897	866	1,840
	DID8H22	(2) ITA28-410	94,560	11.5	58,902	59,322	916	1,870
	DID8H22	(2) ITA28-450	96,070	10.7	61,878	62,266	916	1,910
	DID8H22	(2) ITA38-540	98,770	9.1	68,174	67,644	916	1,990
DID10H22	(2) ITA38-540	114,100	10.6	71,272	69,811	928	2,190	
DID12H22	(2) ITA38-690	136,930	9.9	76,176	73,908	1,028	2,420	
D I S C U S	DID5M44	(1) ITA38-540	57,670	10.7	40,873	41,171	808	1,280
	DID5M44	(2) ITA38-260	57,300	11.0	42,314	40,706	808	1,440
	DID5M44	(2) ITA38-320	59,260	9.3	45,916	44,370	808	1,510
	DID6M44	(1) ITA38-690	72,310	10.5	46,494	47,282	848	1,615
	DID6M44	(2) ITA28-410	74,340	9.1	53,093	53,698	848	1,815
	DID7M44	(2) ITA28-410	82,660	10.1	54,267	54,897	866	1,840
	DID7M44	(2) ITA28-450	83,830	9.3	57,243	57,841	866	1,880
	DID8M44	(2) ITA28-450	97,130	10.8	61,704	62,266	916	1,910
	DID8M44	(2) ITA38-540	99,890	9.2	68,000	67,644	916	1,990
	DID10M44	(2) ITA38-540	115,290	10.7	71,272	69,811	928	2,190
DID12M44	(2) ITA38-690	138,820	10.1	76,176	73,908	1,028	2,420	
S C R O L L	DIO7M44	(1) ITA38-690	63,600	9.2	42,777	42,170	652	1,410
	DIO7M44	(2) ITA38-320	62,930	9.8	47,314	44,848	652	1,530
	DIO7M44	(3) ITA28-210	62,780	10.0	46,960	43,961	652	1,305
	DIO7M44	(4) ITA28-151	62,210	10.3	51,890	48,178	652	1,370
	DIO8M44	(1) ITA38-690	72,840	10.6	47,236	47,809	686	1,550
	DIO8M44	(2) ITA28-410	74,690	9.1	54,283	54,673	686	1,750
	DIO8M44	(3) ITA38-260	74,180	9.5	57,080	54,220	686	1,895
	DIO10M44	(2) ITA28-450	99,550	11.1	63,893	63,400	732	1,950
	DIO10M44	(2) ITA38-540	102,160	9.5	70,189	68,778	732	2,030
	DIO10M44	(3) ITA38-320	100,510	10.5	69,283	65,665	732	2,160
	DIO10M44	(4) ITA38-260	101,920	9.8	72,859	67,636	732	2,350
	DIO13M44	(2) ITA38-540	118,560	11.0	72,158	70,137	807	2,035
	DIO13M44	(3) ITA28-410	120,840	9.8	75,043	73,329	807	2,285

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

*Add \$569 to the total list price of medium temp systems to include Air Defrost Timer.

* EC motors not available on 460 Volt

SIERRA SYSTEMS

"D" Series — Ultra - Temp

+35°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.\$ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
D I S C U S	DID5H22	(1) UAH3-530	56,920	10.7	\$38,808	\$38,661	\$808	1,400
	DID5H22	(1) UAH3-648	58,770	9.1	40,438	40,183	808	1,450
	DID7H22	(1) UAH3-736	80,290	10.9	47,972	48,621	866	1,735
	DID7H22	(1) UAH4-866	82,400	9.5	50,373	50,334	866	1,790
	DID7H22	(2) UAH2-365	80,180	11.0	51,111	51,025	866	1,920
	DID8H22	(1) UAH4-866	95,460	11.0	55,008	54,759	916	1,820
	DID8H22	(1) UAH4-980	97,370	9.9	56,249	56,230	916	1,876
	DID8H22	(2) UAH2-490	97,370	9.9	61,176	61,162	916	2,046
	DID10H22	(1) UAH4-980	112,780	11.5	59,660	58,710	928	2,076
	DID10H22	(1) UAH4-1100	114,430	10.4	61,650	60,634	928	2,115
	DID10H22	(2) UAH3-530	113,760	10.7	66,670	64,237	928	2,430
	DID12H22	(1) UAH4-1100	131,830	12.0	64,780	62,927	1,028	2,125
DID12H22	(1) UAH4-1452	137,970	9.5	72,879	71,422	1,028	2,245	
DID12H22	(2) UAH3-648	135,600	10.5	72,926	69,440	1,028	2,540	
D I S C U S	DID5M44	(1) UAH3-530	57,480	10.8	38,572	38,384	808	1,400
	DID5M44	(1) UAH3-648	59,370	9.2	40,202	39,906	808	1,450
	DID6M44	(1) UAH3-648	71,510	11.0	44,869	45,048	848	1,675
	DID6M44	(1) UAH3-736	73,090	9.9	47,246	47,870	848	1,710
	DID6M44	(2) UAH2-365	73,000	10.0	49,937	49,826	848	1,895
	DID7M44	(1) UAH3-736	81,190	11.0	47,972	48,621	866	1,735
	DID7M44	(1) UAH4-866	83,350	9.6	50,373	50,334	866	1,790
	DID7M44	(2) UAH2-433	83,350	9.6	54,211	54,285	866	1,970
	DID8M44	(1) UAH4-980	98,460	10.0	56,075	56,230	916	1,876
	DID8M44	(1) UAH4-1100	100,150	9.1	58,065	58,154	916	1,915
	DID8M44	(2) UAH2-433	96,500	11.1	58,672	58,710	916	2,000
	DID10M44	(1) UAH4-1100	115,630	10.5	61,650	60,634	928	2,115
DID10M44	(2) UAH3-530	114,940	10.8	66,670	64,237	928	2,430	
DID12M44	(1) UAH4-1100	133,650	12.1	64,780	62,927	1,028	2,125	
DID12M44	(1) UAH4-1452	139,870	9.6	72,879	71,422	1,028	2,245	
DID12M44	(2) UAH3-648	137,460	10.6	72,926	69,440	1,028	2,540	
S C R O L	DIO7M44	(1) UAH3-648	63,040	9.7	41,152	39,936	652	1,470
	DIO8M44	(1) UAH3-736	73,560	10.0	47,988	48,397	686	1,645
	DIO8M44	(2) UAH2-365	73,470	10.1	51,127	50,801	686	1,830
	DIO10M44	(1) UAH4-980	100,810	10.3	58,365	57,465	732	1,916
	DIO10M44	(1) UAH4-1100	102,400	9.3	60,355	59,389	732	1,955
	DIO10M44	(2) UAH2-490	100,810	10.3	62,979	62,084	732	2,086
	DIO10M44	(2) UAH3-530	101,900	9.6	65,375	62,992	732	2,270
	DIO13M44	(1) UAH4-1100	118,890	10.8	62,190	60,614	807	1,960
	DIO13M44	(2) UAH3-530	118,210	11.1	67,076	64,083	807	2,275
DIO13M44	(2) UAH3-648	121,710	9.4	70,336	67,127	807	2,375	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

*Add \$569 to the total list price of medium temp systems to include Air Defrost Timer.

* EC motors not available on 460 Volt

LIST PRICES

"V" Series — Ultra - Temp

+35°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.\$ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
D I S C U S	VID15H22	(1) UAH4-1452	152,440	10.5	\$73,912	\$73,618	\$1,086	2,830
	VID15H22	(2) UAH3-736	152,810	10.4	78,713	77,280	1,086	3,195
	VID15H22	(3) UAH3-530	154,790	9.7	85,671	81,960	1,086	3,575
	VID20H22	(1) UAH4-1452	163,080	11.2	77,033	78,124	1,423	2,855
	VID20H22	(1) UAH4-1821	169,540	9.3	82,190	83,546	1,423	2,880
	VID20H22	(2) UAH3-736	163,500	11.1	82,460	82,412	1,423	3,220
	VID20H22	(2) UAH4-866	168,190	9.7	87,262	85,838	1,423	3,330
	VID20H22	(3) UAH3-530	165,780	10.4	88,792	86,466	1,423	3,600
	VID25H22	(1) UAH4-1821	207,330	11.4	93,288	92,486	1,493	3,030
	VID25H22	(1) UAH5-2275	215,830	9.5	99,383	98,662	1,493	3,260
	VID25H22	(2) UAH4-980	210,270	10.7	100,753	97,631	1,493	3,592
	VID25H22	(2) UAH4-1100	214,630	9.8	104,733	101,479	1,493	3,670
	VID25H22	(3) UAH3-648	209,950	10.8	104,423	99,615	1,493	3,900
	VID25H22	(3) UAH3-736	214,760	9.7	111,554	108,081	1,493	4,005
	VID30H22	(1) UAH5-2275	242,720	10.7	107,002	108,462	1,611	3,410
	VID30H22	(1) UAH6-2730	249,870	9.1	115,059	115,214	1,611	3,645
	VID30H22	(2) UAH4-1100	241,310	11.0	112,352	111,279	1,611	3,820
	VID30H22	(3) UAH3-736	241,460	10.9	120,112	118,820	1,611	4,155
VID30H22	(3) UAH4-866	248,020	9.5	127,315	123,959	1,611	4,320	
D I S C U S	VID15M44	(1) UAH4-1452	153,670	10.6	74,908	75,274	1,086	2,830
	VID15M44	(2) UAH3-736	154,000	10.5	79,709	78,936	1,086	3,195
	VID15M44	(2) UAH4-866	157,680	9.1	84,511	82,362	1,086	3,305
	VID15M44	(3) UAH2-490	153,970	10.5	83,073	82,254	1,086	3,299
	VID15M44	(3) UAH3-530	155,800	9.8	86,667	83,616	1,086	3,575
	VID20M44	(1) UAH4-1452	165,830	11.4	77,452	78,568	1,423	2,855
	VID20M44	(1) UAH4-1821	171,660	9.4	82,609	83,990	1,423	2,880
	VID20M44	(2) UAH3-736	166,210	11.3	82,879	82,856	1,423	3,220
	VID20M44	(2) UAH4-866	170,450	9.8	87,681	86,282	1,423	3,330
	VID20M44	(3) UAH3-530	168,280	10.6	89,211	86,910	1,423	3,600
	VID20M44	(3) UAH3-648	173,180	8.9	94,101	91,476	1,423	3,750
	VID25M44	(1) UAH4-1821	210,720	11.6	93,026	92,225	1,493	3,030
	VID25M44	(1) UAH5-2275	218,410	9.6	99,121	98,401	1,493	3,260
	VID25M44	(2) UAH4-980	213,390	10.9	100,491	97,370	1,493	3,592
	VID25M44	(2) UAH4-1100	217,320	9.9	104,471	101,218	1,493	3,670
	VID25M44	(3) UAH3-648	213,100	11.0	104,161	99,354	1,493	3,900
	VID25M44	(3) UAH3-736	217,443	9.8	111,292	107,820	1,493	4,005
	VID30M44	(1) UAH5-2275	246,070	10.8	106,706	108,158	1,611	3,410
VID30M44	(1) UAH6-2730	252,960	9.3	114,763	114,910	1,611	3,645	
VID30M44	(2) UAH4-1100	244,710	11.1	112,056	110,975	1,611	3,820	
VID30M44	(2) UAH4-1452	255,100	8.8	128,254	127,965	1,611	4,060	
VID30M44	(3) UAH3-736	244,860	11.1	119,816	118,516	1,611	4,155	
VID30M44	(3) UAH4-866	251,170	9.7	127,019	123,655	1,611	4,320	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

*Add \$569 to the total list price of medium temp systems to include Air Defrost Timer.

* EC motors not available on 460 Volt

SIERRA SYSTEMS

MiniCon — All - Temp²B

+28°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER			SYSTEM CAPACITY @ 95° AMBIENT		LIST PRICES		WARR.§ NET PRICE	SHIP WEIGHT (LBS)
	COND. UNIT	(#)	EVAP	Btu/hr	TD	230/1 V. EVAP 230/1 V. C/U	230/1 V. EVAP 230/3 V. C/U		
H E R M E T I C	RIH075H22	(1)	AE16-46B	5,940	10.3	\$11,732	N/A	\$194	222
	RIH100H22	(1)	AE26-75B	8,800	10.2	13,285	\$13,285	203	235
	RIH151H22	(1)	AE26-92B	11,830	10.4	14,495	14,667	219	272
	RIH201H22	(1)	AE36-120B	15,420	10.7	16,341	16,529	238	301
	RIH201H22	(2)	AE26-60B	15,300	11.0	20,138	20,326	238	331
	RIH301H22	(1)	AE56-210B	25,200	10.4	21,672	22,184	271	566
	RIH301H22	(2)	AE26-92B	24,830	10.9	22,519	23,031	271	384
	RIH401H22	(1)	AE66-280B	34,840	10.2	27,714	27,186	389	716
	RIH401H22	(2)	AE36-140B	34,730	10.3	29,544	29,016	389	518
	RIH500H22	(2)	AE36-140B	38,210	11.3	30,164	29,923	444	170
	RIH500H22	(2)	AE46-164B	39,170	10.3	33,546	33,305	444	510
	RIH050M44	(1)	AE16-41B	5,130	10.8	12,326	N/A	179	196
	RIH075M44	(1)	AE26-75B	7,990	9.2	14,446	14,352	194	222
	RIH101M44	(1)	AE26-92B	10,720	9.4	15,160	15,160	203	257
	RIH150M44	(1)	AE36-120B	13,850	9.6	17,126	17,301	219	306
	RIH201M44	(1)	AE46-185B	21,820	9.6	20,467	20,423	238	518
	RIH201M44	(2)	AE26-92B	21,830	9.6	22,924	22,880	238	377
	RIH300M44	(1)	AE46-185B	23,750	10.4	21,600	21,403	271	538
	RIH300M44	(2)	AE26-92B	23,750	10.4	24,057	23,860	271	397
	RIH400M44	(1)	AE66-245B	29,790	10.2	27,500	26,938	389	743
RIH400M44	(2)	AE36-120B	29,690	10.3	28,981	28,419	389	546	
RIH500M44	(2)	AE46-164B	42,840	11.2	33,929	33,666	444	915	
RIH500M44	(2)	AE46-185B	44,220	9.7	34,525	34,262	444	935	
S E M I - H E R M	RIS075H22	(1)	AE16-46B	5,930	10.3	13,537	13,537	268	262
	RIS100H22	(1)	AE26-75B	8,520	9.9	15,382	15,266	282	275
	RIS150H22	(1)	AE26-92B	11,350	10.0	17,112	17,309	318	309
	RIS200H22	(1)	AE36-140B	15,800	9.4	20,115	20,040	438	345
	RIS200H22	(2)	AE26-75B	15,880	9.2	22,997	22,922	438	370
	RIS300H22	(1)	AE46-185B	23,470	10.3	25,696	25,079	503	685
	RIS300H22	(2)	AE26-92B	23,430	10.3	28,153	27,536	503	544
	RIS100M44	(1)	AE26-75B	7,960	9.2	15,424	15,424	280	260
	RIS200M44	(1)	AE36-120B	13,680	9.5	19,514	19,499	438	348
	RIS200M44	(2)	AE26-60B	13,610	9.8	23,311	23,296	438	378
RIS300M44	(1)	AE56-210B	24,610	10.1	N/A	26,950	503	721	
RIS300M44	(2)	AE26-92B	24,320	10.7	N/A	27,797	503	539	
S C R O L	RIO200M44	(1)	AE36-140B	17,990	10.7	17,143	17,206	264	300
	RIO200M44	(1)	AE46-164B	18,320	9.6	18,810	18,873	264	470
	RIO200M44	(2)	AE26-75B	18,060	10.4	20,811	20,874	264	325
	RIO250M44	(1)	AE46-185B	22,410	9.8	20,413	20,262	287	495
	RIO250M44	(1)	AE56-210B	22,620	9.3	21,897	21,746	287	536
	RIO250M44	(2)	AE26-92B	22,410	9.8	22,996	22,845	287	354
	RIO300M44	(1)	AE56-210B	25,600	10.5	23,105	23,103	345	611
	RIO300M44	(2)	AE26-92B	25,340	11.1	23,952	23,950	345	429
	RIO300M44	(2)	AE36-120B	26,210	9.1	26,722	26,720	345	461
	RIO301M44	(1)	AE66-245B	30,800	10.5	25,865	26,128	367	678
	RIO301M44	(1)	AE66-280B	31,470	9.2	26,358	26,621	367	693
	RIO301M44	(2)	AE36-140B	31,420	9.3	28,412	28,675	367	495
	RIO400M44	(1)	AE66-280B	35,930	10.5	27,741	27,656	389	720
	RIO400M44	(2)	AE36-140B	35,850	10.6	29,571	29,486	389	522
RIO400M44	(2)	AE46-164B	36,480	9.6	32,953	32,868	389	862	
RIO600M44	(2)	AE46-164B	41,760	10.9	33,188	33,356	571	893	
RIO600M44	(2)	AE46-185B	42,820	9.4	33,784	33,952	571	913	

Systems with list prices shown in shaded areas are only available in 230/1 V.
 § 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

LIST PRICES

MiniCon — All - Temp²B / "D" Series — Inter - Temp

+28°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.§ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
S C R O L L	RIO200M22	(1) AE36-140B	17,580	10.4	\$17,206	\$16,552	\$264	300
	RIO200M22	(1) AE46-164B	17,910	9.4	18,873	17,662	264	470
	RIO200M22	(2) AE26-75B	17,650	10.2	20,922	19,831	264	325
	RIO250M22	(1) AE46-164B	20,380	10.7	19,838	18,727	287	485
	RIO250M22	(2) AE26-92B	20,920	9.2	22,641	22,036	287	354
	RIO300M22	(1) AE56-210B	24,520	10.1	23,103	21,374	345	626
	RIO300M22	(2) AE26-92B	24,250	10.7	23,998	23,210	345	444
	RIO301M22	(1) AE66-245B	30,060	10.3	26,128	23,521	367	688
	RIO301M22	(2) AE36-120B	29,980	10.4	27,881	25,989	367	491
	RIO400M22	(1) AE66-280B	34,900	10.2	27,656	25,508	389	720
RIO400M22	(2) AE36-140B	34,830	10.3	29,534	27,453	389	522	
RIO600M22	(2) AE46-164B	41,450	10.9	33,356	30,098	571	893	
RIO600M22	(2) AE46-185B	42,550	9.3	33,952	30,836	571	913	
D I S C U S	RID500H22	(2) AE46-164B	43,630	11.4	40,926	38,168	795	1,140
	RID500H22	(2) AE46-185B	45,130	9.9	41,522	38,906	795	1,160
	RID500H22	(2) AE56-210B	45,650	9.4	44,742	41,114	795	1,242
	RID500M44	(2) AE46-185B	45,830	10.1	41,522	38,906	795	1,160
	RID500M44	(2) AE56-210B	46,310	9.5	44,742	41,114	795	1,242
	RID600M44	(2) AE56-210B	56,450	11.6	49,614	46,150	795	1,242
	RID600M44	(2) AE66-245B	58,160	9.9	53,342	48,110	795	1,336
	DID5H22	(1) ITE36-385	49,560	10.7	41,210	41,628	808	1,300
	DID5H22	(2) ITE36-185	49,310	10.9	45,811	44,985	808	1,440
	DID7H22	(1) ITE36-520	69,400	11.5	49,652	50,732	866	1,635
	DID7H22	(2) ITE26-270	69,240	11.6	55,944	56,671	866	1,740
	DID7H22	(2) ITE26-320	71,660	9.9	57,606	58,779	866	1,830
	DID8H22	(2) ITE26-320	83,040	11.4	62,241	63,204	916	1,860
	DID8H22	(2) ITE36-385	86,520	9.3	68,217	67,590	916	2,030
	DID10H22	(2) ITE36-385	99,870	10.7	71,315	69,757	928	2,230
	DID12H22	(2) ITE36-460	118,980	11.1	76,845	75,240	1028	2,320
DID12H22	(2) ITE36-520	121,550	10.0	80,881	78,892	1,028	2,410	
D I S C U S	DID5M44	(1) ITE36-385	50,110	10.8	40,974	41,351	808	1,300
	DID5M44	(2) ITE36-185	49,850	11.0	45,575	44,708	808	1,440
	DID6M44	(1) ITE36-520	62,840	10.4	48,926	49,981	848	1,610
	DID6M44	(2) ITE26-270	62,710	10.5	54,770	55,472	848	1,715
	DID7M44	(1) ITE36-520	70,170	11.6	49,652	50,732	866	1,635
	DID7M44	(2) ITE26-270	70,010	11.7	55,944	56,671	866	1,740
	DID7M44	(2) ITE26-320	72,480	10.0	57,606	58,779	866	1,830
	DID8M44	(2) ITE26-320	83,900	11.5	62,067	63,204	916	1,860
	DID8M44	(2) ITE36-385	87,460	9.4	68,043	67,590	916	2,030
	DID10M44	(2) ITE36-385	100,970	10.9	71,315	69,757	928	2,230
DID10M44	(2) ITE36-460	103,310	9.7	73,849	73,081	928	2,310	
DID12M44	(2) ITE36-460	119,600	11.2	76,845	75,240	1028	2,320	
DID12M44	(2) ITE36-520	122,100	10.1	80,881	78,892	1028	2,410	
S C R O L L	DIO7M44	(1) ITE36-520	63,460	10.5	45,416	45,076	652	1,405
	DIO7M44	(2) ITE26-270	63,280	10.6	51,501	50,808	652	1,510
	DIO7M44	(3) ITE36-185	65,150	9.6	57,490	54,096	652	1,755
	DIO8M44	(2) ITE26-320	74,830	10.3	57,622	58,555	686	1,740
	DIO8M44	(3) ITE36-185	73,570	10.8	61,949	59,735	686	1,895
	DIO8M44	(4) ITE26-150	74,770	10.3	63,759	61,897	686	1,570
	DIO10M44	(2) ITE36-385	96,470	10.4	70,020	68,512	732	2,070
	DIO10M44	(3) ITE26-270	95,770	10.7	75,541	74,117	732	2,130
	DIO10M44	(4) ITE36-185	95,930	10.6	79,381	75,640	732	2,350
	DIO13M44	(2) ITE36-460	114,950	10.7	74,255	72,927	807	2,155
DIO13M44	(2) ITE36-520	117,840	9.7	78,291	76,579	807	2,245	
DIO13M44	(4) ITE26-270	117,570	9.8	90,138	87,975	807	2,455	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

* EC motors not available on 460 Volt

SIERRA SYSTEMS

"D" Series — Ultra - Temp

+28°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.\$ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
DISCUS	DID5H22	(1) UEM2-441	48,970	11.2	\$40,294	\$41,285	\$808	1,296
	DID5H22	(2) UEM2-270	50,740	9.5	47,208	47,055	808	1,570
	DID7H22	(1) UEM3-662	70,390	10.8	49,835	50,055	866	1,720
	DID7H22	(2) UEM2-329	70,320	10.8	55,289	55,759	866	1,900
	DID7H22	(2) UEM2-390	72,320	9.4	59,337	59,463	866	1,950
	DID8H22	(1) UEM4-780	83,920	10.9	56,908	55,762	916	1,805
	DID8H22	(2) UEM2-390	83,920	10.9	63,972	63,888	916	1,980
	DID8H22	(2) UEM2-441	85,670	9.8	66,608	66,904	916	2,022
	DID10H22	(1) UEM4-882	98,750	11.3	63,389	61,888	928	2,056
	DID10H22	(1) UEM4-1100	102,410	9.4	68,116	67,120	928	2,160
	DID10H22	(2) UEM2-441	98,750	11.3	69,706	69,071	928	2,222
	DID10H22	(2) UEM3-583	103,290	9.0	74,844	73,465	928	2,500
	DID12H22	(1) UEM4-1100	119,320	11.0	71,816	69,633	1,028	2,170
	DID12H22	(1) UEM4-1320	123,010	9.4	76,555	75,087	1,028	2,225
DID12H22	(2) UEM3-583	120,550	10.5	78,092	75,624	1,028	2,510	
DID12H22	(2) UEM3-662	123,060	9.4	80,670	77,538	1,028	2,580	
DISCUS	DID5M44	(1) UEM2-441	49,510	11.4	40,058	41,008	808	1,296
	DID5M44	(2) UEM2-270	51,220	9.6	46,972	46,778	808	1,570
	DID6M44	(1) UEM3-583	62,280	10.8	47,820	48,347	848	1,660
	DID6M44	(2) UEM2-270	61,370	11.5	51,639	51,920	848	1,795
	DID6M44	(2) UEM2-329	63,630	9.8	54,115	54,560	848	1,875
	DID7M44	(1) UEM3-662	71,180	10.9	49,835	50,055	866	1,720
	DID7M44	(1) UEM4-780	73,160	9.5	52,273	51,337	866	1,775
	DID7M44	(2) UEM2-329	71,110	10.9	55,289	55,759	866	1,900
	DID7M44	(2) UEM2-390	73,160	9.5	59,337	59,463	866	1,950
	DID8M44	(1) UEM4-780	84,790	11.0	56,734	55,762	916	1,805
	DID8M44	(1) UEM4-882	86,580	9.9	59,804	59,408	916	1,856
	DID8M44	(2) UEM2-390	84,800	11.0	63,798	63,888	916	1,980
	DID8M44	(2) UEM2-441	86,580	9.9	66,434	66,904	916	2,022
	DID10M44	(1) UEM4-882	99,820	11.4	63,389	61,888	928	2,056
DID10M44	(1) UEM4-1100	103,550	9.5	68,686	67,340	928	2,160	
DID10M44	(2) UEM2-441	99,820	11.5	69,706	69,071	928	2,222	
DID10M44	(2) UEM3-583	104,450	9.1	75,096	73,465	928	2,500	
DID12M44	(1) UEM4-1100	119,920	11.0	71,816	69,633	1028	2,170	
DID12M44	(1) UEM4-1320	123,520	9.5	76,555	75,087	1028	2,225	
DID12M44	(2) UEM3-583	121,120	10.5	78,092	75,624	1028	2,510	
SCROLL	DIO7M44	(1) UEM3-583	62,700	10.9	44,103	43,235	652	1,455
	DIO7M44	(1) UEM3-662	64,630	9.9	45,392	44,192	652	1,490
	DIO7M44	(2) UEM2-329	64,540	9.9	50,594	49,644	652	1,670
	DIO8M44	(1) UEM3-662	72,910	11.1	49,851	49,831	686	1,630
	DIO8M44	(1) UEM4-780	75,840	9.8	52,289	51,113	686	1,685
	DIO8M44	(2) UEM2-390	75,840	9.8	59,101	58,987	686	1,860
	DIO10M44	(1) UEM4-882	95,200	10.9	62,094	60,643	732	1,896
	DIO10M44	(1) UEM4-1100	99,330	9.1	67,391	66,095	732	2,000
	DIO10M44	(2) UEM2-441	95,200	10.9	68,411	67,826	732	2,062
	DIO13M44	(1) UEM4-1100	115,330	10.6	69,226	67,320	807	2,005
DIO13M44	(1) UEM4-1320	119,480	9.2	73,965	72,774	807	2,060	
DIO13M44	(2) UEM3-583	116,710	10.1	75,502	73,311	807	2,345	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

LIST PRICES

"V" Series — Ultra - Temp

+28°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.§ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
D I S C U S	VID15H22	(1) UEM4-1320	132,240	10.1	\$77,588	\$77,283	\$1,086	2,810
	VID15H22	(2) UEM3-583	129,220	11.2	79,125	77,820	1,086	3,095
	VID15H22	(2) UEM3-662	132,310	10.1	81,703	79,734	1,086	3,165
	VID15H22	(3) UEM2-441	132,300	10.1	89,868	89,383	1,086	3,263
	VID20H22	(1) UEM4-1320	140,850	10.8	80,709	81,789	1,423	2,835
	VID20H22	(1) UEM4-1656	147,260	9.0	87,247	87,596	1,423	2,860
	VID20H22	(2) UEM3-662	140,620	10.8	85,450	84,866	1,423	3,190
	VID20H22	(2) UEM4-780	144,980	9.4	90,326	87,430	1,423	3,300
	VID20H22	(3) UEM2-441	140,610	10.7	92,989	93,889	1,423	3,288
	VID25H22	(1) UEM4-1656	178,520	10.9	98,345	96,536	1,493	3,010
	VID25H22	(1) UEM5-2065	185,910	9.1	110,514	107,935	1,493	3,235
	VID25H22	(2) UEM4-882	180,750	10.4	108,146	103,573	1,493	3,552
	VID25H22	(3) UEM3-583	180,450	10.4	112,548	109,063	1,493	3,855
	VID25H22	(3) UEM3-662	184,680	9.4	116,415	111,934	1,493	3,960
	VID30H22	(1) UEM5-2065	211,480	10.4	118,133	117,735	1,611	3,385
	VID30H22	(1) UEM6-2480	218,430	8.9	131,743	129,223	1,611	3,615
	VID30H22	(2) UEM4-1100	213,970	9.8	125,219	123,837	1,611	3,910
	VID30H22	(3) UEM3-662	209,890	10.7	124,973	122,673	1,611	4,110
	VID30H22	(3) UEM4-780	216,310	9.4	132,287	126,519	1,611	4,275
	D I S C U S	VID15M44	(1) UEM4-1320	135,870	10.4	78,584	78,939	1086
VID15M44		(2) UEM3-662	135,930	10.4	82,699	81,390	1086	3,165
VID15M44		(2) UEM4-780	139,360	9.0	87,575	83,954	1086	3,275
VID15M44		(3) UEM2-441	135,970	10.4	90,864	91,039	1086	3,263
VID20M44		(1) UEM4-1320	146,710	11.3	81,128	82,233	1423	2,835
VID20M44		(1) UEM4-1656	151,870	9.3	87,666	88,040	1423	2,860
VID20M44		(2) UEM3-662	146,780	11.2	85,869	85,310	1423	3,190
VID20M44		(2) UEM4-780	150,590	9.8	90,745	87,874	1423	3,300
VID20M44		(3) UEM3-583	152,990	8.8	102,226	100,924	1423	3,705
VID25M44		(1) UEM5-2065	192,560	9.4	110,252	107,674	1493	3,235
VID25M44		(2) UEM4-882	187,630	10.8	107,884	103,312	1493	3,552
VID25M44		(2) UEM4-1100	194,400	8.9	117,338	113,894	1493	3,760
VID25M44		(3) UEM3-583	186,660	10.8	111,175	108,802	1493	3,855
VID25M44		(3) UEM3-662	191,390	9.7	116,153	111,673	1493	3,960
VID30M44		(1) UEM5-2065	217,050	10.6	117,837	117,431	1611	3,385
VID30M44		(1) UEM6-2480	223,390	9.1	131,447	128,919	1611	3,615
VID30M44	(2) UEM4-1100	219,330	10.1	124,923	123,651	1611	3,910	
VID30M44	(3) UEM4-780	221,460	9.6	131,991	126,215	1611	4,275	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

* EC motors not available on 460 Volt

SIERRA SYSTEMS

MiniCon — All - Temp²B

+20°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		LIST PRICES		WARR.§ NET PRICE	SHIP WEIGHT (LBS)
	COND. UNIT	EVAP	Btu/hr	TD	230/1 V. EVAP 230/1 V. C/U	230/1 V. EVAP 230/3 V. C/U		
H E R M E T I C	RIH051H22	(1) AE16-36B	4,190	10.9	\$11,215	N/A	179	211
	RIH075H22	(1) AE16-41B	4,730	10.2	11,515	N/A	194	219
	RIH100H22	(1) AE26-60B	6,990	10.4	13,139	\$13,139	203	234
	RIH151H22	(1) AE26-75B	8,960	10.7	14,118	14,290	219	265
	RIH151H22	(1) AE26-92B	9,560	8.8	14,495	14,667	219	272
	RIH201H22	(1) AE26-92B	11,810	10.9	14,980	15,168	238	285
	RIH201H22	(2) AE16-46B	11,930	10.8	18,358	18,546	238	317
	RIH301H22	(1) AE46-164B	20,040	10.8	19,764	20,276	271	515
	RIH301H22	(2) AE26-92B	20,800	9.6	22,519	23,031	271	384
	RIH401H22	(1) AE56-210B	26,970	11.4	25,357	24,829	389	654
	RIH401H22	(1) AE66-245B	28,270	10.0	27,221	26,693	389	701
	RIH401H22	(2) AE36-120B	28,140	10.2	28,702	28,174	389	504
	RIH050M44	(1) AE16-36B	4,190	10.9	12,133	N/A	\$179	193
	RIH075M44	(1) AE26-60B	6,650	9.9	14,300	14,206	194	221
	RIH101M44	(1) AE26-75B	8,910	10.6	14,783	14,783	203	250
	RIH150M44	(1) AE26-92B	11,370	10.5	15,765	15,940	219	290
	RIH201M44	(1) AE36-140B	17,560	10.8	18,502	18,458	238	338
	RIH201M44	(1) AE46-164B	18,030	9.7	20,169	20,125	238	508
RIH201M44	(2) AE26-75B	17,690	10.5	22,170	22,126	238	363	
RIH300M44	(1) AE46-164B	19,520	10.5	21,302	21,105	271	528	
RIH300M44	(2) AE26-92B	20,140	9.3	24,057	23,860	271	397	
RIH400M44	(1) AE46-185B	24,150	11.1	24,026	23,464	389	655	
RIH400M44	(1) AE56-210B	24,580	10.4	25,636	25,074	389	696	
RIH400M44	(2) AE26-92B	24,150	11.1	26,259	25,697	389	514	
S E M I - H E R M	RIS075H22	(1) AE16-41B	4,730	10.2	13,320	13,320	268	259
	RIS100H22	(1) AE26-60B	6,940	10.3	15,236	15,120	282	274
	RIS150H22	(1) AE26-75B	8,990	10.7	16,735	16,932	318	302
	RIS200H22	(1) AE26-92B	12,070	11.1	18,333	18,258	438	322
	RIS200H22	(2) AE26-60B	12,670	9.4	23,491	23,416	438	368
	RIS300H22	(1) AE46-164B	19,240	10.4	25,398	24,781	503	675
	RIS300H22	(2) AE26-92B	19,780	9.1	28,153	27,536	503	544
	RIS100M44	(1) AE26-60B	6,740	10.0	15,278	15,278	280	259
	RIS200M44	(1) AE26-92B	11,320	10.4	18,153	18,138	438	332
	RIS200M44	(2) AE16-46B	11,340	10.4	21,531	21,516	438	364
RIS300M44	(1) AE46-164B	20,320	11.0	N/A	25,042	503	670	
RIS300M44	(2) AE26-92B	20,940	9.6	N/A	27,797	503	539	

Systems with list prices shown in shaded areas are only available in 230/1 V.

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

LIST PRICES

"D" Series — Inter - Temp

+20°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.\$ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
D I S C U S	DID5H22	(1) ITE26-320	40,940	11.5	\$38,222	\$39,435	\$808	1,215
	DID5H22	(1) ITE36-385	42,550	9.8	41,210	41,628	808	1,300
	DID5H22	(2) ITE36-185	42,470	10.1	45,763	44,985	808	1,440
	DID7H22	(1) ITE36-460	58,910	11.3	47,634	48,906	866	1,590
	DID7H22	(1) ITE36-520	60,280	10.2	49,652	50,732	866	1,635
	DID7H22	(2) ITE26-270	60,200	10.3	55,944	56,671	866	1,740
	DID8H22	(1) ITE36-520	69,850	11.9	54,287	55,157	916	1,665
	DID8H22	(2) ITE26-320	72,390	10.2	62,241	63,204	916	1,860
	DID10H22	(2) ITE26-320	83,670	11.7	65,339	65,371	928	2,060
	DID10H22	(2) ITE36-385	86,820	10.0	71,315	69,757	928	2,230
DID12H22	(2) ITE36-385	99,660	11.4	74,311	71,916	1028	2,240	
DID12H22	(2) ITE36-460	102,740	9.9	76,845	75,240	1028	2,320	
D I S C U S	DID5M44	(1) ITE26-320	41,350	11.6	37,986	39,158	808	1,215
	DID5M44	(1) ITE36-385	43,000	9.9	40,974	41,351	808	1,300
	DID5M44	(2) ITE36-185	42,710	10.2	45,575	44,708	808	1,440
	DID6M44	(1) ITE36-385	51,200	11.7	45,641	46,493	848	1,525
	DID6M44	(1) ITE36-460	53,020	10.2	46,908	48,155	848	1,565
	DID6M44	(2) ITE26-270	54,110	9.3	55,022	55,724	848	1,715
	DID7M44	(1) ITE36-460	59,610	11.5	47,634	48,906	866	1,590
	DID7M44	(1) ITE36-520	61,000	10.4	49,652	50,732	866	1,635
	DID7M44	(2) ITE26-270	60,930	10.4	55,944	56,671	866	1,740
	DID8M44	(1) ITE36-520	70,530	12.0	54,113	55,157	916	1,665
	DID8M44	(2) ITE26-320	73,140	10.3	62,067	63,204	916	1,860
	DID10M44	(2) ITE26-320	84,400	11.8	65,339	65,371	928	2,060
	DID10M44	(2) ITE36-385	87,590	10.0	71,315	69,757	928	2,230
DID12M44	(2) ITE36-385	101,127	11.6	74,311	71,916	1028	2,240	
DID12M44	(2) ITE36-460	104,380	10.0	76,845	75,240	1028	2,320	
DID12M44	(2) ITE36-520	106,430	9.0	80,881	78,892	1028	2,410	
S C R O L L	DIO7M44	(1) ITE36-385	46,820	10.7	41,924	41,381	652	1,320
	DIO7M44	(1) ITE36-460	48,160	9.3	43,191	43,043	652	1,360
	DIO8M44	(1) ITE36-460	55,120	10.6	47,650	48,682	686	1,500
	DIO8M44	(1) ITE36-520	56,230	9.6	49,668	50,508	686	1,545
	DIO8M44	(2) ITE26-270	56,170	9.6	55,960	56,447	686	1,650
	DIO10M44	(2) ITE26-320	76,580	10.8	64,044	64,126	732	1,900
	DIO10M44	(2) ITE36-385	79,130	9.1	70,020	68,512	732	2,070
	DIO10M44	(4) ITE36-185	78,690	9.4	79,381	75,640	732	2,350
	DIO13M44	(2) ITE36-385	91,720	10.5	71,721	69,603	807	2,075
DIO13M44	(3) ITE26-270	91,790	10.5	77,536	75,502	807	2,135	

§ - 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

* EC motors not available on 460 Volt

SIERRA SYSTEMS

MiniCon — All - Temp²B

0°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		LIST PRICES		WARR.\$ NET PRICE	SHIP WEIGHT (LBS)	
	COND. UNIT	(#)	EVAP	Btu/hr	TD	230/1 V. EVAP 230/1 V. C/U			230/1 V. EVAP 230/3 V. C/U
H E R M E T I C	RIH075L44	(1)	AE16-36B	3,610	9.7	\$13,024	N/A	\$194	198
	RIH100L44	(1)	AE16-41B	4,530	10.5	13,262	\$13,262	203	224
	RIH165L44	(1)	AE26-75B	8,350	10.7	14,612	14,731	219	250
	RIH165L44	(2)	AE16-41B	8,540	9.9	17,147	17,266	219	283
	RIH215L44	(1)	AE36-120B	13,040	10.4	16,809	17,208	238	321
	RIH215L44	(1)	AE36-140B	13,520	9.3	17,230	17,629	238	328
	RIH215L44	(2)	AE26-60B	13,020	10.5	20,606	21,005	238	351
S E - H E R M E T I C	RIS075L44	(1)	AE16-41B	4,340	10.1	14,229	14,571	264	249
	RIS100L44	(1)	AE26-60B	6,010	9.7	15,920	16,270	282	274
	RIS150L44	(1)	AE26-92B	9,340	9.7	18,225	18,034	318	310
	RIS200L44	(1)	AE36-120B	11,910	9.5	21,601	21,375	438	368
	RIS200L44	(2)	AE26-60B	11,890	9.6	25,398	25,172	438	398
	RIS300L44	(1)	AE46-164B	17,800	10.4	26,247	25,507	503	638
	RIS300L44	(2)	AE26-92B	18,220	9.5	29,002	28,262	503	507
	RIS050L22	(1)	AE16-36B	3,010	8.1	13,652	N/A	246	233
	RIS075L22	(1)	AE16-41B	4,550	10.6	14,315	14,315	264	241
	RIS100L22	(1)	AE26-60B	6,100	9.8	15,868	15,868	282	259
	RIS200L22	(1)	AE26-60B	6,800	11.0	17,807	17,610	318	344
	RIS200L22	(2)	AE16-36B	7,080	9.6	20,888	20,691	318	372
	RIS201L22	(1)	AE26-92B	9,420	9.8	19,541	19,688	438	382
	RIS201L22	(2)	AE16-46B	9,420	9.8	22,919	23,066	438	414
RIS202L22	(1)	AE36-120B	11,600	9.3	21,447	21,040	454	408	
RIS202L22	(2)	AE26-60B	11,580	9.3	25,244	24,837	454	438	
RIS300L22	(1)	AE46-164B	17,700	10.3	26,256	25,527	503	667	
RIS300L22	(2)	AE26-92B	18,160	9.5	29,011	28,282	503	536	
D I S C U S	RID300L44	(1)	AE66-245B	25,630	10.0	33,989	33,120	653	928
	RID300L44	(2)	AE36-120B	25,530	10.2	35,694	34,825	653	731
	RID400L44	(1)	AE66-280B	29,350	10.1	N/A	35,769	729	968
	RID400L44	(2)	AE36-140B	29,370	10.1	N/A	37,599	729	770
	RID500L44	(2)	AE46-164B	34,550	10.1	N/A	41,773	795	1130
	RID300L22	(1)	AE56-210B	22,440	10.3	34,928	34,051	653	881
	RID300L22	(2)	AE36-120B	23,090	9.2	38,497	37,620	653	731
	RID400L22	(1)	AE66-245B	25,690	10.1	N/A	37,958	729	953
RID400L22	(2)	AE36-120B	25,580	10.2	N/A	39,439	729	756	
RID500L22	(1)	AE66-280B	31,160	10.7	N/A	39,454	795	988	
RID500L22	(2)	AE36-140B	31,190	10.7	N/A	41,284	795	790	
S C R O L L	RIO200L44	(1)	AE26-92B	9,460	9.8	17,632	17,822	264	292
	RIO250L44	(1)	AE36-120B	12,730	10.2	19,178	19,358	287	318
	RIO250L44	(2)	AE26-60B	12,720	10.3	22,975	23,155	287	348
	RIO300L44	(1)	AE36-140B	14,640	10.0	20,574	20,527	345	330
	RIO300L44	(2)	AE26-75B	14,780	9.5	24,242	24,195	345	355
	RIO301L44	(1)	AE46-164B	16,880	9.9	23,384	23,306	367	510
	RIO301L44	(2)	AE26-75B	16,620	10.6	25,385	25,307	367	365
	RIO400L44	(1)	AE46-185B	20,870	10.9	25,485	25,421	389	617
RIO400L44	(1)	AE56-210B	21,340	9.8	27,095	27,031	389	658	
RIO500L44	(1)	AE66-245B	25,460	10.0	29,374	29,259	444	720	
RIO500L44	(2)	AE36-120B	25,380	10.1	30,855	30,740	444	523	

Systems with list prices shown in shaded areas are only available in 230/1 V.

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

LIST PRICES

"D" Series — All-Temp²B / Inter - Temp

0°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.\$ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
DISCUS	DID5L44	(2) AE46-164B	37,040	10.8	\$45,019	\$43,320	\$808	1,315
	DID5L44	(2) AE46-185B	37,860	9.9	45,615	44,058	808	1,335
	DID6L44	(2) AE46-185B	42,010	10.9	47,282	45,616	835	1,400
	DID6L44	(2) AE56-210B	43,090	9.9	50,502	47,824	835	1,482
	DID8L44	(2) AE66-245B	53,830	10.6	59,119	54,720	866	1,836
	DID8L44	(2) AE66-280B	55,200	9.5	60,105	56,554	866	1,866
	DID9L44	(2) AE66-280B	62,450	10.7	63,040	59,825	1,046	2,011
	DID10L44	(2) AE66-280B	67,790	11.6	65,514	61,134	1,086	2,011
	DID5L22	(1) AE66-280B	32,690	11.2	42,641	43,331	808	1,173
	DID5L22	(2) AE46-164B	34,000	9.9	47,805	47,496	808	1,315
	DID6L22	(2) AE46-185B	38,780	10.1	50,511	49,913	835	1,370
	DID6L22	(2) AE56-210B	39,770	9.1	53,731	52,121	835	1,452
	DID8L22	(2) AE56-210B	45,700	10.5	58,649	56,905	866	1,742
	DID8L22	(2) AE66-245B	47,140	9.2	62,377	58,865	866	1,836
	DID9L22	(2) AE66-245B	52,570	10.3	64,484	61,398	1046	1,981
	DID9L22	(2) AE66-280B	53,950	9.3	65,470	63,232	1046	2,011
DID10L22	(2) AE66-280B	59,360	10.2	69,831	65,631	1086	2,011	
DISCUS	DID5L44	(1) ITE36-385	38,160	9.5	42,832	43,723	808	1,255
	DID5L44	(2) ITE36-185	37,900	9.8	47,433	47,080	808	1,395
	DID6L44	(1) ITE36-385	42,390	10.6	44,499	45,281	835	1,320
	DID6L44	(2) ITE36-185	42,060	10.9	49,100	48,638	835	1,460
	DID8L44	(1) ITE36-460	53,150	11.1	50,207	51,431	866	1,620
	DID8L44	(1) ITE36-520	54,460	10.1	52,225	53,257	866	1,665
	DID8L44	(2) ITE26-270	55,850	9.8	58,517	59,196	866	1,770
	DID9L44	(2) ITE26-270	62,010	11.0	61,452	62,467	1,046	1,915
	DID9L44	(2) ITE26-320	64,060	9.6	63,114	64,575	1,046	2,005
	DID10L44	(2) ITE26-320	69,620	10.4	65,588	65,884	1,086	2,005
	DID10L44	(2) ITE36-385	71,900	9.0	71,564	70,270	1,086	2,175
	DID12L44	(2) ITE36-385	76,340	9.5	76,387	74,918	1,281	2,190
	DID15L44	(2) ITE36-460	95,400	10.0	80,336	79,704	1,343	2,290
	DID15L44	(2) ITE36-520	97,190	9.0	84,372	83,356	1,343	2,380
	DID5L22	(1) ITE26-320	33,790	10.1	42,678	45,706	808	1,170
	DID5L22	(1) ITE36-385	35,170	8.8	45,666	47,899	808	1,255
	DID5L22	(2) ITE36-185	34,900	9.0	50,267	51,256	808	1,395
	DID6L22	(1) ITE36-385	39,130	9.8	47,728	49,578	835	1,290
	DID6L22	(2) ITE36-185	38,820	10.1	52,329	52,935	835	1,430
	DID8L22	(1) ITE36-460	46,580	9.7	53,465	55,576	866	1,620
DID8L22	(2) ITE24-230	46,600	9.7	59,745	61,661	866	1,760	
DID9L22	(1) ITE36-520	53,200	9.8	57,696	60,041	1,046	1,810	
DID9L22	(2) ITE26-270	53,600	9.5	63,882	65,874	1,046	1,915	
DID10L22	(2) ITE26-270	58,920	10.5	68,243	68,273	1,086	1,915	
DID10L22	(2) ITE26-320	60,970	9.2	69,905	70,381	1,086	2,005	
DID15L22	(2) ITE36-385	89,170	11.1	81,673	80,293	1,343	2,210	
DID15L22	(2) ITE36-460	92,490	9.6	84,207	83,617	1,343	2,290	
SCROLL	DIO8L44	(1) ITE26-320	34,940	10.5	38,818	40,043	725	1,350
	DIO8L44	(1) ITE36-385	36,000	9.0	41,806	42,236	725	1,435
	DIO8L44	(2) ITE36-185	35,800	9.3	46,855	46,041	725	1,575
	DIO10L44	(1) ITE36-460	51,530	10.8	48,921	50,020	795	1,595
	DIO10L44	(1) ITE36-520	52,650	9.7	50,939	51,846	795	1,640
	DIO10L44	(2) ITE26-270	52,980	9.4	56,918	57,472	795	1,745
	DIO13L44	(2) ITE26-270	62,160	11.1	60,918	60,586	837	1,765
DIO13L44	(2) ITE26-320	64,040	9.6	62,580	62,694	837	1,855	

§ - 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

* EC motors not available on 460 Volt

SIERRA SYSTEMS

"D" Series — Ultra - Temp

0°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.\$ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
D I S C U S	DID5L44	(1) UEL2-361	37,430	10.4	\$41,241	\$42,667	808	1,230
	DID5L44	(1) UEL2-408	38,270	9.4	42,243	43,251	808	1,251
	DID6L44	(1) UEL2-408	42,530	10.4	43,910	44,809	835	1,316
	DID6L44	(1) UEL3-445	43,250	9.7	45,576	45,212	835	1,425
	DID6L44	(2) UEL2-240	43,850	9.1	52,509	52,566	835	1,590
	DID8L44	(1) UEL3-540	54,440	10.1	52,069	52,384	866	1,715
	DID8L44	(1) UEL3-613	55,710	9.1	53,256	53,592	866	1,750
	DID8L44	(2) UEL2-304	55,630	9.1	59,098	59,282	866	1,930
	DID9L44	(1) UEL3-613	63,090	10.3	56,297	56,969	1,046	1,895
	DID9L44	(1) UEL3-660	63,950	9.7	57,256	57,929	1,046	1,910
	DID9L44	(2) UEL2-304	62,990	10.4	62,033	62,553	1,046	2,075
	DID10L44	(1) UEL3-660	69,500	10.5	59,937	59,445	1,086	1,910
	DID10L44	(2) UEL2-361	70,640	9.8	68,605	68,158	1,086	2,125
	DID12L44	(1) UEL4-817	76,580	9.4	70,660	69,622	1,281	2,016
	DID12L44	(2) UEL2-361	74,910	10.4	73,428	72,806	1,281	2,140
DID15L44	(1) UEL4-950	95,270	10.0	79,102	77,195	1,343	2,125	
DID15L44	(2) UEL3-540	97,160	9.0	83,483	81,610	1,343	2,480	
D I S C U S	DID5L22	(1) UEL2-361	34,410	9.5	44,075	46,843	\$808	1,230
	DID6L22	(1) UEL2-408	39,260	9.6	47,139	49,106	835	1,286
	DID6L22	(1) UEL3-445	39,920	9.0	48,805	49,509	835	1,395
	DID8L22	(1) UEL3-445	45,900	10.3	53,275	53,845	866	1,685
	DID8L22	(2) UEL2-240	46,600	9.7	60,656	61,647	866	1,850
	DID9L22	(1) UEL3-540	53,180	9.8	57,540	59,168	1,046	1,860
	DID9L22	(1) UEL3-613	54,460	8.9	58,727	60,376	1,046	1,895
	DID9L22	(2) UEL2-240	51,900	10.8	62,763	64,180	1,046	1,995
	DID10L22	(1) UEL3-613	60,000	9.8	63,295	62,982	1,086	1,895
	DID10L22	(2) UEL2-304	59,900	9.8	68,824	68,359	1,086	2,075
DID15L22	(1) UEL4-950	92,340	9.7	82,485	80,620	1,343	2,125	
DID15L22	(2) UEL3-445	91,160	10.2	83,250	80,155	1,343	2,420	
S C R O L L	DIO8L44	(1) UEL2-304	34,370	11.3	38,166	39,032	725	1,385
	DIO8L44	(1) UEL2-361	35,420	9.8	40,215	41,180	725	1,410
	DIO10L44	(1) UEL3-540	52,630	9.7	50,783	50,973	795	1,690
	DIO10L44	(1) UEL3-613	53,700	8.8	51,970	52,181	795	1,725
	DIO10L44	(2) UEL2-240	51,550	10.7	55,799	55,778	795	1,825
	DIO13L44	(1) UEL3-660	63,940	9.7	57,063	56,389	837	1,760
	DIO13L44	(2) UEL2-304	63,050	10.4	61,499	60,672	837	1,925
DIO13L44	(2) UEL2-361	64,860	9.0	65,597	64,968	837	1,975	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

* EC motors not available on 460 Volt

LIST PRICES

"V" Series — Ultra - Temp

0°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.§ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
DISCUS	VID15L44	(1) UEL4-950	96,650	10.2	\$80,191	\$78,436	\$1,343	2,740
	VID15L44	(1) UEL4-1100	98,860	9.0	80,567	79,309	1,343	2,810
	VID15L44	(2) UEL3-445	95,590	10.7	80,956	77,971	1,343	3,035
	VID15L44	(2) UEL3-540	98,600	9.1	85,060	83,339	1,343	3,095
	VID22L44	(1) UEL4-1100	112,550	10.2	87,483	86,268	1,611	2,825
	VID22L44	(1) UEL4-1260	115,190	9.1	91,395	90,181	1,611	2,840
	VID22L44	(2) UEL3-540	112,180	10.4	92,099	90,421	1,611	3,110
	VID22L44	(2) UEL3-613	114,670	9.3	94,473	92,837	1,611	3,180
	VID27L44	(1) UEL4-1380	144,850	10.5	102,156	101,872	1,842	2,985
	VID27L44	(1) UEL5-1575	148,120	9.4	107,933	109,166	1,842	3,200
	VID27L44	(2) UEL3-660	143,690	10.9	103,225	102,659	1,842	3,345
	VID27L44	(2) UEL4-722	146,000	10.1	107,453	107,517	1,842	3,425
	VID27L44	(2) UEL4-817	148,970	9.1	114,757	113,449	1,842	3,527
	VID30L44	(1) UEL5-1575	163,920	10.4	114,789	116,261	1,941	3,290
	VID30L44	(1) UEL5-1725	166,510	9.6	118,865	118,637	1,941	3,340
	VID30L44	(2) UEL4-722	161,300	11.2	113,581	113,884	1,941	3,515
VID30L44	(2) UEL4-817	164,990	10.1	120,885	119,816	1,941	3,617	
DISCUS	VID15L22	(1) UEL4-817	88,580	10.8	76,356	75,674	1,343	2,651
	VID15L22	(1) UEL4-950	91,350	9.6	82,895	81,297	1,343	2,740
	VID15L22	(2) UEL2-408	88,560	10.8	81,128	80,026	1,343	2,817
	VID15L22	(2) UEL3-445	90,180	10.1	83,660	80,832	1,343	3,035
	VID22L22	(1) UEL4-950	102,860	10.8	91,775	90,050	1,611	2,755
	VID22L22	(1) UEL4-1100	105,980	9.6	92,151	90,923	1,611	2,825
	VID22L22	(2) UEL3-540	105,600	9.8	96,767	95,076	1,611	3,110
	VID27L22	(1) UEL4-1260	127,910	10.1	101,449	102,454	1,842	2,975
	VID27L22	(1) UEL4-1380	130,040	9.4	104,806	106,023	1,842	2,985
	VID27L22	(2) UEL3-613	127,240	10.4	103,957	104,890	1,842	3,315
	VID27L22	(2) UEL3-660	129,010	9.8	105,875	106,810	1,842	3,345
	VID30L22	(1) UEL4-1380	147,930	10.7	111,086	112,412	1,941	3,075
	VID30L22	(1) UEL5-1575	151,890	9.6	116,863	119,706	1,941	3,290
VID30L22	(2) UEL4-722	149,330	10.3	116,383	118,057	1,941	3,515	
VID30L22	(2) UEL4-817	152,940	9.4	123,687	123,989	1,941	3,617	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

* EC motors not available on 460 Volt

SIERRA SYSTEMS

MiniCon — All - Temp²B

-10°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		LIST PRICES	LIST PRICES	WARR.\$ NET PRICE	SHIP WEIGHT (LBS)
	COND. UNIT	EVAP	Btu/hr	TD	230/1 V. EVAP 230/1 V. C/U	230/1 V. EVAP 230/3 V. C/U		
H E R M E T I C	RIH100L44	(1) AE16-36B	3,230	9.0	\$13,069	\$13,069	\$203	221
	RIH165L44	(1) AE16-46B	5,670	12.3	13,576	13,695	219	242
	RIH165L44	(1) AE26-60B	6,150	10.2	14,466	14,585	219	249
	RIH215L44	(1) AE26-92B	9,690	10.5	15,448	15,847	238	305
	RIH215L44	(1) AE36-120B	10,380	8.6	16,809	17,208	238	321
	RIH215L44	(2) AE26-60B	10,380	8.6	20,606	21,005	238	351
	RIH315L44	(1) AE36-120B	12,390	10.3	19,465	19,515	444	333
	RIH315L44	(1) AE36-140B	12,890	9.2	19,886	19,936	444	340
	RIH315L44	(2) AE26-60B	12,390	10.3	23,262	23,312	444	363
S H E R M I T I C	RIS075L44	(1) AE16-36B	3,400	9.4	14,036	14,378	264	246
	RIS100L44	(1) AE16-46B	4,620	10.0	15,030	15,380	282	267
	RIS150L44	(1) AE26-75B	7,350	9.8	17,848	17,657	318	303
	RIS200L44	(1) AE26-92B	9,150	9.9	20,240	20,014	438	352
	RIS300L44	(1) AE36-140B	13,780	9.8	24,580	23,840	503	468
	RIS300L44	(2) AE26-75B	13,990	9.3	28,248	27,508	503	493
	RIS075L22	(1) AE16-36B	3,460	9.6	14,122	14,122	264	238
	RIS100L22	(1) AE16-41B	4,440	10.8	14,761	14,761	282	249
	RIS200L22	(1) AE16-46B	5,050	11.0	16,917	16,720	318	337
	RIS201L22	(1) AE26-75B	7,100	9.5	19,164	19,311	438	375
	RIS202L22	(1) AE26-75B	8,210	10.9	19,709	19,302	454	385
	RIS300L22	(1) AE36-120B	12,810	10.7	24,168	23,439	503	490
	RIS300L22	(2) AE26-60B	12,810	10.7	27,965	27,236	503	520
D I S C U S	RID300L44	(1) AE46-185B	19,510	10.5	30,515	29,646	653	840
	RID300L44	(2) AE26-92B	19,490	10.6	32,972	32,103	653	699
	RID400L44	(1) AE56-210B	22,440	10.7	N/A	33,412	729	906
	RID400L44	(2) AE36-120B	23,020	9.6	N/A	36,757	729	756
	RID500L44	(1) AE66-245B	26,690	10.9	N/A	36,068	795	973
	RID500L44	(2) AE36-140B	27,450	9.8	N/A	38,391	795	790
	RID300L22	(1) AE46-164B	16,830	10.3	33,020	32,143	653	830
	RID300L22	(2) AE26-75B	16,480	11.0	35,021	34,144	653	685
	RID400L22	(1) AE46-185B	19,160	10.4	N/A	34,484	729	865
	RID400L22	(2) AE26-92B	19,140	10.4	N/A	36,717	729	724
	RID500L22	(1) AE56-210B	23,150	11.0	N/A	37,097	795	926
	RID500L22	(2) AE36-120B	23,920	10.0	N/A	40,442	795	776
S C R O L L	RIO200L44	(1) AE26-75B	7,660	10.2	17,255	17,445	264	285
	RIO250L44	(1) AE26-92B	10,320	11.2	18,603	18,783	287	302
	RIO250L44	(1) AE36-120B	10,830	9.0	19,178	19,358	287	318
	RIO300L44	(1) AE36-120B	11,860	9.9	20,939	20,892	345	323
	RIO300L44	(2) AE26-60B	11,860	9.9	23,164	23,117	345	353
	RIO301L44	(1) AE36-140B	13,840	9.9	22,503	22,425	367	340
	RIO301L44	(2) AE26-75B	14,000	9.3	24,599	24,521	367	365
	RIO400L44	(1) AE46-185B	17,390	9.4	26,271	26,207	389	617
	RIO400L44	(2) AE26-92B	17,370	9.4	26,932	26,868	389	476
	RIO500L44	(1) AE56-210B	20,760	9.9	28,296	28,181	444	673

Systems with list prices shown in shaded areas are only available in 230/1 V.

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

LIST PRICES

"D" Series — All-Temp²B / Inter - Temp

-10°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.\$ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
D I S C U S	DID5L44	(1) AE66-280B	29,510	10.5	\$39,807	\$39,155	\$808	1,173
	DID5L44	(2) AE36-140B	29,510	10.5	41,637	41,100	808	975
	DID5L44	(2) AE46-164B	30,450	9.3	44,971	43,320	808	1,315
	DID6L44	(2) AE36-140B	32,150	11.5	43,304	42,658	835	1,040
	DID6L44	(2) AE46-164B	33,310	10.1	46,686	44,878	835	1,380
	DID6L44	(2) AE46-185B	34,120	9.2	47,282	45,616	835	1,400
	DID8L44	(2) AE46-185B	41,630	11.2	52,171	50,552	866	1,660
	DID8L44	(2) AE56-210B	42,810	10.2	55,391	52,760	866	1,742
	DID9L44	(2) AE56-210B	48,190	11.5	58,326	56,031	1,046	1,887
	DID9L44	(2) AE66-245B	49,790	10.2	62,054	57,991	1,046	1,981
	DID9L44	(2) AE66-280B	51,060	9.1	63,040	59,825	1,046	2,011
	DID10L44	(2) AE66-245B	54,330	11.1	64,528	59,300	1,086	1,981
	DID10L44	(2) AE66-280B	55,860	10.0	65,514	61,134	1,086	2,011
	DID5L22	(1) AE66-245B	24,540	10.0	42,148	42,414	808	1,158
	DID5L22	(1) AE66-280B	25,280	9.0	42,641	43,331	808	1,173
	DID5L22	(2) AE36-120B	24,420	10.2	43,629	44,658	808	961
	DID6L22	(1) AE66-280B	28,820	10.3	44,703	45,010	835	1,208
	DID6L22	(2) AE46-164B	29,840	9.1	49,867	49,175	835	1,350
	DID8L22	(2) AE46-164B	35,020	10.7	54,833	53,959	866	1,640
	DID8L22	(2) AE46-185B	35,950	9.7	55,429	54,697	866	1,660
	DID9L22	(2) AE46-185B	39,860	10.8	57,536	57,230	1,046	1,805
	DID9L22	(2) AE56-210B	41,010	9.8	60,756	59,438	1,046	1,887
	DID10L22	(2) AE56-210B	44,980	10.7	65,117	61,837	1,086	1,887
	DID10L22	(2) AE66-245B	46,550	9.5	68,845	63,797	1,086	1,981
D I S C U S	DID5L44	(1) ITE26-270	29,280	10.8	39,013	40,476	808	1,125
	DID5L44	(2) ITE26-130	29,040	11.2	41,035	41,194	808	1,055
	DID6L44	(1) ITE26-320	33,130	10.3	41,511	43,088	835	1,235
	DID6L44	(2) ITE26-150	32,670	10.9	44,452	44,552	835	1,150
	DID8L44	(1) ITE36-385	42,010	10.9	48,940	49,769	866	1,580
	DID8L44	(2) ITE36-185	41,630	11.2	53,989	53,574	866	1,720
	DID9L44	(1) ITE36-460	49,150	10.7	53,248	54,808	1,046	1,765
	DID9L44	(2) ITE26-270	50,730	9.4	61,452	62,467	1,046	1,915
	DID10L44	(1) ITE36-520	55,020	10.6	57,947	58,150	1,086	1,810
	DID10L44	(2) ITE26-270	55,450	10.3	63,926	63,776	1,086	1,915
	DID12L44	(1) ITE36-520	58,040	11.2	62,904	62,932	1,281	1,825
	DID12L44	(2) ITE26-270	58,510	10.8	68,749	68,424	1,281	1,930
	DID15L44	(2) ITE36-385	77,590	10.1	77,802	76,380	1,343	2,210
	DID15L44	(2) ITE36-460	80,310	8.7	80,336	79,704	1,343	2,290
	DID5L22	(1) ITE26-270	25,080	9.3	41,847	44,652	808	1,125
	DID5L22	(2) ITE26-130	24,870	9.6	43,917	45,370	808	1,055
	DID6L22	(1) ITE26-270	28,570	10.6	43,909	46,331	835	1,160
	DID6L22	(2) ITE26-150	29,270	9.8	47,681	48,849	835	1,120
	DID8L22	(1) ITE26-320	34,820	10.9	49,210	51,721	866	1,495
	DID8L22	(2) ITE36-185	35,950	9.7	57,247	57,719	866	1,720
	DID9L22	(1) ITE36-385	40,230	10.4	54,618	56,760	1,046	1,725
	DID9L22	(2) ITE36-185	39,860	10.8	59,354	60,252	1,046	1,865
	DID10L22	(1) ITE36-460	45,920	10.0	60,246	60,821	1,086	1,765
	DID10L22	(2) ITE26-270	47,460	8.8	68,243	68,273	1,086	1,915
DID15L22	(2) ITE26-320	68,990	10.8	75,697	75,907	1,343	2,040	
DID15L22	(2) ITE36-385	71,850	9.3	81,673	80,293	1,343	2,210	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

* EC motors not available on 460 Volt

SIERRA SYSTEMS

"D" Series — Inter - Temp / Ultra - Temp

-10°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.\$ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
DISCUS	DID5L44	(1) UEL2-304	29,600	10.4	\$39,192	\$40,519	\$808	1,205
	DID5L44	(1) UEL2-361	30,320	9.1	41,241	42,667	808	1,230
	DID6L44	(1) UEL2-361	33,520	9.9	42,908	44,225	835	1,295
	DID6L44	(1) UEL2-408	34,330	9.0	43,910	44,809	835	1,316
	DID8L44	(1) UEL2-408	41,940	11.0	48,351	49,297	866	1,576
	DID8L44	(1) UEL3-445	42,720	10.3	49,491	49,700	866	1,685
	DID8L44	(2) UEL2-240	43,370	9.7	57,398	57,502	866	1,850
	DID9L44	(1) UEL3-540	50,090	9.9	55,110	55,761	1,046	1,860
	DID9L44	(1) UEL3-613	51,270	8.9	56,297	56,969	1,046	1,895
	DID9L44	(2) UEL2-240	48,880	10.9	60,333	60,773	1,046	1,995
	DID10L44	(1) UEL3-540	54,690	10.8	57,791	57,277	1,086	1,860
	DID10L44	(1) UEL3-613	56,110	9.8	58,978	58,485	1,086	1,895
	DID10L44	(2) UEL2-304	56,010	9.9	64,507	63,862	1,086	2,075
	DID12L44	(1) UEL3-613	59,230	10.3	63,935	63,267	1,281	1,910
	DID12L44	(2) UEL2-304	59,130	10.4	69,330	68,510	1,281	2,090
DID15L44	(1) UEL4-817	77,460	10.1	72,356	71,365	1,343	2,036	
DID15L44	(1) UEL4-950	79,810	9.0	77,764	76,207	1,343	2,125	
DID15L44	(2) UEL2-408	77,460	10.1	76,847	75,436	1,343	2,202	
DID15L44	(2) UEL3-445	78,810	9.5	79,127	76,242	1,343	2,420	
DISCUS	DID5L22	(1) UEL2-240	24,010	10.7	41,176	43,805	808	1,165
	DID5L22	(1) UEL2-304	25,360	8.9	42,026	44,695	808	1,205
	DID6L22	(1) UEL2-304	28,910	10.2	44,088	46,374	835	1,240
	DID6L22	(1) UEL2-361	30,020	8.9	46,137	48,522	835	1,265
	DID8L22	(1) UEL2-361	35,260	10.4	50,607	52,858	866	1,555
	DID8L22	(1) UEL2-408	36,190	9.5	51,609	53,442	866	1,576
	DID9L22	(1) UEL2-408	40,160	10.5	53,822	56,081	1,046	1,721
	DID9L22	(1) UEL3-445	40,930	9.8	54,962	56,484	1,046	1,830
	DID9L22	(2) UEL2-240	41,570	9.3	62,763	64,180	1,046	1,995
	DID10L22	(1) UEL3-445	44,880	10.8	60,056	59,090	1,086	1,830
	DID10L22	(1) UEL3-540	46,340	9.3	62,108	61,774	1,086	1,860
DID10L22	(2) UEL2-240	45,650	10.2	67,124	66,579	1,086	1,995	
DID15L22	(1) UEL3-660	68,390	11.1	70,180	69,602	1,343	1,945	
DID15L22	(2) UEL2-361	69,870	10.3	78,714	78,181	1,343	2,160	
DID15L22	(2) UEL2-408	71,730	9.4	80,718	79,349	1,343	2,202	
SCROLL	DIO8L44	(1) ITE26-270	28,340	10.5	37,987	38,989	725	1,305
	DIO8L44	(1) ITE26-320	29,190	9.1	38,818	40,043	725	1,350
	DIO8L44	(2) ITE26-150	28,880	9.6	42,207	41,955	725	1,265
	DIO10L44	(1) ITE36-385	41,420	10.8	47,654	48,358	795	1,555
	DIO10L44	(1) ITE36-460	42,800	9.3	48,921	50,020	795	1,595
	DIO13L44	(1) ITE36-520	51,450	9.9	55,073	55,094	837	1,660
	DIO13L44	(2) ITE26-270	51,800	9.6	60,918	60,586	837	1,765
	DIO8L44	(1) UEL2-304	28,600	10.1	38,166	39,032	725	1,385
	DIO8L44	(1) UEL2-361	29,450	8.7	40,215	41,180	725	1,410
	DIO10L44	(1) UEL3-445	42,040	10.1	48,731	48,289	795	1,660
	DIO10L44	(2) UEL2-240	50,020	9.5	55,799	55,778	795	1,825
	DIO13L44	(1) UEL3-540	51,180	10.1	54,917	54,221	837	1,710
DIO13L44	(1) UEL3-613	52,320	9.1	56,104	55,429	837	1,745	
DIO13L44	(2) UEL2-304	52,240	9.2	61,499	60,672	837	1,925	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

* EC motors not available on 460 Volt

LIST PRICES

"V" Series — Ultra - Temp

-10°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.\$ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
D I S C U S	VID15L44	(1) UEL4-817	78,520	10.3	\$73,652	\$72,813	\$1,343	2,651
	VID15L44	(1) UEL4-950	80,930	9.1	80,191	78,436	1,343	2,740
	VID15L44	(2) UEL2-408	78,520	10.3	78,424	77,165	1,343	2,817
	VID15L44	(2) UEL3-445	79,900	9.6	80,956	77,971	1,343	3,035
	VID22L44	(1) UEL4-950	91,000	10.2	87,107	85,395	1,611	2,755
	VID22L44	(1) UEL4-1100	93,370	9.1	87,483	86,268	1,611	2,825
	VID22L44	(2) UEL3-445	89,850	10.8	87,995	85,053	1,611	3,050
	VID22L44	(2) UEL3-540	93,080	9.2	92,099	90,421	1,611	3,110
	VID27L44	(1) UEL4-1100	114,340	11.1	94,317	94,170	1,842	2,960
	VID27L44	(1) UEL4-1260	117,480	10.0	98,799	98,303	1,842	2,975
	VID27L44	(2) UEL3-540	113,890	11.3	98,933	98,323	1,842	3,245
	VID27L44	(2) UEL3-613	116,860	10.2	101,307	100,739	1,842	3,315
	VID27L44	(2) UEL3-660	118,500	9.6	103,225	102,659	1,842	3,345
	VID30L44	(1) UEL4-1260	129,650	11.0	105,655	105,398	1,941	3,065
	VID30L44	(1) UEL4-1380	132,060	10.2	109,012	108,967	1,941	3,075
	VID30L44	(2) UEL3-660	130,900	10.6	110,081	109,754	1,941	3,435
VID30L44	(2) UEL4-722	133,210	9.9	114,309	114,612	1,941	3,515	
D I S C U S	VID15L22	(1) UEL4-722	69,010	10.2	72,704	72,708	1,343	2,600
	VID15L22	(1) UEL4-817	70,860	9.3	76,356	75,674	1,343	2,651
	VID15L22	(2) UEL2-361	69,030	10.2	79,124	78,858	1,343	2,775
	VID15L22	(2) UEL2-408	70,860	9.3	81,128	80,026	1,343	2,817
	VID22L22	(1) UEL4-817	79,760	10.4	84,822	84,013	1,611	2,666
	VID22L22	(1) UEL4-950	82,270	9.3	91,775	90,050	1,611	2,755
	VID22L22	(2) UEL2-408	79,760	10.4	90,131	88,902	1,611	2,832
	VID22L22	(2) UEL3-445	81,200	9.8	92,663	89,708	1,611	3,050
	VID27L22	(1) UEL4-950	98,230	11.0	96,591	97,448	1,842	2,890
	VID27L22	(1) UEL4-1100	101,500	9.9	96,967	98,321	1,842	2,960
	VID27L22	(1) UEL4-1260	104,290	8.8	101,449	102,454	1,842	2,975
	VID27L22	(2) UEL3-540	101,100	10.0	101,583	102,474	1,842	3,245
	VID27L22	(2) UEL3-613	103,740	9.0	103,957	104,890	1,842	3,315
	VID30L22	(1) UEL4-1100	113,160	11.0	103,247	104,710	1,941	3,050
	VID30L22	(1) UEL4-1260	116,540	9.9	107,729	108,843	1,941	3,065
	VID30L22	(2) UEL3-540	112,670	11.2	107,863	108,863	1,941	3,335
VID30L22	(2) UEL3-613	115,870	10.1	110,237	111,279	1,941	3,405	
VID30L22	(2) UEL3-660	117,640	9.5	112,155	113,199	1,941	3,435	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

* EC motors not available on 460 Volt

SIERRA SYSTEMS

MiniCon — All - Temp²B

-20°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER			SYSTEM CAPACITY @ 95° AMBIENT		LIST PRICES	LIST PRICES	WARR.§ NET PRICE	SHIP WEIGHT (LBS)
	COND. UNIT	(#)	EVAP	Btu/hr	TD	230/1 V. EVAP 230/1 V. C/U	230/1 V. EVAP 230/3 V. C/U		
H E R M	RIH165L44	(1)	AE16-41B	4,060	10.4	\$13,359	\$13,478	\$219	239
	RIH165L44	(1)	AE16-46B	4,210	9.6	13,576	13,695	219	242
	RIH315L44	(1)	AE26-92B	9,280	10.7	18,104	18,154	444	317
	RIH315L44	(1)	AE36-120B	9,910	8.7	19,465	19,515	444	333
	RIH315L44	(2)	AE26-60B	9,910	8.7	23,262	23,312	444	363
S E M I - H E R	RIS100L44	(1)	AE16-36B	3,510	10.3	14,620	14,970	282	261
	RIS150L44	(1)	AE26-60B	5,610	9.8	17,702	17,511	318	302
	RIS200L44	(1)	AE26-75B	6,990	9.8	19,863	19,637	438	345
	RIS300L44	(1)	AE26-92B	9,570	11.0	22,798	22,058	503	445
	RIS300L44	(2)	AE16-46B	9,610	10.9	26,176	25,436	503	477
	RIS100L22	(1)	AE16-36B	3,330	9.8	14,568	14,568	282	246
	RIS200L22	(1)	AE16-41B	3,800	9.7	16,700	16,503	318	334
	RIS201L22	(1)	AE16-46B	4,770	10.8	18,128	18,275	438	367
	RIS202L22	(1)	AE26-60B	6,060	10.6	19,563	19,156	454	384
	RIS300L22	(1)	AE26-92B	9,130	10.5	22,807	22,078	503	474
	RIS300L22	(2)	AE16-46B	9,160	10.4	26,185	25,456	503	506
D I S C U S	RID300L44	(1)	AE36-140B	14,230	10.7	28,550	27,681	653	660
	RID300L44	(2)	AE26-75B	14,480	10.2	32,218	31,349	653	685
	RID400L44	(1)	AE46-185B	17,950	10.2	N/A	31,802	729	865
	RID400L44	(2)	AE26-92B	17,920	10.3	N/A	34,035	729	724
	RID500L44	(1)	AE56-210B	20,800	10.4	N/A	34,204	795	926
	RID500L44	(2)	AE36-120B	21,430	9.4	N/A	37,549	795	776
	RID300L22	(1)	AE36-120B	12,060	10.6	30,932	30,055	653	653
	RID300L22	(2)	AE26-60B	12,060	10.6	34,729	33,852	653	683
	RID400L22	(1)	AE36-140B	13,760	10.3	N/A	32,519	729	685
	RID400L22	(2)	AE26-75B	14,000	9.9	N/A	35,963	729	710
S C R O L L	RIO200L44	(1)	AE26-60B	5,920	10.4	17,109	17,299	264	284
	RIO250L44	(1)	AE26-92B	8,540	9.8	17,817	17,997	287	302
	RIO300L44	(1)	AE26-92B	9,380	10.8	18,792	18,745	345	307
	RIO301L44	(1)	AE36-120B	11,170	9.8	21,296	21,218	367	333
	RIO301L44	(2)	AE26-60B	11,170	9.8	25,093	25,015	367	363
	RIO400L44	(1)	AE36-120B	12,600	11.1	23,099	23,035	389	430
	RIO400L44	(1)	AE36-140B	13,070	9.8	23,520	23,456	389	437
	RIO400L44	(2)	AE26-75B	13,260	9.3	26,964	26,900	389	462
	RIO500L44	(1)	AE46-164B	16,320	10.9	25,602	25,487	444	622
	RIO500L44	(1)	AE46-185B	16,830	9.6	25,900	25,785	444	632
RIO500L44	(2)	AE26-92B	16,790	9.6	28,133	28,018	444	491	

Systems with list prices shown in shaded areas are only available in 230/1 V.

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

LIST PRICES

"D" Series - All - Temp²B / Inter - Temp

-20°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.\$ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
D I S C U S	DID5L44	(1) AE56-210B	22,110	11.0	37,450	37,258	808	1,111
	DID5L44	(1) AE66-245B	22,900	9.8	39,314	38,238	808	1,158
	DID5L44	(2) AE36-120B	22,800	10.0	40,843	40,482	808	961
	DID6L44	(1) AE66-245B	24,900	10.7	40,981	39,796	835	1,223
	DID6L44	(1) AE66-280B	25,670	9.6	41,474	40,713	835	1,238
	DID6L44	(2) AE36-120B	24,770	10.9	42,462	42,040	835	1,026
	DID6L44	(2) AE36-140B	25,670	9.7	43,304	42,658	835	1,040
	DID8L44	(1) AE66-280B	31,210	11.7	45,915	45,201	866	1,498
	DID8L44	(2) AE46-164B	32,130	10.7	51,575	49,814	866	1,640
	DID8L44	(2) AE46-185B	33,270	9.4	52,171	50,552	866	1,660
	DID9L44	(2) AE46-185B	37,960	10.8	55,106	53,823	1,046	1,805
	DID9L44	(2) AE56-210B	39,020	9.8	58,326	56,031	1,046	1,887
	DID10L44	(2) AE56-210B	42,330	10.6	60,800	57,340	1,086	1,887
	DID10L44	(2) AE66-245B	43,750	9.4	65,123	59,904	1,086	1,981
	DID12L44	(2) AE66-245B	45,810	9.8	69,351	63,948	1,281	1,996
	DID5L22	(1) AE46-185B	17,710	10.1	\$38,674	\$40,330	\$808	1,070
	DID5L22	(2) AE26-92B	17,650	10.1	40,907	43,046	808	929
	DID6L22	(1) AE56-210B	21,130	10.6	42,346	43,113	835	1,146
	DID6L22	(1) AE66-245B	21,960	9.4	44,210	44,093	835	1,193
	DID6L22	(2) AE36-120B	21,840	9.6	45,691	46,337	835	996
	DID8L22	(1) AE66-280B	26,630	10.0	49,173	49,346	866	1,498
	DID8L22	(2) AE36-140B	26,630	10.0	51,451	51,739	866	1,300
	DID8L22	(2) AE46-164B	27,350	9.1	54,785	53,959	866	1,640
	DID9L22	(1) AE66-280B	28,970	10.9	51,386	51,985	1,046	1,643
	DID9L22	(2) AE36-140B	28,970	10.9	53,558	54,272	1,046	1,445
	DID9L22	(2) AE46-164B	29,880	10.0	56,892	56,492	1,046	1,785
	DID10L22	(2) AE46-185B	33,850	9.6	61,897	59,629	1,086	1,805
	D I S C U S	DID5L44	(1) ITE26-270	23,380	9.1	39,013	40,476	808
DID5L44		(2) ITE26-130	23,210	9.4	41,083	41,194	808	1,055
DID6L44		(1) ITE26-270	25,480	9.9	40,680	42,034	835	1,190
DID6L44		(2) ITE26-130	25,270	10.2	42,750	42,752	835	1,120
DID8L44		(1) ITE26-320	32,260	10.6	45,952	47,576	866	1,495
DID8L44		(2) ITE36-185	33,270	9.4	53,989	53,574	866	1,720
DID9L44		(1) ITE36-385	38,320	10.4	51,981	53,146	1,046	1,725
DID9L44		(2) ITE36-185	37,960	10.8	57,147	56,845	1,046	1,865
DID10L44		(1) ITE36-385	41,470	11.3	54,662	54,662	1,086	1,725
DID10L44		(1) ITE36-460	43,190	9.9	55,929	56,324	1,086	1,765
DID10L44		(2) ITE24-230	43,190	9.9	62,119	62,096	1,086	1,905
DID12L44		(1) ITE36-460	45,170	10.3	60,886	61,106	1,281	1,780
DID12L44		(2) ITE26-270	46,780	9.1	68,972	68,424	1,281	1,930
DID5L22		(1) ITE36-185	17,710	10.1	39,583	41,841	808	1,100
DID6L22		(1) ITE26-270	22,450	8.7	43,909	46,331	835	1,160
DID8L22		(1) ITE26-270	26,410	10.3	48,379	50,667	866	1,450
DID8L22		(2) ITE26-150	27,070	9.5	52,647	53,633	866	1,410
DID9L22		(1) ITE26-320	30,000	9.8	51,423	54,360	1,046	1,640
DID9L22		(2) ITE26-150	29,230	10.3	54,754	56,166	1,046	1,555
DID10L22		(1) ITE26-320	32,670	10.7	55,784	56,759	1,086	1,640
DID10L22		(2) ITE36-185	33,850	9.6	63,938	62,651	1,086	1,865
DID15L22		(1) ITE36-520	51,450	10.4	67,983	68,100	1,343	1,845
DID15L22	(2) ITE26-270	51,940	10.1	74,738	74,279	1,343	1,950	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

* EC motors not available on 460 Volt

SIERRA SYSTEMS

"D" Series — Inter - Temp / Ultra - Temp

-20°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.§ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
DISCUS	DID5L44	(1) UEL2-240	22,340	10.7	\$38,342	\$39,629	\$808	1,165
	DID6L44	(1) UEL2-304	25,630	9.7	40,859	42,077	835	1,270
	DID8L44	(1) UEL2-361	32,470	10.3	47,349	48,713	866	1,555
	DID8L44	(1) UEL2-408	33,330	9.4	48,351	49,297	866	1,576
	DID9L44	(1) UEL2-408	38,040	10.7	51,392	52,674	1,046	1,721
	DID9L44	(1) UEL3-445	38,760	10.0	53,058	53,077	1,046	1,830
	DID10L44	(1) UEL3-445	42,000	10.8	55,739	54,593	1,086	1,830
	DID10L44	(1) UEL3-540	43,830	9.3	57,791	57,277	1,086	1,860
	DID10L44	(2) UEL2-240	42,750	10.2	63,221	62,496	1,086	1,995
	DID12L44	(1) UEL3-540	45,890	9.8	62,748	62,059	1,281	1,875
	DID12L44	(2) UEL2-240	44,670	10.7	67,630	66,730	1,281	2,010
	DID15L44	(1) UEL3-660	59,300	10.3	66,797	66,177	1,343	1,945
DID15L44	(1) UEL4-722	60,480	9.6	68,911	68,606	1,343	1,985	
DID15L44	(2) UEL2-304	58,140	11.0	70,745	69,972	1,343	2,110	
DID15L44	(2) UEL2-361	60,500	9.6	74,843	74,268	1,343	2,160	
DISCUS	DID5L22	(1) UEL1-193	17,490	10.4	37,936	41,245	808	1,025
	DID6L22	(1) UEL2-240	31,380	10.2	43,238	45,484	835	1,200
	DID8L22	(1) UEL2-304	26,580	10.1	48,558	50,710	866	1,530
	DID9L22	(1) UEL2-304	28,910	10.3	50,771	53,349	1,046	1,675
	DID9L22	(1) UEL2-361	30,220	9.6	52,820	55,497	1,046	1,700
	DID10L22	(1) UEL2-361	32,920	10.5	57,388	58,103	1,086	1,700
	DID10L22	(1) UEL2-408	33,920	9.6	58,390	58,687	1,086	1,721
	DID15L22	(1) UEL3-540	50,760	10.8	68,034	67,434	1,343	1,895
	DID15L22	(1) UEL3-613	52,400	9.8	69,221	68,642	1,343	1,930
DID15L22	(2) UEL2-304	52,280	9.9	74,616	73,885	1,343	2,110	
SCROLL	DIO8L44	(1) ITE26-270	23,300	9.1	37,987	38,989	725	1,305
	DIO10L44	(1) ITE26-320	32,630	10.7	44,666	46,165	795	1,470
	DIO10L44	(1) ITE36-385	33,850	9.2	47,654	48,358	795	1,555
	DIO13L44	(1) ITE36-385	39,920	10.9	51,788	51,606	837	1,575
	DIO13L44	(1) ITE36-460	41,330	9.4	53,055	53,268	837	1,615
	DIO8L44	(1) UEL2-240	22,400	10.7	37,316	38,142	725	1,345
	DIO8L44	(1) UEL2-304	23,410	8.9	38,166	39,032	725	1,385
	DIO10L44	(1) UEL2-361	32,830	10.4	46,063	47,302	795	1,530
	DIO10L44	(1) UEL2-408	33,640	9.5	47,065	47,886	795	1,551
	DIO13L44	(1) UEL2-408	39,640	11.2	51,199	51,134	837	1,571
	DIO13L44	(1) UEL3-445	40,360	10.4	52,865	51,537	837	1,680
	DIO13L44	(2) UEL2-240	40,970	9.8	59,799	58,892	837	1,845

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

* EC motors not available on 460 Volt

LIST PRICES

"V" Series — Ultra - Temp

-20°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60*	WARR.§ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
D I S C U S	VID15L44	(1) UEL3-660	60,090	10.5	\$67,886	\$67,418	\$1,343	2,560
	VID15L44	(1) UEL4-722	61,300	9.8	70,000	69,847	1,343	2,600
	VID15L44	(2) UEL2-304	58,890	11.1	72,322	71,701	1,343	2,725
	VID15L44	(2) UEL2-361	61,320	9.8	76,420	75,997	1,343	2,775
	VID22L44	(1) UEL4-722	69,930	11.1	76,502	76,392	1,611	2,615
	VID22L44	(1) UEL4-817	71,740	10.1	80,154	79,358	1,611	2,666
	VID22L44	(2) UEL2-361	69,950	11.1	83,459	83,079	1,611	2,790
	VID22L44	(2) UEL2-408	71,720	10.1	85,463	84,247	1,611	2,832
	VID27L44	(1) UEL4-950	89,940	10.9	93,941	93,297	1,842	2,890
	VID27L44	(1) UEL4-1100	92,850	9.7	94,317	94,170	1,842	2,960
	VID27L44	(2) UEL3-445	88,610	11.4	94,829	92,955	1,842	3,185
	VID27L44	(2) UEL3-540	92,510	9.8	98,205	97,595	1,842	3,245
	VID30L44	(1) UEL4-1100	101,990	10.7	101,173	101,265	1,941	3,050
	VID30L44	(1) UEL4-1260	104,930	9.6	105,655	105,398	1,941	3,065
	VID30L44	(2) UEL3-540	101,580	10.8	105,061	104,690	1,941	3,335
	VID30L44	(2) UEL3-613	104,340	9.8	107,435	107,106	1,941	3,405
	VID30L44	(2) UEL3-660	105,880	9.2	109,353	109,026	1,941	3,435
	D I S C U S	VID15L22	(1) UEL3-540	50,190	10.7	68,444	68,111	1,343
VID15L22		(1) UEL3-613	51,790	9.7	69,631	69,319	1,343	2,545
VID15L22		(1) UEL3-660	52,680	9.2	70,590	70,279	1,343	2,560
VID15L22		(2) UEL2-304	51,670	9.8	75,026	74,562	1,343	2,725
VID22L22		(1) UEL3-613	58,260	10.9	78,097	77,658	1,611	2,560
VID22L22		(1) UEL3-660	59,360	10.3	79,056	78,618	1,611	2,575
VID22L22		(1) UEL4-722	60,630	9.7	81,170	81,047	1,611	2,615
VID22L22		(2) UEL2-304	58,110	11.0	84,029	83,438	1,611	2,740
VID22L22		(2) UEL2-361	60,650	9.7	88,127	87,734	1,611	2,790
VID27L22		(1) UEL4-722	71,210	11.4	85,986	88,445	1,842	2,750
VID27L22		(1) UEL4-817	73,660	10.4	89,638	91,411	1,842	2,801
VID27L22		(1) UEL4-950	76,370	9.3	96,591	97,448	1,842	2,890
VID27L22		(2) UEL2-361	71,240	11.3	92,943	95,132	1,842	2,925
VID27L22		(2) UEL2-408	73,630	10.4	95,199	96,300	1,842	2,967
VID27L22		(2) UEL3-445	75,230	9.7	97,479	97,106	1,842	3,185
VID30L22		(1) UEL4-950	85,500	10.4	102,871	103,837	1,941	2,980
VID30L22		(1) UEL4-1100	88,530	9.2	103,247	104,710	1,941	3,050
VID30L22		(2) UEL3-445	84,120	10.9	103,759	103,495	1,941	3,275
VID30L22	(2) UEL3-540	88,170	9.4	107,863	108,863	1,941	3,335	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

* EC motors not available on 460 Volt

FREIGHT SURCHARGES

The following freight surcharges will be applied to orders (when applicable). For delivery and post delivery issues, the customer will be notified and a second invoice will be generated.

BASIC LTL FREIGHT SURCHARGES	NET Price [†]	BASIC CONTRACT HAUL SURCHARGES	NET [†]
Delivery Notification / Call before delivery	\$68	Cancelled truck not used	\$2,160
Lift Gate Service	\$213	Reconsignment fee	\$775
Saturday Delivery Request	\$484	Reconsignment cost per mile (\$1505 Minimum)	\$3.23
*Failed/Refused delivery attempt (minimum)	\$98	Delay in unloading (4 hours or more past an appointment)	\$1,505
*Failed/Refused delivery attempt (Maximum)	\$1,214	† Net prices are not to be discounted.	
Re-Consignment fee	\$91		
Storage (Per 100 LBS for each calendar day)	\$4.62		

* Refused Delivery fee will be calculated @ 11.6 cents per 100 LBS, subject to Minimum and Maximum charges shown above (per incident).

† Net prices are not to be discounted.

PRINCIPAL TERMS AND CONDITIONS OF SALE

1. **Applicable Law and Terms of Sale:** All orders shall be subject to the following terms and conditions notwithstanding any additional or contrary printed terms and conditions of Buyer. Such additional or contrary terms shall not bind Seller unless accepted in writing even though such terms do not materially alter the terms hereof. No oral statements, warranties, stipulations, representations or terms shall have any binding effect or be any part of the contract whatsoever.
2. **Orders:** All orders must be in writing and will be binding when our order acknowledgment is mailed. Orders are accepted subject to strikes, fires, accidents, and other causes beyond our reasonable control. Acceptance of your order is conditioned upon an agreement to hold us harmless by reason of delivery delays.
3. **Prices:** Prices are subject to change without notice, and all quotations, unless otherwise specified, are binding only for immediate acceptance. Prices are based on material made to Seller's standard tolerances, unless otherwise specified.
4. **Freight:** All products are shipped FOB Point of Shipment with full freight allowed on single orders with a net price value of \$7000.00 or more, except surface coils and parts, within the continental USA (excluding Alaska and Hawaii). Routing and selection of carrier will be made by Seller. For special routing requests, Buyer will bear all additional costs for such routing. Equipment is shipped at Buyer's risk. Buyer should examine equipment before signing transportation receipt. If equipment is received damaged or if quantity received does not match freight bill, the Buyer should require agent to so indicate on freight bill and immediately file a damage/missing claim. Our liability ceases upon delivery of equipment in good order to the freight carrier.
5. **Taxes:** Any sales, use, excise, or similar tax payable by Seller which is or may be imposed by any taxing authority upon manufacture, sale or delivery of goods covered by any order or any increase in rate of any such tax now in force, shall be added to the sales price; if not collected at the time of payment of sales price, Buyer will hold Seller harmless.
6. **Limited Warranty:** Seller warrants against defect in materials and workmanship in products which it manufactures for (1) year from date of installation or up to (18) eighteen months from the date of shipment, whichever event occurs first, when properly installed and operated under normal use. This guarantee does not include any labor or other charges made outside of the Seller's factory for replacement or repair of defective parts unless specifically stated in the body of the Seller's invoice. On parts not manufactured by Seller, such as motors, controls, valves and compressors we extend to the Buyer the same warranties made to us by the manufacturer. Seller's only liability under this warranty or otherwise shall be the repair or replacement (at Seller's option) of non-conforming goods or parts. Seller assumes no liability for incidental or consequential damages such as injury to person or property, or lost profits.
7. **THIS GUARANTEE SUPERSEDES AND IS IN LIEU OF ANY AND ALL OTHER WARRANTIES BY LAW OR CUSTOM, EITHER EXPRESSED OR IMPLIED INCLUDING, BUT NOT LIMITED BY THIS ENUMERATION, ANY GUARANTEE AS TO QUALITY OR FITNESS FOR ANY PARTICULAR PURPOSE, EXCEPT AS SET FORTH ABOVE. NO PERSON, AGENT, OR DEALER IS AUTHORIZED TO GIVE ANY WARRANTIES ON BEHALF OF SELLER NOR TO ASSUME FOR SELLER ANY OTHER LIABILITY IN CONNECTION WITH ANY OF THE SELLER'S PRODUCTS.**
8. **Delivery:** Seller shall not be liable for any delays in or failure of delivery due to acts of God or public authority, labor disputes, accidents, fires, floods, extreme weather conditions, failure of and delays by carriers, shortages of material, delays of a supplier, and any other cause beyond Seller's control. In no event shall Seller be liable for consequential or special damages arising out of a delay in or failure of delivery. Failure to meet estimated ship dates will not be considered sufficient cause of cancellation of orders.
9. **Cancellations and Returned Goods:** Permission to return any part or product must be obtained from Seller and may be subject to a restocking charge. Credits for new material accepted for return will be at the original sales price or current market price, whichever is lower, less handling and restocking charges. Buyer must prepay all transportation charges. Any costs for putting material in condition for resale will be charged to the Buyer. Shipment of material returned without factory authorization or not properly tagged with a Return Material Authorization Number or not freight prepaid cannot be received by Seller. Obsolete products or material made to special order are not returnable.
10. **Catalog Materials and Drawings:** Seller is not responsible for typographical errors or other errors of omission in Seller's catalogs or drawings.
11. **Late Charge Provision:** Buyer agrees to pay a late charge of 1-1/2% per month (18% per year) for any invoice or bill not paid within (30) thirty days of the date of the billing invoice.
12. **Choices of law, Disputes:** This agreement and the performance of the parties hereunder shall be construed in accordance with and governed by the laws of the State of California and shall be deemed made in the state. Buyer irrevocably consents to the exclusive jurisdiction of the courts of Orange County, California, on all matters arising out of or relating to this sale and Buyer further irrevocably consents to service of process by certified mail, return receipt requested, at Buyer's address set forth in the order acknowledgement.

The above terms and conditions apply to all orders placed with the Seller. Buyer acknowledges having read and understood these terms and conditions and agrees to abide by them upon placement of any order with the Seller. In the event it becomes necessary to refer the account to a collection agency or to institute legal action to obtain payment of the account, Buyer agrees to pay all reasonable attorney fees and court costs incurred by such action.

